

**BEFORE THE BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA**

RESOLUTION NO. _____

**APPROVAL OF A CONVEYANCE OF PROPERTY AND ACCEPTANCE OF PROPERTY
PURSUANT TO SECTION 125.37 FLORIDA STATUTES**

WHEREAS, on _____, this Board held a public hearing to consider the exchange of property owned by MARTIN COUNTY, a political subdivision of the State of Florida (hereinafter "COUNTY"), described in Exhibit "A" attached hereto and made a part hereof, for property owned by BE A MAN BUY LAND, LLC, a Florida corporation (hereinafter "BAM"), described in the Exhibit "B" and Exhibit "C" attached hereto and made a part hereof; and

WHEREAS, proper notice of hearing was published once a week for two weeks prior to the public hearing in a newspaper of general circulation published in the County; and

WHEREAS, anyone desiring to be heard regarding this matter was given opportunity to present their views to this Board; and

WHEREAS, on November 12, 2024, the Board voted to approve a Settlement, Land Exchange, and Purchase Agreement ("Settlement Agreement") in the case of: Be a Man Buy Land, LLC vs. S. FL. Water Man. Dist.; FL Fish and Wildlife Cons. Comm.; The Board of Trustees of the Internal Improv. Trust Fund of the State of FL; and Martin County; Case No. 2023-CA-000052; and

WHEREAS, Pursuant to the Settlement Agreement, BAM is required to swap land it owns at a ratio of 2:1 in environmentally sensitive middle and eastern portions of Pal Mar, for County and S. FL Water Man. Dist. owned land (either solely or jointly; approx. 559 acres) in the North Chimney portion of Pal Mar. This equates to the County receiving (both solely and jointly) approx. 1,099.78 acres in the middle and eastern portions of Pal Mar; and

WHEREAS, the Board has made the following determinations regarding the property to be conveyed by County Deed to BAM as more particularly described in Exhibit "A", which is attached hereto and incorporated herein:

1. The property is not needed for County purposes.
2. It is in the best interest of the County to exchange the COUNTY's property more

particularly described in Exhibit "A" for the property owned by BAM as more particularly described in Exhibit "B".

3. The exchange of property is deemed an even exchange and no funds will change hands.

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF MARTIN COUNTY, FLORIDA, THAT:

A. Pursuant to Section 125.37, Florida Statutes, the Board of County Commissioners hereby authorizes the exchange of the property described in Exhibit "A" for the property described in Exhibit "B".

B. The property exchange is subject to certain terms and conditions, which are summarized as follows:

1. The Board of County Commissioners accepts this resolution approving the County Deed conveying its interest in the property described in Exhibit "A" to BAM, as consideration for an executed Quit Claim Deed conveying the property described in Exhibit "B" and Exhibit "C" by BAM, a Florida limited liability corporation to COUNTY.

2. Each party shall pay for recording any documents necessary to convey marketable title to the other party, including the deeds. BAM, as the non-exempt party, shall pay for any and all documentary stamps as a result of the property exchange.

3. This resolution hereby accepts and approves the Quit Claim Deeds conveyed by Be a Man Buy Land, LLC, a Florida limited liability corporation to Martin County, a political subdivision of the State of Florida, at the time of closing.

DULY PASSED AND ADOPTED this ____ day of _____, 2025.

ATTEST:

BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA

CAROLYN TIMMANN, CLERK OF THE
CIRCUIT COURT AND COMPTROLLER

SARAH HEARD, CHAIR

APPROVED AS TO FORM AND
LEGAL SUFFICIENCY:

SARAH W. WOODS, COUNTY ATTORNEY

EXHIBIT "A"

COUNTY TO BAM

Parcel A

This instrument prepared by:

Susanna Kenerson, Real Property Division
Martin County
2401 SE Monterey Road
Stuart, FL 34996

Project Name: Be A Man Buy Land RPM 4119
Property Address: Multiple vacant land parcels
PCN: Multiple – see attached Ex. A - M

SPACE ABOVE THIS LINE FOR PROCESSING DATA

SPACE ABOVE THIS LINE FOR RECORDING DATA

COUNTY DEED

THIS DEED, made this ____ day of _____, 2025, by MARTIN COUNTY, a political subdivision of the State of Florida, 2401 SE Monterey Road, Stuart, Florida 34996, Grantor, and BE A MAN BUY LAND, LLC, a Florida limited liability company, Grantee, whose mailing address is 4260 SE Federal Highway, Stuart, Florida 34997.

WITNESSETH that Grantor, for good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, has granted, bargained and sold to Grantee, its heirs and assigns forever, the following described land lying and being in Martin County, Florida:

SEE ATTACHED EXHIBITS "A -M"

IN WITNESS WHEREOF Grantor has caused these presents to be executed in its name by its Board of County Commissioners acting by the Chair or Vice Chair of said Board, the day and year aforesaid.

ATTEST:

BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA

CAROLYN TIMMANN, CLERK OF THE
CIRCUIT COURT AND COMPTROLLER

SARAH HEARD, CHAIR

APPROVED AS TO FORM & LEGAL
SUFFICIENCY:

SARAH W. WOODS, COUNTY ATTORNEY

EXHIBIT A

The following described parcels of land, lying and being in Section 01, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida:	
Lot Number(s)	Parcel Number
XX-192	01-40-39-000-200-00080-1
XX-128	01-40-39-000-200-00120-3
XX-97	01-40-39-000-200-00130-1
XX-1 CD North 1/2	01-40-39-000-200-00202-4
XX-291	01-40-39-000-200-00410-2
XX-227	01-40-39-000-200-00450-3
XX-189	01-40-39-000-200-00730-5
XX-37	01-40-39-000-200-00970-4
XX-6AB S 1/2	01-40-39-000-200-01020-2
XX-251	01-40-39-000-200-01170-0
XX-122A	01-40-39-000-200-01324-5
XX-25	01-40-39-000-200-01430-6
XX-23	01-40-39-000-300-00230-8
XX-170 AB South 1/2	01-40-39-000-300-00324-5
XX-215	01-40-39-000-300-00350-2
XX-171	01-40-39-000-300-00490-3
XX-76	01-40-39-000-300-00660-7
XX-117	01-40-39-000-300-00690-1
XX-245	01-40-39-000-300-00770-4
XX-205	01-40-39-000-300-00870-3
XX-83D	01-40-39-000-300-01072-7
XX-208 CD N 1/2	01-40-39-000-300-01541-0
The following described parcels of land, lying and being in Section 02, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida:	
Lot Number(s)	Parcel Number
WW-256	02-40-39-000-100-00050-7
WW-165	02-40-39-000-100-00740-3
Being part of that 185 foot wide FP&L Easement as in Deed Book 98 at Page 323, of the Public Records of Martin County, Florida. Being the same property conveyed in Official Records Book 1585, at Page 399, of the Public Records of Martin County, Florida, and containing 19.06 acre(s) more or less.	02-40-39-000-100-01610-8
WW-219	02-40-39-000-400-00380-2
WW-147	02-40-39-000-400-00480-1
WW-19B West 1/2 of the South 1/2	02-40-39-000-400-00593-5
WW-124 CD North 1/2	02-40-39-000-400-01521-0

EXHIBIT A

The following described parcels of land, lying and being in Section 11, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida:	
Lot Number(s)	Parcel Number
SS-257	11-40-39-000-100-00020-5
SS-225	11-40-39-000-100-00040-1
SS-160 (N 1/2)	11-40-39-000-100-00092-8
SS-97	11-40-39-000-100-00120-4
SS-96	11-40-39-000-100-00130-2
SS-64	11-40-39-000-100-00150-7
SS-33	11-40-39-000-100-00180-1
SS-32	11-40-39-000-100-00190-9
SS-1	11-40-39-000-100-00200-7
SS-223	11-40-39-000-100-00360-3
SS-226	11-40-39-000-100-00370-1
SS-190CD North 1/2	11-40-39-000-100-00471-9
SS-67	11-40-39-000-100-00540-6
SS-62	11-40-39-000-100-00550-3
SS-35	11-40-39-000-100-00580-7
SS-29	11-40-39-000-100-00620-9
SS-36	11-40-39-000-100-00630-7
SS-68	11-40-39-000-100-00670-8
SS-125	11-40-39-000-100-00700-2
SS-253	11-40-39-000-100-00780-5
SS-261	11-40-39-000-100-00820-7
SS-229	11-40-39-000-100-00840-3
SS-188	11-40-39-000-100-00870-6
SS-165	11-40-39-000-100-00880-4
SS-101	11-40-39-000-100-00920-6
SS-92	11-40-39-000-100-00930-4
SS-69	11-40-39-000-100-00940-2
SS-59	11-40-39-000-100-01060-4
SS-102	11-40-39-000-100-01090-8
SS-166	11-40-39-000-100-01130-0
SS-230	11-40-39-000-100-01170-1
Being the North 1/2 of the East 2/5 of the South 1/2 of the Northeast 1/4 of the Southeast 1/4 of the Northeast 1/4. Containing 1 acre(s) more or less.	11-40-39-000-100-01191-6
SS-122	11-40-39-000-100-01310-2
SS-39	11-40-39-000-100-01380-7
SS-40	11-40-39-000-100-01430-7
SS-72	11-40-39-000-100-01470-8
SS-136	11-40-39-000-100-01510-0
SS-153	11-40-39-000-100-01520-8
SS-200	11-40-39-000-100-01550-1

EXHIBIT A

SS-184	11-40-39-000-400-00070-8
SS-73	11-40-39-000-400-00140-4
SS-56	11-40-39-000-400-00150-1
SS-9	11-40-39-000-400-00200-1
SS-10	11-40-39-000-400-00210-9
SS-23	11-40-39-000-400-00220-7
SS-55	11-40-39-000-400-00260-8
SS-87 AB South 1/2	11-40-39-000-400-00284-0
SS-170	11-40-39-000-400-00330-4
SS-202	11-40-39-000-400-00350-9
SS-246	11-40-39-000-400-00430-3
SS-214	11-40-39-000-400-00450-8
SS-118 AB South 1/2	11-40-39-000-400-00514-2
SS-54	11-40-39-000-400-00550-7
SS-43	11-40-39-000-400-00580-1
SS-22	11-40-39-000-400-00590-9
SS-11 A&B	11-40-39-000-400-00600-7
SS-140	11-40-39-000-400-00710-4
SS-149	11-40-39-000-400-00720-2
SS-268	11-40-39-000-400-00790-7

The following described parcels of land, lying and being in Section 12, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida:

Lot Number(s)	Parcel Number
YY-288 South 1/2	12-40-39-000-200-00024-7
YY-256 CD North 1/2	12-40-39-000-200-00041-6
YY-160	12-40-39-000-200-00100-4
YY-129	12-40-39-000-200-00110-2
YY-65 North 1/2	12-40-39-000-200-00150-3
YY-33C East 1/2 of the North 1/2	12-40-39-000-200-00171-8
YY-1 South 1/2	12-40-39-000-200-00191-4
YY-2 North 1/2	12-40-39-000-200-00210-1
YY-34	12-40-39-000-200-00240-5
YY-95	12-40-39-000-200-00270-8
YY-127	12-40-39-000-200-00290-4
YY-130	12-40-39-000-200-00300-2
YY-159	12-40-39-000-200-00310-0
YY-223CD North 1/2	12-40-39-000-200-00351-0
YY-226	12-40-39-000-200-00360-9
YY-258C East 1/2 of the North 1/2	12-40-39-000-200-00380-5
YY-259	12-40-39-000-200-00430-5
YY-227	12-40-39-000-200-00450-0
YY-195	12-40-39-000-200-00470-6
YY-131	12-40-39-000-200-00510-8
YY-62	12-40-39-000-200-00560-7

EXHIBIT A

YY-4	12-40-39-000-200-00610-7
YY-93	12-40-39-000-200-00670-4
YY-221	12-40-39-000-200-00750-7
YY-284	12-40-39-000-200-00820-3
YY-197	12-40-39-000-200-00870-2
YY-124	12-40-39-000-200-00920-2
YY-70	12-40-39-000-200-01060-0
YY-91	12-40-39-000-200-01070-8
YY-187	12-40-39-000-200-01130-6
YY-295CD North 1/2	12-40-39-000-200-01211-8
YY-250AB	12-40-39-000-200-01244-9
YY-122CD North 1/2	12-40-39-000-200-01321-5
YY-103	12-40-39-000-200-01330-4
YY-25	12-40-39-000-200-01430-3
YY-57	12-40-39-000-200-01450-8
YY-104	12-40-39-000-200-01480-2
YY-248	12-40-39-000-300-00040-5
YY-216AB South 1/2	12-40-39-000-300-00064-6
YY-88A Southeast 1/4	12-40-39-000-300-00144-0
YY-73AB South 1/2	12-40-39-000-300-00154-7
YY-9 South 1/2	12-40-39-000-300-00190-3
YY-10 CD North 1/2	12-40-39-000-300-00210-9
YY-10 South 1/2	12-40-39-000-300-00220-7
YY-74	12-40-39-000-300-00260-8
YY-215AB South 1/2	12-40-39-000-300-00353-6
YY-298	12-40-39-000-300-00400-9
YY-299	12-40-39-000-300-00410-7
YY-278	12-40-39-000-300-00420-5
YY-107	12-40-39-000-300-00530-2
YY-43 CD North 1/2	12-40-39-000-300-00571-2
YY-11 South 1/2	12-40-39-000-300-00600-7
YY-53	12-40-39-000-300-00650-6
YY-76	12-40-39-000-300-00660-4
YY-85 BD	12-40-39-000-300-00672-0
YY-172BD West 1/2	12-40-39-000-300-00722-0
YY-245	12-40-39-000-300-00770-1
YY-301	12-40-39-000-300-00810-3
YY-276	12-40-39-000-300-00820-1
YY-244	12-40-39-000-300-00840-7
YY-212	12-40-39-000-300-00860-2
YY-180	12-40-39-000-300-00880-8
YY-148	12-40-39-000-300-00900-4
YY-109	12-40-39-000-300-00930-8
YY-84	12-40-39-000-300-00940-6
YY-206	12-40-39-000-300-01140-2
YY-238AB South 1/2	12-40-39-000-300-01164-3

EXHIBIT A

YY-302AB South 1/2	12-40-39-000-300-01204-5
YY-303CD North 1/2	12-40-39-000-300-01211-6
YY-274 Northeast 1/4	12-40-39-000-300-01220-5
YY-242A Southeast 1/4	12-40-39-000-300-01244-7
YY-241C Northeast 1/4	12-40-39-000-300-01571-0
YY-304	12-40-39-000-300-01600-5
YY-232	12-40-39-000-200-01560-5
YY-41	12-40-39-000-300-00170-7
The following described parcels of land, lying and being in Section 13, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida:	
Lot Number(s)	Parcel Number
VV-719	13-40-39-000-100-00141-5

EXHIBIT B
LEGAL DESCRIPTION

ALL THAT PORTION OF THE EAST 185 FEET OF THE WEST 604.5 FEET OF THE EAST 1/2 OF SECTION 11, TOWNSHIP 40 SOUTH, RANGE 39 EAST, MARTIN COUNTY, FLORIDA, LYING 15 FEET NORTHERLY OF THE FOLLOWING DESCRIBED CENTERLINE OF JUPITER-INDIANTOWN ROAD AS SHOWN ON THE SPECIFIC PURPOSE BOUNDARY SURVEY PERFORMED BY BOWMAN CONSULTING, INC., HAVING A PROJECT NUMBER OF 010025-01-002, AND A FIELD DATE OF AUGUST 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS

EXHIBIT B
LEGAL DESCRIPTION (CONTINUED)

SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID

EXHIBIT B
LEGAL DESCRIPTION (CONTINUED)

CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54"

EXHIBIT B
LEGAL DESCRIPTION (CONTINUED)

WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A

EXHIBIT B
LEGAL DESCRIPTION (CONTINUED)

DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT C
LEGAL DESCRIPTION

All that portion of SS-12, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF

EXHIBIT C
LEGAL DESCRIPTION (CONTINUED)

103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL

EXHIBIT C
LEGAL DESCRIPTION (CONTINUED)

ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25"

EXHIBIT C
LEGAL DESCRIPTION (CONTINUED)

WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE

EXHIBIT C
LEGAL DESCRIPTION (CONTINUED)

RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT D
LEGAL DESCRIPTION

A parcel lying In Section 11, Township 40 South, Range 39 East, In Martin County, Florida.

Being all that portion of the East 1/2 of the West 2/5 of the South 1/2 of the Southwest 1/4 of the Northwest 1/4 of the Southeast 1/4 of said Section 11, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE,

EXHIBIT D
LEGAL DESCRIPTION (CONTINUED)

THROUGH A CENTRAL ANGLE OF $33^{\circ}56'34''$, A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $12^{\circ}09'41''$, A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH $85^{\circ}55'38''$ WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH $86^{\circ}38'31''$, A DISTANCE OF 484.92 FEET; THENCE NORTH $86^{\circ}23'44''$ WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH $87^{\circ}04'56''$ WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH $85^{\circ}49'07''$ WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH $80^{\circ}57'42''$ WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH $72^{\circ}32'42''$ WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH $73^{\circ}39'19''$ WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH $26^{\circ}01'17''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $18^{\circ}38'00''$, A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $19^{\circ}11'49''$, A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH $24^{\circ}02'28''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $9^{\circ}33'39''$, A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH $74^{\circ}14'58''$ WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH $73^{\circ}05'43''$ WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH $71^{\circ}23'10''$ WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH $80^{\circ}45'46''$ WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH $13^{\circ}52'44''$ WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $18^{\circ}26'25''$, A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH $79^{\circ}54'05''$ WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $59^{\circ}47'13''$, A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH $40^{\circ}14'38''$ WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH $48^{\circ}00'35''$ WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH $67^{\circ}07'57''$ WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH $50^{\circ}29'06''$ WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH $34^{\circ}33'07''$ WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $13^{\circ}47'53''$, A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH $20^{\circ}28'08''$ WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $35^{\circ}12'33''$, A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A

EXHIBIT D
LEGAL DESCRIPTION (CONTINUED)

RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF

EXHIBIT D
LEGAL DESCRIPTION (CONTINUED)

729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23

EXHIBIT D
LEGAL DESCRIPTION (CONTINUED)

FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

Subject to an easement for ingress, egress, drainage, and utilities over the Easterly 30 feet, and over the North 30 feet.

EXHIBIT E
LEGAL DESCRIPTION

All that portion of SS-244, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT E
LEGAL DESCRIPTION (CONTINUED)

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT E
LEGAL DESCRIPTION (CONTINUED)

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT E
LEGAL DESCRIPTION (CONTINUED)

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT E
LEGAL DESCRIPTION (CONTINUED)

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT F
LEGAL DESCRIPTION

All that portion of SS-205, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT F
LEGAL DESCRIPTION (CONTINUED)

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT F
LEGAL DESCRIPTION (CONTINUED)

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT F
LEGAL DESCRIPTION (CONTINUED)

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT F
LEGAL DESCRIPTION (CONTINUED)

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT G
LEGAL DESCRIPTION

All that portion of SS-173, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT G
LEGAL DESCRIPTION (CONTINUED)

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT G
LEGAL DESCRIPTION (CONTINUED)

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT G
LEGAL DESCRIPTION (CONTINUED)

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT G
LEGAL DESCRIPTION (CONTINUED)

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT H
LEGAL DESCRIPTION

All that portion of YY-77, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT H
LEGAL DESCRIPTION (CONTINUED)

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT H
LEGAL DESCRIPTION (CONTINUED)

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT H
LEGAL DESCRIPTION (CONTINUED)

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT H
LEGAL DESCRIPTION (CONTINUED)

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT I
LEGAL DESCRIPTION

All that portion of YY-52, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT I
LEGAL DESCRIPTION (CONTINUED)

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT I
LEGAL DESCRIPTION (CONTINUED)

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT I
LEGAL DESCRIPTION (CONTINUED)

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT I
LEGAL DESCRIPTION (CONTINUED)

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT J
LEGAL DESCRIPTION

All that portion of YY-20, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, **lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:**

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH

EXHIBIT J
LEGAL DESCRIPTION (CONTINUED)

A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET;

EXHIBIT J
LEGAL DESCRIPTION (CONTINUED)

THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54" , A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09" , A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09" , A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45" , A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23" , A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26" , A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE

EXHIBIT J
LEGAL DESCRIPTION (CONTINUED)

NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

**EXHIBIT K
LEGAL DESCRIPTION**

All that portion of Parcel YY-110, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, **lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:**

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT

EXHIBIT K
LEGAL DESCRIPTION (CONTINUED)

BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH

EXHIBIT K
LEGAL DESCRIPTION (CONTINUED)

20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET;

EXHIBIT K
LEGAL DESCRIPTION (CONTINUED)

THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH

EXHIBIT K
LEGAL DESCRIPTION (CONTINUED)

79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT L
LEGAL DESCRIPTION

All that portion of Parcel YY-115, being the East 1/4 of the West 4/5 of the South 1/2 of the Northeast 1/4 of the Southwest 1/4 of the Southwest 1/4; Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT L
LEGAL DESCRIPTION (CONTINUED)

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT L
LEGAL DESCRIPTION (CONTINUED)

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT L
LEGAL DESCRIPTION (CONTINUED)

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT L
LEGAL DESCRIPTION (CONTINUED)

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT M
LEGAL DESCRIPTION

All that portion of YY-175, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 15 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT M
LEGAL DESCRIPTION (CONTINUED)

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT M
LEGAL DESCRIPTION (CONTINUED)

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT M
LEGAL DESCRIPTION (CONTINUED)

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT M
LEGAL DESCRIPTION (CONTINUED)

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT "B"

BAM TO COUNTY

Parcel B

Instrument Prepared By and Return To:

Rene S. Griffith, Esq.
4260 S.E. Federal Highway
Stuart, Florida 34997

QUIT CLAIM DEED

THIS QUIT CLAIM DEED, made this _____ day of February, 2025, by BE A MAN BUY LAND, LLC, a Florida Limited Liability Company, whose mailing address is 4260 S.E. Federal Highway, Stuart, Florida 34997, Grantor, to MARTIN COUNTY, a political subdivision of the State of Florida, whose mailing address is 2401 SE Monterey Road, Stuart, Florida 34996, Grantee.

WITNESSETH, that said Grantor, for and in consideration of the sum of Ten and 00/100ths Dollars (\$10.00), and other good and valuable consideration, the receipt and adequacy of which is hereby acknowledged, does hereby remise, release and quitclaim unto the Grantee, all the right, title, interest, claim and demand which the Grantor has in and to the following described land, situate, lying and being in the County of Martin, State of Florida, and more particularly described in Exhibit "A" attached hereto.

Subject to taxes for 2024 and subsequent years; covenants, conditions, restrictions, easements, reservations and limitations of record, if any.

TOGETHER with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD, the same together with all and singular the appurtenances thereto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of the Grantor, either in law or equity, to the only proper use, benefit and behoof of the Grantee, its successors and assigns forever.

Grantor warrants that at the time of this conveyance, the subject property is not the Grantor's homestead within the meaning set forth in the constitution of the State of Florida, nor is it contiguous to or a part of homestead property.

This deed was prepared without the benefit of title examination. No title opinion, title insurance or title assurances have been requested or given in connection with the preparation of this Deed.

"Grantor" and "Grantee" are used for singular or plural, as the context requires.

<signature block on next page>

IN WITNESS WHEREOF, Grantor has hereunto set Grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

Be A Man Buy Land, LLC, a Florida
limited liability company

By: _____
Joseph Zachary Gazza, Managing Member

Witness printed name: _____
Address: _____

Witness printed name: _____
Address: _____

STATE OF FLORIDA
COUNTY OF MARTIN

The foregoing instrument was acknowledged before me by means of ☐ physical presence or ☐ online notarization this _____ day of February, 2025 by Joseph Zachary Gazza as Managing Member and on behalf of Be A Man Buy Land, LLC, a Florida limited liability company who ☐ is personally known to me or ☐ who has produced a driver's license as identification.

Notary

SCHEDULE A

The following described parcels of land, lying and being in Section 10, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
FF-68	10-40-40-000-100-00680-6
FF-69	10-40-40-000-100-00690-4
FF-70	10-40-40-000-100-00700-2
FF-101	10-40-40-000-100-01010-5
FF-118	10-40-40-000-100-01180-9
FF-120 SW 1/4	10-40-40-000-100-01200-5
FF-122 N 1/2	10-40-40-000-100-01220-1
FF-129 S 1/2	10-40-40-000-100-01290-6
FF-132	10-40-40-000-100-01320-0
FF-156 CD aka FF-156 N 1/2	10-40-40-000-100-01561-8
FF-157	10-40-40-000-100-01570-7
FF-170	10-40-40-000-400-00100-2
THE SOUTH 1/2 OF PARCELS FF-188 AB & FF-189 D & FF-173 AB & FF-172 D	10-40-40-000-400-00130-6
FF-179, FF-182	10-40-40-000-400-00190-3
FF-180, FF-181	10-40-40-000-400-00200-1
FF-221, FF-220	10-40-40-000-400-00213-6
FF-218	10-40-40-000-400-00231-4
FF-228	10-40-40-000-400-00284-0
FF-390, FF-391	10-40-40-000-400-00302-8
FF-206	10-40-40-000-400-00351-8
FF-204, FF-205	10-40-40-000-400-00360-7
FF-319	10-40-40-000-400-00820-1
FF-318	10-40-40-000-400-00830-9
FF-317	10-40-40-000-400-00840-7
FF-316	10-40-40-000-400-00850-4
FF-312	10-40-40-000-400-00890-6
N 1/2 FF-310	10-40-40-000-400-00911-1
FF-307	10-40-40-000-400-00940-6
FF-306	10-40-40-000-400-00950-3
FF-331	10-40-40-000-400-01101-9
FF-330, FF-351	10-40-40-000-400-01111-7
FF-328, FF-329	10-40-40-000-400-01121-5
FF-325, FF-356	10-40-40-000-400-01160-7
FF-361 E 1/2	10-40-40-000-400-01211-6
FF-361 W 1/2	10-40-40-000-400-01213-0
FF-368, FF-393	10-40-40-000-400-01281-1
FF-374 BCD & FF-387 BCD LESS THE SW 1/4	10-40-40-000-400-01342-8
E 1/4 FF-414, W 1/2 FF-413, E 1/4 FF-427, W 1/2 FF-428	10-40-40-000-400-01470-2
FF-410	10-40-40-000-400-01511-3
FF-412, FF-413, FF-429, FF-428	10-40-40-000-400-01592-5
FF-164	10-40-40-000-400-01641-6

SCHEDULE A

The following described parcels of land, lying and being in Section 11, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
DD-3	11-40-40-000-100-00030-1
DD-15 S 1/2	11-40-40-000-100-00151-0
DD-16	11-40-40-000-100-00160-3
DD-18	11-40-40-000-100-00180-9
DD-20	11-40-40-000-100-00200-5
DD-61 NW 1/4	11-40-40-000-100-00210-3
DD-68	11-40-40-000-100-00280-8
DD-72	11-40-40-000-100-00320-0
DD-76	11-40-40-000-100-00360-1
DD-77	11-40-40-000-100-00370-9
DD-81, DD-82 E 1/2	11-40-40-000-100-00420-9
DD-83	11-40-40-000-100-00430-7
DD-84	11-40-40-000-100-00440-5
DD-89	11-40-40-000-100-00490-4
DD-92	11-40-40-000-100-00520-8
DD-97	11-40-40-000-100-00570-7
DD-98	11-40-40-000-100-00580-5
DD-61 SW 1/4	11-40-40-000-100-00613-0
DD-161	11-40-40-000-100-00810-7
DD-163	11-40-40-000-100-00830-3
DD-171	11-40-40-000-100-00910-6
DD-173	11-40-40-000-100-00930-2
DD-174	11-40-40-000-100-00940-0
DD-179	11-40-40-000-100-00990-9
DD-226	11-40-40-000-100-01080-8
DD-228	11-40-40-000-100-01100-4
DD-230	11-40-40-000-100-01120-0
DD-231	11-40-40-000-100-01130-8
DD-233	11-40-40-000-100-01150-3
DD-239	11-40-40-000-100-01210-1
DD-241	11-40-40-000-100-01230-7
DD-242	11-40-40-000-100-01240-5
DD-244	11-40-40-000-100-01260-0
DD-249	11-40-40-000-100-01310-0
DD-250	11-40-40-000-100-01320-8
DD-252	11-40-40-000-100-01340-4
DD-299	11-40-40-000-100-01424-3
DD-301	11-40-40-000-100-01430-5
DD-303	11-40-40-000-100-01450-0
DD-304	11-40-40-000-100-01460-8
DD-305	11-40-40-000-100-01470-6
DD-308	11-40-40-000-100-01500-0
W 1/2 DD-311, E 1/4 DD-310	11-40-40-000-100-01521-5

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
E 1/2 DD-314, W 1/4 DD-315	11-40-40-000-100-01561-6
DD-29	11-40-40-000-200-00090-6
DD-32	11-40-40-000-200-00121-9
DD-41 NW 1/4	11-40-40-000-200-00200-3
N 1/2 DD-52	11-40-40-000-200-00320-8
DD-40 NE 1/4	11-40-40-000-200-00401-0
DD-137 E 1/2	11-40-40-000-200-00770-3
DD-181	11-40-40-000-200-00830-1
DD-206	11-40-40-000-200-01080-6
DD-208	11-40-40-000-200-01100-2
DD-211, DD-212	11-40-40-000-200-01130-6
DD-214 E 1/2	11-40-40-000-200-01160-9
DD-259	11-40-40-000-200-01222-5
DD-263	11-40-40-000-200-01250-0
DD-264	11-40-40-000-200-01260-8
DD-266	11-40-40-000-200-01280-4
DD-272	11-40-40-000-200-01340-2
DD-289	11-40-40-000-200-01510-6
DD-291A E 1/4, DD-292CD W 1/2	11-40-40-000-200-01531-1
W 1/2 DD-343, W 1/2 DD-370, E 1/4 DD-344, E 1/4 DD-369	11-40-40-000-300-00072-6
DD-344 W 3/4	11-40-40-000-300-00081-5
DD-369 W 3/4	11-40-40-000-300-00082-4
DD-346	11-40-40-000-300-00101-1
DD-367	11-40-40-000-300-00102-0
DD-347, DD-366	11-40-40-000-300-00110-0
DD-348	11-40-40-000-300-00120-8
DD-365	11-40-40-000-300-00124-4
DD-360	11-40-40-000-300-00174-3
DD-432	11-40-40-000-300-00211-8
DD-434, DD-435	11-40-40-000-300-00223-4
DD-440	11-40-40-000-300-00284-0
DD-423	11-40-40-000-300-00302-8
DD-422	11-40-40-000-300-00311-7
DD-418, DD-419	11-40-40-000-300-00341-1
DD-523	11-40-40-000-300-00464-2
DD-505 & DD-506	11-40-40-000-300-00570-3
DD-507, DD-510	11-40-40-000-300-00590-9
DD-587	11-40-40-000-300-00980-7
DD-657 & DD-664	11-40-40-000-300-01040-3
DD-668	11-40-40-000-300-01074-2
DD-647 & DD-674	11-40-40-000-300-01141-1
DD-644 C-D, DD-645-A, DD-677 C-D & DD-676-A	11-40-40-000-300-01170-5
DD-643 ABC & DD-678ABC	11-40-40-000-300-01181-2
DD-718	11-40-40-000-300-01221-4
DD-755	11-40-40-000-300-01224-1
DD-721, DD-752	11-40-40-000-300-01250-8

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
DD-722, DD-751	11-40-40-000-300-01260-6
DD-729	11-40-40-000-300-01331-1
DD-730	11-40-40-000-300-01342-8
DD-734	11-40-40-000-300-01370-0
DD-803, DD-804, DD-805, DD-806, DD-821, & DD-822	11-40-40-000-300-01461-3
DD-801, DD-802, DD-823, & DD-824	11-40-40-000-300-01510-4
DD-800	11-40-40-000-300-01531-9
DD-825, DD-826	11-40-40-000-300-01534-6
DD-798 & DD-799	11-40-40-000-300-01541-7
DD-796	11-40-40-000-300-01571-0
DD-741	11-40-40-000-300-07410-0
DD-319, DD-394	11-40-40-000-400-00010-9
DD-321	11-40-40-000-400-00031-4
DD-322	11-40-40-000-400-00041-2
DD-323	11-40-40-000-400-00051-9
DD-390	11-40-40-000-400-00054-6
DD-386A & DD-327A & DD-387CD & DD-326CD	11-40-40-000-400-00081-3
DD-383	11-40-40-000-400-00121-5
DD-457	11-40-40-000-400-00272-2
DD-406	11-40-40-000-400-00291-9
DD-460	11-40-40-000-400-00300-8
DD-461	11-40-40-000-400-00310-6
DD-404	11-40-40-000-400-00311-5
DD-401	11-40-40-000-400-00341-9
DD-468, DD-469	11-40-40-000-400-00384-7
DD-473, DD-544	11-40-40-000-400-00430-1
DD-478, DD-479	11-40-40-000-400-00481-9
DD-539	11-40-40-000-400-00482-8
DD-533	11-40-40-000-400-00544-4
DD-528	11-40-40-000-400-00592-5
DD-556	11-40-40-000-400-00710-2
DD-555	11-40-40-000-400-00720-0
DD-613	11-40-40-000-400-00900-2
DD-612	11-40-40-000-400-00910-0
DD-611	11-40-40-000-400-00920-8
DD-636, DD-637	11-40-40-000-400-01060-6
DD-635	11-40-40-000-400-01081-1
DD-632	11-40-40-000-400-01111-5
DD-631	11-40-40-000-400-01121-3
DD-690	11-40-40-000-400-01122-2
DD-692, DD-693	11-40-40-000-400-01142-8
DD-626	11-40-40-000-400-01143-0
DD-627	11-40-40-000-400-01144-0
DD-628	11-40-40-000-400-01145-0
DD-623	11-40-40-000-400-01201-6

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
DD-699	11-40-40-000-400-01211-4
DD-703	11-40-40-000-400-01251-5
DD-705	11-40-40-000-400-01271-1
DD-709	11-40-40-000-400-01311-3
DD-764	11-40-40-000-400-01314-0
DD-711	11-40-40-000-400-01331-9
DD-760	11-40-40-000-400-01354-1
DD-790	11-40-40-000-400-01451-3
DD-789	11-40-40-000-400-01461-1
DD-836	11-40-40-000-400-01464-8
DD-788	11-40-40-000-400-01471-9
DD-839	11-40-40-000-400-01494-2
DD-841	11-40-40-000-400-01514-8
DD-842, DD-843	11-40-40-000-400-01521-9
DD-783	11-40-40-000-400-01522-8
DD-777, DD-778 & DD-848	11-40-40-000-400-01585-2

SCHEDULE A

The following described parcels of land, lying and being in Section 12, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
BB-7	12-40-40-000-100-00070-0
PORTION OF BB-8	12-40-40-000-100-00080-8
BB-9	12-40-40-000-100-00090-6
BB-64 SE 1/4	12-40-40-000-100-00240-5
BB-67	12-40-40-000-100-00270-8
BB-71	12-40-40-000-100-00310-0
BB-73	12-40-40-000-100-00330-6
BB-75, BB-76, BB-77, BB-78, BB-79, S 1/2 BB-80	12-40-40-000-100-00350-1
BB-85	12-40-40-000-100-00450-0
BB-87	12-40-40-000-100-00470-6
BB-91	12-40-40-000-100-00510-8
BB-93	12-40-40-000-100-00530-4
BB-97	12-40-40-000-100-00570-5
BB-143	12-40-40-000-100-00630-3
BB-150 E 1/2	12-40-40-000-100-00700-8
BB-164	12-40-40-000-100-00840-9
BB-167	12-40-40-000-100-00870-2
BB-169	12-40-40-000-100-00890-8
BB-170	12-40-40-000-100-00900-6
BB-171	12-40-40-000-100-00910-4
BB-172	12-40-40-000-100-00920-2
BB-174	12-40-40-000-100-00940-8
BB-221	12-40-40-000-100-01010-1
BB-228	12-40-40-000-100-01080-6
BB-231	12-40-40-000-100-01110-0
BB-235	12-40-40-000-100-01150-1
BB-239	12-40-40-000-100-01190-3
BB-241	12-40-40-000-100-01210-9
BB-242	12-40-40-000-100-01220-7
BB-249	12-40-40-000-100-01290-2
BB-254	12-40-40-000-100-01340-2
BB-259	12-40-40-000-100-01390-1
BB-260	12-40-40-000-100-01400-9
E 1/4 BB-305, W 1/2 BB-306	12-40-40-000-100-01460-6
BB-308	12-40-40-000-100-01480-2
S 1/2 BB-310	12-40-40-000-100-01502-6
BB-311	12-40-40-000-100-01510-6
BB-312	12-40-40-000-100-01520-4
W 3/4 BB-314	12-40-40-000-100-01540-0
BB-320	12-40-40-000-100-01600-7
BB-29 W 1/2	12-40-40-000-200-00090-4
BB-29 E 1/2	12-40-40-000-200-00091-0
BB-30 & BB-31	12-40-40-000-200-00100-2

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
BB-48	12-40-40-000-200-00280-4
BB-50	12-40-40-000-200-00300-0
S 1/2 BB-55	12-40-40-000-200-00350-9
BB-101	12-40-40-000-200-00410-7
BB-103	12-40-40-000-200-00430-3
BB-104	12-40-40-000-200-00440-1
BB-107	12-40-40-000-200-00470-4
BB-111	12-40-40-000-200-00510-6
BB-112	12-40-40-000-200-00520-4
BB-113	12-40-40-000-200-00530-2
BB-114	12-40-40-000-200-00540-0
BB-132, BB-133	12-40-40-000-200-00720-2
BB-134	12-40-40-000-200-00740-8
BB-135	12-40-40-000-200-00750-5
BB-138	12-40-40-000-200-00780-9
BB-140	12-40-40-000-200-00800-5
BB-182	12-40-40-000-200-00820-1
BB-183	12-40-40-000-200-00830-9
BB-184	12-40-40-000-200-00840-7
BB-185	12-40-40-000-200-00850-4
BB-188	12-40-40-000-200-00880-8
BB-189	12-40-40-000-200-00890-6
BB-190	12-40-40-000-200-00900-4
BB-191	12-40-40-000-200-00910-2
BB-193	12-40-40-000-200-00930-8
BB-194	12-40-40-000-200-00940-6
BB-202	12-40-40-000-200-01020-7
BB-203	12-40-40-000-200-01030-5
BB-204	12-40-40-000-200-01040-3
BB-210	12-40-40-000-200-01100-0
BB-217	12-40-40-000-200-01170-5
BB-264	12-40-40-000-200-01240-1
BB-273	12-40-40-000-200-01330-2
BB-276	12-40-40-000-200-01360-5
BB-279	12-40-40-000-200-01390-9
BB-281	12-40-40-000-200-01410-5
BB-282	12-40-40-000-200-01420-3
BB-283A & BB-284CD W 1/2	12-40-40-000-200-02831-4
BB-342, BB-343	12-40-40-000-300-00021-6
BB-378, BB-379	12-40-40-000-300-00022-5
BB-376, BB-377	12-40-40-000-300-00044-9
BB-348, BB-349	12-40-40-000-300-00081-3
BB-372 & BB-373	12-40-40-000-300-00083-1
BB-369	12-40-40-000-300-00124-2
BB-365, BB-366	12-40-40-000-300-00153-6
BB-357ABC & BB-364ABC	12-40-40-000-300-00171-4

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
BB-440	12-40-40-000-300-00211-6
BB-441	12-40-40-000-300-00213-4
BB-439	12-40-40-000-300-00221-4
BB-429	12-40-40-000-300-00321-3
BB-455	12-40-40-000-300-00353-4
BB-456, BB-457	12-40-40-000-300-00362-3
BB-422, BB-423	12-40-40-000-300-00381-0
BB-421	12-40-40-000-300-00401-6
BB-539	12-40-40-000-300-00422-1
BB-503	12-40-40-000-300-00431-0
BB-534, BB-535	12-40-40-000-300-00474-8
BB-595	12-40-40-000-300-00660-2
W 1/2 BB-594 B	12-40-40-000-300-00672-8
BB-593	12-40-40-000-300-00680-8
BB-592	12-40-40-000-300-00690-6
BB-583	12-40-40-000-300-00780-7
BB-582	12-40-40-000-300-00790-5
BB-683, BB-684	12-40-40-000-300-01032-1
BB-66, BB-667	12-40-40-000-300-01141-9
BB-664	12-40-40-000-300-01171-2
BB-699	12-40-40-000-300-01192-7
BB-841, BB-842, BB-843, BB-844, BB-845, BB-846, BB-847, BB-848, BB-849, BB-850,	12-40-40-000-300-01412-1
BB-328	12-40-40-000-400-00081-1
BB-331, BB-332, BB-389, BB-390	12-40-40-000-400-00110-6
BB-388	12-40-40-000-400-00132-0
BB-335	12-40-40-000-400-00151-6
BB-337	12-40-40-000-400-00171-2
BB-339	12-40-40-000-400-00191-8
BB-419	12-40-40-000-400-00221-2
BB-462	12-40-40-000-400-00222-1
BB-464	12-40-40-000-400-00244-5
BB-466	12-40-40-000-400-00263-1
BB-412	12-40-40-000-400-00291-7
BB-469	12-40-40-000-400-00292-6
BB-411	12-40-40-000-400-00301-5
BB-470	12-40-40-000-400-00303-3
BB-476	12-40-40-000-400-00363-0
BB-478, BB-479	12-40-40-000-400-00381-8
BB-403	12-40-40-000-400-00382-7
BB-482	12-40-40-000-400-00420-1
BB-557	12-40-40-000-400-00442-5
BB-486	12-40-40-000-400-00461-1
BB-487, BB-554	12-40-40-000-400-00470-0
BB-550	12-40-40-000-400-00513-9
BB-549	12-40-40-000-400-00523-7
BB-493, BB-548	12-40-40-000-400-00530-8

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
BB-494, BB-547	12-40-40-000-400-00540-6
BB-495, BB-546	12-40-40-000-400-00550-3
BB-496, BB-545	12-40-40-000-400-00560-1
BB-497	12-40-40-000-400-00571-8
BB-544	12-40-40-000-400-00572-7
BB-499	12-40-40-000-400-00591-4
BB-542	12-40-40-000-400-00594-1
BB-579	12-40-40-000-400-00620-9
BB-578	12-40-40-000-400-00630-7
BB-577	12-40-40-000-400-00640-5
BB-576	12-40-40-000-400-00650-2
BB-575	12-40-40-000-400-00660-0
BB-574	12-40-40-000-400-00670-8
BB-573	12-40-40-000-400-00680-6
BB-572	12-40-40-000-400-00690-4
BB-571	12-40-40-000-400-00700-2
BB-566	12-40-40-000-400-00750-1
BB-563	12-40-40-000-400-00780-5
BB-637	12-40-40-000-400-00840-3
BB-660	12-40-40-000-400-01010-5
BB-659	12-40-40-000-400-01021-2
BB-702	12-40-40-000-400-01022-1
BB-658 & BB-703	12-40-40-000-400-01030-1
BB-657, BB-704	12-40-40-000-400-01040-9
BB-656 & BB-705	12-40-40-000-400-01050-6
BB-655, BB-706	12-40-40-000-400-01060-4
BB-712	12-40-40-000-400-01122-0
BB-645, BB-646	12-40-40-000-400-01150-5
BB-721	12-40-40-000-400-01211-2
BB-800	12-40-40-000-400-01213-0
BB-724	12-40-40-000-400-01241-6
BB-726, BB-730, BB-729, BB-792, BB-728, BB-793, BB-794, BB-795	12-40-40-000-400-01261-1
BB-732, BB-789	12-40-40-000-400-01320-0
BB-787	12-40-40-000-400-01344-2
BB-738	12-40-40-000-400-01382-5
BB-782	12-40-40-000-400-01393-2
BB-819	12-40-40-000-400-01421-8
BB-817	12-40-40-000-400-01441-4
BB-815 & BB-816	12-40-40-000-400-01451-1
BB-865, BB-866	12-40-40-000-400-01452-0
BB-814, BB-867	12-40-40-000-400-01471-7
BB-812ABC & BB-869ABC	12-40-40-000-400-01491-3
BB-807	12-40-40-000-400-01540-4
BB-874 E 1/2	12-40-40-000-400-08741-0

SCHEDULE A

The following described parcels of land, lying and being in Section 13, Township 40 South, Range 40 East, Martin County, Florida, less the Southwest ¼ thereof, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
AA-36	13-40-40-000-100-00104-8
AA-71, AA-72	13-40-40-000-100-00200-1
AA-217	13-40-40-000-100-00210-9
AA-218	13-40-40-000-100-00211-8
AA-222	13-40-40-000-100-00220-7
AA-219	13-40-40-000-100-00222-5
AA-223, AA-224, AA-225, AA-226	13-40-40-000-100-00230-5
AA-230	13-40-40-000-100-00241-2
AA-228, AA-229	13-40-40-000-100-00244-9
AA-239	13-40-40-000-100-00272-4
AA-242, AA-243	13-40-40-000-100-00282-2
AA-244, AA-245	13-40-40-000-100-00283-1
AA-249	13-40-40-000-100-00294-8
AA-251	13-40-40-000-100-00301-9
AA-254	13-40-40-000-100-00311-7
AA-255, AA-256, AA-257, AA-258	13-40-40-000-100-00320-6
AA-261	13-40-40-000-100-00333-1
AA-268, AA-269	13-40-40-000-100-00353-6
AA-276, AA-277	13-40-40-000-100-00373-2
AA-291, AA-294	13-40-40-000-100-00421-4
AA-295	13-40-40-000-100-00431-2
AA-297, AA-300	13-40-40-000-100-00433-0
AA-296	13-40-40-000-100-00434-9
AA-318	13-40-40-000-100-00481-1
AA-321	13-40-40-000-100-00493-7
AA-325	13-40-40-000-100-00513-3
AA-327	13-40-40-000-100-00521-3
AA-330	13-40-40-000-100-00522-2
AA-331	13-40-40-000-100-00531-1
AA-338, AA-339, AA-342, AA-343, AA-346	13-40-40-000-100-00542-8
AA-337	13-40-40-000-100-00543-7
AA-340, AA-341	13-40-40-000-100-00553-4
AA-347, AA-350, AA-351, AA-354	13-40-40-000-100-00571-2
AA-355, AA-358	13-40-40-000-100-00591-8
AA-360	13-40-40-000-100-00602-5
AA-460	13-40-40-000-100-00680-0
AA-461	13-40-40-000-100-00690-8
AA-466	13-40-40-000-100-00740-8
AA-470	13-40-40-000-100-00780-9
AA-471	13-40-40-000-100-00790-7
AA-472	13-40-40-000-100-00800-5
AA-476	13-40-40-000-100-00840-7
AA-478 B	13-40-40-000-100-00862-0

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
AA-480	13-40-40-000-100-00880-8
AA-481	13-40-40-000-100-00890-6
AA-482	13-40-40-000-100-00900-4
AA-483	13-40-40-000-100-00910-2
AA-485	13-40-40-000-100-00930-8
AA-487	13-40-40-000-100-00950-3
AA-488	13-40-40-000-100-00960-1
AA-588	13-40-40-000-100-01023-4
AA-589	13-40-40-000-100-01024-3
AA-591	13-40-40-000-100-01032-3
AA-592	13-40-40-000-100-01033-2
AA-598	13-40-40-000-100-01041-2
AA-599	13-40-40-000-100-01044-0
AA-601	13-40-40-000-100-01054-6
AA-604	13-40-40-000-100-01063-5
AA-618	13-40-40-000-100-01091-1
AA-620	13-40-40-000-100-01102-8
AA-622	13-40-40-000-100-01113-5
AA-623	13-40-40-000-100-01120-6
AA-626	13-40-40-000-100-01121-5
AA-632, AA-633	13-40-40-000-100-01143-9
AA-637, AA-683	13-40-40-000-100-01154-5
AA-645	13-40-40-000-100-01170-5
AA-646	13-40-40-000-100-01171-4
AA-648, AA-649	13-40-40-000-100-01180-3
AA-653	13-40-40-000-100-01194-7
AA-658	13-40-40-000-100-01212-5
AA-659	13-40-40-000-100-01221-4
AA-662	13-40-40-000-100-01223-2
AA-663	13-40-40-000-100-01231-2
AA-667	13-40-40-000-100-01241-0
AA-670	13-40-40-000-100-01242-9
AA-675, AA-678	13-40-40-000-100-01261-5
AA-680, AA-681	13-40-40-000-100-01273-1
AA-690	13-40-40-000-100-01292-8
AA-688, AA-689	13-40-40-000-100-01293-7
AA-692	13-40-40-000-100-01301-7
AA-693	13-40-40-000-100-01312-4
AA-704	13-40-40-000-100-01344-6
AA-709	13-40-40-000-100-01353-4
AA-708	13-40-40-000-100-01354-3
AA-714	13-40-40-000-100-01362-3
AA-715	13-40-40-000-100-01371-2
AA-718	13-40-40-000-100-01373-0
AA-719	13-40-40-000-100-01374-9
AA-722	13-40-40-000-100-01382-9

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
AA-721	13-40-40-000-100-01383-8
AA-720	13-40-40-000-100-01384-7
AA-887	13-40-40-000-100-01452-4
AA-888, AA-889	13-40-40-000-100-01453-3
AA-891, AA-892	13-40-40-000-100-01462-2
AA-895	13-40-40-000-100-01472-0
AA-896	13-40-40-000-100-01473-9
AA-901	13-40-40-000-100-01484-6
AA-907	13-40-40-000-100-01501-5
AA-909	13-40-40-000-100-01513-1
AA-910	13-40-40-000-100-01514-0
AA-916, AA-917, AA-918	13-40-40-000-100-01531-9
AA-919, AA-920, AA-921, AA-922	13-40-40-000-100-01540-8
AA-923, AA-924, AA-925, AA-926	13-40-40-000-100-01550-5
AA-927, AA-928, AA-929, AA-930	13-40-40-000-100-01561-2
AA-935, AA-938	13-40-40-000-100-01581-8
AA-936, AA-937	13-40-40-000-100-01583-6
AA-941, AA-944	13-40-40-000-100-01594-3
AA-298	13-40-40-000-100-04320-8
AA-73, AA-74	13-40-40-000-200-00010-9
AA-79	13-40-40-000-200-00033-2
AA-92, AA-93	13-40-40-000-200-00063-5
AA-95, AA-96, AA-97, AA-98	13-40-40-000-200-00070-6
AA-99, AA-100, AA-101, AA-102	13-40-40-000-200-00080-4
AA-106	13-40-40-000-200-00091-1
AA-108	13-40-40-000-200-00101-9
AA-110	13-40-40-000-200-00111-7
AA-111	13-40-40-000-200-00121-5
AA-114	13-40-40-000-200-00122-4
AA-119, AA-120, AA-121, AA-122	13-40-40-000-200-00140-2
AA-124, AA-125	13-40-40-000-200-00150-9
AA-136	13-40-40-000-200-00184-9
AA-146	13-40-40-000-200-00212-5
AA-147, AA-150	13-40-40-000-200-00221-4
AA-169	13-40-40-000-200-00274-0
AA-174	13-40-40-000-200-00281-1
AA-171	13-40-40-000-200-00282-0
AA-175, AA-176, AA-177, AA-178	13-40-40-000-200-00291-9
AA-179	13-40-40-000-200-00301-7
AA-180	13-40-40-000-200-00302-6
AA-192	13-40-40-000-200-00343-7
AA-195, AA-196, AA-197	13-40-40-000-200-00352-5
AA-199, AA-202	13-40-40-000-200-00361-4
AA-200, AA-201	13-40-40-000-200-00363-2
AA-203, AA-204, AA-205, AA-206	13-40-40-000-200-00370-3
AA-361	13-40-40-000-200-00410-5

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
AA-362	13-40-40-000-200-00412-0
AA-364	13-40-40-000-200-00413-2
AA-393	13-40-40-000-200-00435-0
AA-571, AA-572, AA-573, AA-574	13-40-40-000-200-01170-3

The following described parcels of land, lying and being in the North Half of Section 14, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
CC-15	14-40-40-000-100-00150-9
CC-134	14-40-40-000-200-00740-4
CC-188	14-40-40-000-200-00920-6
CC-190	14-40-40-000-200-00940-2

The following described parcels of land, lying and being in the Northeast Quarter of Section 15, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
EE-31	15-40-40-000-100-00310-3
WEST 1/2 OF EE-70	15-40-40-000-100-00700-1
EE-76	15-40-40-000-100-00760-8
EE-77	15-40-40-000-100-00770-6
EE-110	15-40-40-000-100-01100-5

EXHIBIT "C"

BAM TO COUNTY AND SFWMD JOINTLY

Parcel C

Instrument Prepared By and Return To:

Rene S. Griffith, Esq.
4260 S.E. Federal Highway
Stuart, Florida 34997

QUIT CLAIM DEED

THIS QUIT CLAIM DEED, made this _____ day of February, 2025, by BE A MAN BUY LAND, LLC, a Florida Limited Liability Company, whose mailing address is 4260 S.E. Federal Highway, Stuart, Florida 34997, Grantor, to, SOUTH FLORIDA WATER MANAGEMENT DISTRICT, a Public Corporation of the State of Florida, as to an undivided 75% interest, whose mailing address is 3301 Gun Club Road, West Palm Beach, Florida 33406, and to MARTIN COUNTY, a political subdivision of the State of Florida, as to an undivided 25% interest, whose mailing address is 2401 SE Monterey Road, Stuart, Florida 34996, Grantee.

WITNESSETH, that said Grantor, for and in consideration of the sum of Ten and 00/100ths Dollars (\$10.00), and other good and valuable consideration, the receipt and adequacy of which is hereby acknowledged, does hereby remise, release and quitclaim unto the Grantee, all the right, title, interest, claim and demand which the Grantor has in and to the following described land, situate, lying and being in the County of Martin, State of Florida and more particularly described in Exhibit "A" attached hereto.

Subject to taxes for 2024 and subsequent years; covenants, conditions, restrictions, easements, reservations and limitations of record, if any.

TOGETHER with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD, the same together with all and singular appurtenances thereto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of the Grantor, either in law or equity, to the only proper use, benefit and behoof of the Grantee, its successors and assigns forever.

Grantor warrants that at the time of this conveyance, the subject property is not the Grantor's homestead within the meaning set forth in the constitution of the state of Florida, nor is it contiguous to or a part of homestead property.

This deed was prepared without the benefit of title examination. No title opinion, title insurance or title assurances have been requested or given in connection with the preparation of this Deed.

"Grantor" and "Grantee" are used for singular or plural, as the context requires.

<signature block on next page>

IN WITNESS WHEREOF, Grantor has hereunto set Grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

Be A Man Buy Land, LLC, a Florida
limited liability company

By: _____
Joseph Zachary Gazza, Managing Member

Witness printed name: _____
Address: _____

Witness printed name: _____
Address: _____

STATE OF FLORIDA
COUNTY OF MARTIN

The foregoing instrument was acknowledged before me by means of ☐ physical presence or ☐ online notarization this _____ day of February, 2025 by Joseph Zachary Gazza as Managing Member and on behalf of Be A Man Buy Land, LLC, a Florida limited liability company who ☐ is personally known to me or ☐ who has produced a driver's license as identification.

Notary

SCHEDULE A

The following described parcels of land, lying and being in Section 10, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
FF-34	10-40-40-000-100-00340-8

The following described parcels of land, lying and being in Section 11, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
DD-155	11-40-40-000-100-00750-9
DD-156	11-40-40-000-100-00760-7
DD-27	11-40-40-000-200-00070-0
WEST 1/2 OF PARCEL DD-504	11-40-40-000-300-00561-0
DD-731	11-40-40-000-300-01351-6
E 1/2 DD-391 A	11-40-40-000-400-00044-9

The following described parcels of land, lying and being in Section 13, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
AA-32	13-40-40-000-100-00094-0
AA-123	13-40-40-000-200-00152-7
AA-134	13-40-40-000-200-00172-3
AA-151, AA-152, AA-153, AA-154	13-40-40-000-200-00230-3
AA-215	13-40-40-000-200-00401-6
AA-365	13-40-40-000-200-00423-0
AA-368	13-40-40-000-200-00434-7
AA-396	13-40-40-000-200-00436-0
AA-371	13-40-40-000-200-00440-9
AA-386	13-40-40-000-200-00461-3
AA-387, AA-390, AA-391 & AA-394	13-40-40-000-200-00481-9
AA-392	13-40-40-000-200-00494-4
AA-395	13-40-40-000-200-00501-5
AA-398	13-40-40-000-200-00510-0
AA-402	13-40-40-000-200-00522-0
AA-406	13-40-40-000-200-00532-8
AA-410	13-40-40-000-200-00542-6
AA-415	13-40-40-000-200-00561-2
AA-419, AA-420, AA-421 & AA-422	13-40-40-000-200-00570-1
AA-430	13-40-40-000-200-00590-7
AA-431	13-40-40-000-200-00601-4
AA-435	13-40-40-000-200-00630-9
AA-439	13-40-40-000-200-00661-0
AA-440	13-40-40-000-200-00662-0

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
AA-449	13-40-40-000-200-00770-9
AA-450	13-40-40-000-200-00780-7
AA-451	13-40-40-000-200-00790-5
AA-452	13-40-40-000-200-00800-3
AA-494	13-40-40-000-200-00820-9
AA-567	13-40-40-000-200-00853-9
AA-511	13-40-40-000-200-00990-3
AA-515	13-40-40-000-200-01022-3
AA-522	13-40-40-000-200-01031-2
AA-519	13-40-40-000-200-01032-1
AA-520, AA-521	13-40-40-000-200-01033-0
AA-546	13-40-40-000-200-01091-9
AA-547	13-40-40-000-200-01101-7
AA-548	13-40-40-000-200-01104-4
AA-550	13-40-40-000-200-01111-5
AA-554, AA-553, AA-552, AA-551	13-40-40-000-200-01121-3
AA-561, AA-562	13-40-40-000-200-01141-9
AA-583	13-40-40-000-200-01201-6
AA-733	13-40-40-000-200-01223-0
AA-735	13-40-40-000-200-01236-5
AA-743, AA-744, AA-745, AA-746	13-40-40-000-200-01250-6
AA-749	13-40-40-000-200-01263-1
AA-751, AA-754	13-40-40-000-200-01271-1
AA-755	13-40-40-000-200-01281-9
AA-766	13-40-40-000-200-01311-3
AA-767, AA-768, AA-769, AA-770	13-40-40-000-200-01320-2
AA-775, AA-776, AA-777, AA-778	13-40-40-000-200-01340-8
AA-779, AA-782	13-40-40-000-200-01351-4
AA-781	13-40-40-000-200-01353-2
AA-806	13-40-40-000-200-01421-0
AA-832	13-40-40-000-200-01493-3
AA-843	13-40-40-000-200-01532-6
AA-862	13-40-40-000-200-01571-8
AA-860, AA-861	13-40-40-000-200-01573-6
AA-866	13-40-40-000-200-01581-6
AA-382	13-40-40-000-200-03820-0
AA-383	13-40-40-000-200-03830-0
AA-946	13-40-40-000-400-00013-2
AA-964, AA-961	13-40-40-000-400-00064-0
AA-970	13-40-40-000-400-00072-0
AA-971, AA-974	13-40-40-000-400-00081-9
AA-972, AA-973	13-40-40-000-400-00082-8
AA-975	13-40-40-000-400-00091-7
AA-986	13-40-40-000-400-00122-0
AA-988	13-40-40-000-400-00131-9
AA-989	13-40-40-000-400-00133-7

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
AA-993, AA-994	13-40-40-000-400-00141-7
AA-997	13-40-40-000-400-00153-2
AA-996	13-40-40-000-400-00154-1
AA-1003	13-40-40-000-400-00170-1
AA-1004	13-40-40-000-400-00174-7
AA-1009	13-40-40-000-400-00183-6
AA-1014	13-40-40-000-400-00192-5
AA-1017	13-40-40-000-400-00211-2
AA-1020	13-40-40-000-400-00223-8
AA-1028, AA-1029, AA-1030, AA-1031	13-40-40-000-400-00241-6
AA-1040	13-40-40-000-400-00273-7
AA-1041	13-40-40-000-400-00274-6
AA-1061	13-40-40-000-400-00333-5
AA-1081	13-40-40-000-400-00384-3
AA-1084, AA-1085	13-40-40-000-400-00393-2
AA-1087, AA-1088	13-40-40-000-400-00400-3
AA-1092, AA-1093	13-40-40-000-400-00423-6
AA-1095	13-40-40-000-400-00432-5
AA-1102	13-40-40-000-400-00442-3
AA-1103	13-40-40-000-400-00451-1
AA-1110, AA-1111	13-40-40-000-400-00462-8
AA-1114	13-40-40-000-400-00472-6
AA-1125	13-40-40-000-400-00513-7
AA-1127	13-40-40-000-400-00521-7
AA-1130	13-40-40-000-400-00522-6
AA-1133, AA-1141	13-40-40-000-400-00531-5
AA-1134	13-40-40-000-400-00532-4
AA-1131	13-40-40-000-400-00533-3
AA-1143, AA-1144, AA-1145, AA-1146	13-40-40-000-400-00560-9
AA-1153	13-40-40-000-400-00583-2
AA-1159	13-40-40-000-400-00601-0
AA-1160	13-40-40-000-400-00604-7
AA-1161	13-40-40-000-400-00610-9
W 1/2 AA-1163	13-40-40-000-400-00631-4
AA-1164	13-40-40-000-400-00640-3
AA-1171	13-40-40-000-400-00710-8
AA-1178	13-40-40-000-400-00780-3
AA-1180	13-40-40-000-400-00800-9
AA-1181, AA-1182	13-40-40-000-400-00810-7
AA-1184	13-40-40-000-400-00840-1
AA-1185	13-40-40-000-400-00850-8
E 1/2 AA-1186A	13-40-40-000-400-00861-5
AA-1189	13-40-40-000-400-00890-0
AA-1191	13-40-40-000-400-00910-6
AA-1193	13-40-40-000-400-00930-2
AA-1197	13-40-40-000-400-00970-3

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
AA-1198	13-40-40-000-400-00980-1
AA-1199	13-40-40-000-400-00990-9
AA-1219, AA-1222, AA-1223, AA-1226	13-40-40-000-400-01066-6
AA-1238	13-40-40-000-400-01110-2
AA-1237	13-40-40-000-400-01112-0
AA-1239, AA-1240, AA-1241, AA-1242	13-40-40-000-400-01120-0
AA-1254	13-40-40-000-400-01154-9
AA-1260	13-40-40-000-400-01170-9
AA-1261	13-40-40-000-400-01174-5
AA-1264	13-40-40-000-400-01183-4
AA-1271, AA-1272	13-40-40-000-400-01200-3
AA-1283	13-40-40-000-400-01243-2
AA-1287, AA-1288	13-40-40-000-400-01251-1
AA-1290	13-40-40-000-400-01252-0
AA-1289	13-40-40-000-400-01253-9
AA-1291	13-40-40-000-400-01260-0
AA-1293	13-40-40-000-400-01261-9
AA-1294	13-40-40-000-400-01262-8
AA-1302	13-40-40-000-400-01282-4
AA-1303	13-40-40-000-400-01291-3
AA-1304, AA-1305	13-40-40-000-400-01293-1
AA-1308	13-40-40-000-400-01303-9
AA-1322	13-40-40-000-400-01341-3
AA-1323, AA-1324, AA-1325, AA-1326	13-40-40-000-400-01351-0
AA-1328, AA-1329, AA-1332, AA-1333	13-40-40-000-400-01363-6
AA-1334	13-40-40-000-400-01372-5
AA-1336, AA-1337	13-40-40-000-400-01383-2
AA-1340, AA-1341	13-40-40-000-400-01393-0
AA-1344	13-40-40-000-400-01403-8
AA-1359	13-40-40-000-400-01452-8
AA-1360	13-40-40-000-400-01453-7
AA-1361	13-40-40-000-400-01454-6
AA-1364	13-40-40-000-400-01463-5
AA-1374	13-40-40-000-400-01481-3
AA-1373	13-40-40-000-400-01484-0
AA-1380	13-40-40-000-400-01503-7
AA-1389	13-40-40-000-400-01534-0
AA-1391	13-40-40-000-400-01542-0
AA-1397	13-40-40-000-400-01554-5
AA-1400	13-40-40-000-400-01561-6
AA-1401, AA-1402	13-40-40-000-400-01563-4
AA-1412	13-40-40-000-400-01590-1
AA-1413	13-40-40-000-400-01594-7
AA-1416	13-40-40-000-400-01604-5
AA-1232	13-40-40-000-400-01903-3

SCHEDULE A

The following described parcels of land, lying and being in Section 14, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
CC-3	14-40-40-000-100-00030-5
CC-6	14-40-40-000-100-00060-8
CC-7	14-40-40-000-100-00070-6
CC-12	14-40-40-000-100-00120-6
CC-13	14-40-40-000-100-00130-4
CC-14	14-40-40-000-100-00140-2
CC-18	14-40-40-000-100-00180-3
CC-64	14-40-40-000-100-00240-1
CC-65	14-40-40-000-100-00250-8
CC-66	14-40-40-000-100-00260-6
CC-67	14-40-40-000-100-00270-4
W 1/2 CC-68	14-40-40-000-100-00283-9
CC-70	14-40-40-000-100-00300-8
CC-72 W 1/2	14-40-40-000-100-00322-0
E 1/2 CC-74	14-40-40-000-100-00344-6
CC-76, CC-77, CC-78, CC-79, CC-85	14-40-40-000-100-00360-5
CC-81	14-40-40-000-100-00410-5
CC-83	14-40-40-000-100-00430-1
W 1/2 CC86B	14-40-40-000-100-00462-2
CC-87	14-40-40-000-100-00470-2
W 1/2 CC-88	14-40-40-000-100-00482-8
E 1/2 CC-89	14-40-40-000-100-00491-7
CC-92	14-40-40-000-100-00520-2
CC-93	14-40-40-000-100-00530-0
CC-96	14-40-40-000-100-00560-3
CC-142	14-40-40-000-100-00640-7
CC-153	14-40-40-000-100-00750-3
CC-161 (E1/2)	14-40-40-000-100-00831-6
CC-161 (W1/2)	14-40-40-000-100-00832-5
E 1/2 OF CC-162	14-40-40-000-100-00840-5
CC-168	14-40-40-000-100-00900-2
CC-217	14-40-40-000-100-01021-4
CC-218	14-40-40-000-100-01024-1
CC-219	14-40-40-000-100-01030-3
CC-220	14-40-40-000-100-01040-1
CC-222	14-40-40-000-100-01060-6
CC-224	14-40-40-000-100-01080-2
CC-225	14-40-40-000-100-01090-0
CC-227 (S1/2)	14-40-40-000-100-01114-2
E 1/2 CC-228	14-40-40-000-100-01121-3
CC-230	14-40-40-000-100-01140-0
CC-234	14-40-40-000-100-01180-1
CC-235	14-40-40-000-100-01190-9

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
CC-240	14-40-40-000-100-01240-9
CC-244 & CC-245	14-40-40-000-100-01280-0
CC-250	14-40-40-000-100-01340-8
CC-254	14-40-40-000-100-01380-9
CC-305	14-40-40-000-100-01490-6
CC-306	14-40-40-000-100-01500-4
CC-307	14-40-40-000-100-01510-2
CC-308	14-40-40-000-100-01520-0
CC-309	14-40-40-000-100-01530-8
CC-312	14-40-40-000-100-01560-1
CC-243	14-40-40-000-100-02430-7
CC-23	14-40-40-000-200-00030-3
W 1/2 CC-29	14-40-40-000-200-00092-8
CC-32 AB EAST 1/2	14-40-40-000-200-00121-3
CC-33	14-40-40-000-200-00130-2
CC-35 E 1/2	14-40-40-000-200-00151-6
CC-43	14-40-40-000-200-00230-1
CC-45	14-40-40-000-200-00250-6
CC-48	14-40-40-000-200-00280-0
E 1/2 OF THE W 3/4 OF PARCEL CC-53	14-40-40-000-200-00333-7
CC-56	14-40-40-000-200-00360-3
E 1/2 OF CC-57 A & B	14-40-40-000-200-00371-0
CC-58	14-40-40-000-200-00380-9
CC-59	14-40-40-000-200-00391-6
CC-60	14-40-40-000-200-00394-3
CC-101	14-40-40-000-200-00410-3
CC-102	14-40-40-000-200-00420-1
CC-104	14-40-40-000-200-00440-7
CC-105	14-40-40-000-200-00450-4
CC-106	14-40-40-000-200-00460-2
CC-107	14-40-40-000-200-00471-9
CC-108	14-40-40-000-200-00480-8
CC-113 B SE 1/4, CC-113 CD WEST 1/2	14-40-40-000-200-00532-6
CC-121	14-40-40-000-200-00610-1
CC-129	14-40-40-000-200-00690-4
CC-197-B	14-40-40-000-200-01011-4
CC-198	14-40-40-000-200-01020-3
CC-209 (S1/ 2)	14-40-40-000-200-01130-0
CC-257	14-40-40-000-200-01221-0
CC-264	14-40-40-000-200-01280-8
CC-265 - E 1/2	14-40-40-000-200-01290-6
CC-270	14-40-40-000-200-01340-6
CC-274	14-40-40-000-200-01380-7
CC-277	14-40-40-000-200-01410-1
CC-278	14-40-40-000-200-01420-9
CC-279	14-40-40-000-200-01430-7

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
CC-284	14-40-40-000-200-01480-6
CC-286	14-40-40-000-200-01500-2
CC-288	14-40-40-000-200-01520-8
CC-293 NE 1/4	14-40-40-000-200-01571-6
S 1/2 OF CC-293	14-40-40-000-200-01573-4
CC-296	14-40-40-000-200-01591-2
CC-295	14-40-40-000-200-01592-1

The following described parcels of land, lying and being in Section 15, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
EE-6	15-40-40-000-100-00060-5
EE-8	15-40-40-000-100-00080-1
EE-11	15-40-40-000-100-00110-5
EE-12, EE-13	15-40-40-000-100-00120-3
EE-37	15-40-40-000-100-00370-0
EE-44	15-40-40-000-100-00440-6
EE-45	15-40-40-000-100-00450-3
EE-46	15-40-40-000-100-00460-1
NORTH 1/2 OF EE-51	15-40-40-000-100-00510-1
EE-62 (W1/2)	15-40-40-000-100-00620-8
EE-78	15-40-40-000-100-00780-4
EE-81	15-40-40-000-100-00810-8
EE-83	15-40-40-000-100-00830-4
EE-84	15-40-40-000-100-00840-2
EE-85-A EAST 1/2	15-40-40-000-100-00851-8
EE-114	15-40-40-000-100-01140-7
EE-116	15-40-40-000-100-01160-0
EE-119	15-40-40-000-100-01190-6
EE-124 A NORTHEAST 1/4	15-40-40-000-100-01241-5
NE 1/4 OF EE-150	15-40-40-000-100-01500-1

The following described parcels of land, lying and being in Section 18, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
NN-433	18-40-40-000-300-00010-6
NN-434	18-40-40-000-300-00020-4
NN-435 (E 1/2)	18-40-40-000-300-00030-2
NN-437	18-40-40-000-300-00050-7
NN-439	18-40-40-000-300-00070-3
NN-397	18-40-40-000-300-00091-8
NN-400	18-40-40-000-300-00120-3

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
NN-389	18-40-40-000-300-00170-2
NN-390	18-40-40-000-300-00180-0
NN-392	18-40-40-000-300-00200-6
NN-393	18-40-40-000-300-00210-4
NN-354	18-40-40-000-300-00260-3
NN-356	18-40-40-000-300-00280-9
NN-360	18-40-40-000-300-00320-1
NN-348	18-40-40-000-300-00360-2
NN-309	18-40-40-000-300-00411-1
NN-313	18-40-40-000-300-00450-3
NN-301	18-40-40-000-300-00490-5
NN-306	18-40-40-000-300-00540-5
NN-308 (N1/2)	18-40-40-000-300-00561-9
NN-265	18-40-40-000-300-00571-7
W 1/2 NN-267	18-40-40-000-300-00592-2
NN-272	18-40-40-000-300-00640-4
NN-258	18-40-40-000-300-00660-9
NN-221	18-40-40-000-300-00730-5
NN-222	18-40-40-000-300-00740-3
NN-224	18-40-40-000-300-00760-8
NN-213	18-40-40-000-300-00810-8
NN-217	18-40-40-000-300-00850-9
NN-219	18-40-40-000-300-00870-5
NN-178	18-40-40-000-300-00900-9
NN-180	18-40-40-000-300-00920-5
NN-181	18-40-40-000-300-00930-3
NN-182	18-40-40-000-300-00940-1
NN-183	18-40-40-000-300-00950-8
NN-184	18-40-40-000-300-00960-6
NN-169	18-40-40-000-300-00970-4
NN-170	18-40-40-000-300-00980-2
NN-173	18-40-40-000-300-01010-4
NN-175	18-40-40-000-300-01030-0
NN-176	18-40-40-000-300-01040-8
NN-134	18-40-40-000-300-01060-3
NN-135	18-40-40-000-300-01070-1
NN-137	18-40-40-000-300-01090-7
NN-139	18-40-40-000-300-01110-3
NN-125	18-40-40-000-300-01130-9
NN-127	18-40-40-000-300-01150-4
NN-94	18-40-40-000-300-01260-1
NN-95	18-40-40-000-300-01270-9
NN-96	18-40-40-000-300-01280-7
NN-83	18-40-40-000-300-01310-1
NN-48	18-40-40-000-300-01400-2
NN-50	18-40-40-000-300-01420-8

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
NN-52	18-40-40-000-300-01440-4
NN-37	18-40-40-000-300-01450-1
NN-38	18-40-40-000-300-01460-9
NN-41	18-40-40-000-300-01490-3
NN-42	18-40-40-000-300-01500-1
NN-43	18-40-40-000-300-01510-9
NN-2	18-40-40-000-300-01520-7
NN-44	18-40-40-000-300-01521-6
NN-1	18-40-40-000-300-01531-4
NN-4	18-40-40-000-300-01560-8
NN-7	18-40-40-000-300-01590-2
NN-419	18-40-40-000-400-00011-3
NN-421	18-40-40-000-400-00021-1
NN-429, NN-430	18-40-40-000-400-00070-1
NN-406	18-40-40-000-400-00091-6
N 1/2 NN-408-B	18-40-40-000-400-00101-4
S 1/2 OF NN-409	18-40-40-000-400-00112-1
NN-409 B NORTH 1/2	18-40-40-000-400-00122-9
NN-414	18-40-40-000-400-00141-6
NN-415	18-40-40-000-400-00152-2
NN-417	18-40-40-000-400-00162-0
NN-375	18-40-40-000-400-00171-9
N 1/2 OF NN-376	18-40-40-000-400-00172-8
S 1/2 NN-376 A	18-40-40-000-400-00173-7
NN-377, NN-378	18-40-40-000-400-00181-7
NN-384 (S1/2)	18-40-40-000-400-00221-9
NN-384 B NORTH 1/2	18-40-40-000-400-00222-8
NN-385	18-40-40-000-400-00231-7
NN-388 (S 1/2)	18-40-40-000-400-00242-4
N 1/2 NN-388 B	18-40-40-000-400-00243-3
NN-365	18-40-40-000-400-00272-7
NN-367	18-40-40-000-400-00280-7
NN-368	18-40-40-000-400-00290-5
NN-373 & NN-374	18-40-40-000-400-00320-9
NN-331 & NN-332	18-40-40-000-400-00331-6
NN-333	18-40-40-000-400-00340-5
NN-335	18-40-40-000-400-00351-1
NN-341	18-40-40-000-400-00391-3
NN-342	18-40-40-000-400-00392-2
NN-317, NN-318	18-40-40-000-400-00410-0
NN-322	18-40-40-000-400-00431-5
NN-321	18-40-40-000-400-00432-4
NN-287	18-40-40-000-400-00491-2
NN-288	18-40-40-000-400-00492-1
NN-290	18-40-40-000-400-00502-9
NN-291, NN-292	18-40-40-000-400-00510-9

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
NN-300	18-40-40-000-400-00562-6
NN-273, NN-274	18-40-40-000-400-00570-6
NN-275, NN-276	18-40-40-000-400-00580-4
NN-281	18-40-40-000-400-00622-4
NN-284	18-40-40-000-400-00631-3
NN-253	18-40-40-000-400-00711-6
NN-254	18-40-40-000-400-00712-5
NN-229, NN-230	18-40-40-000-400-00730-3
NN-233 & NN-234	18-40-40-000-400-00750-8
NN-237	18-40-40-000-400-00782-0
NN-241, NN-242	18-40-40-000-400-00802-6
NN-201	18-40-40-000-400-00821-3
NN-205	18-40-40-000-400-00840-0
NN-207	18-40-40-000-400-00861-4
NN-120, NN-145, NN-164, NN-189, NN-208	18-40-40-000-400-00862-3
NN-209	18-40-40-000-400-00870-3
NN-210	18-40-40-000-400-00871-0
NN-211, NN-212	18-40-40-000-400-00880-1
NN-192	18-40-40-000-400-00930-1
NN-194	18-40-40-000-400-00941-8
NN-196	18-40-40-000-400-00951-5
NN-195	18-40-40-000-400-00952-4
NN-197 NN-198	18-40-40-000-400-00960-4
NN-157	18-40-40-000-400-00981-9
NN-158	18-40-40-000-400-00982-8
NN-148 NN-161	18-40-40-000-400-01000-4
NN-147 NN-162	18-40-40-000-400-01010-2
NN-167	18-40-40-000-400-01041-5
NN-168	18-40-40-000-400-01042-4
NN-142	18-40-40-000-400-01051-2
NN-124 NN-141	18-40-40-000-400-01052-1
S 1/2 NN-143	18-40-40-000-400-01063-8
NN-146	18-40-40-000-400-01080-7
NN-150	18-40-40-000-400-01101-2
NN-149	18-40-40-000-400-01102-1
NN-152	18-40-40-000-400-01111-0
NN-111	18-40-40-000-400-01131-6
NN-114	18-40-40-000-400-01142-3
NN-119	18-40-40-000-400-01181-5
NN-122	18-40-40-000-400-01192-2
NN-123	18-40-40-000-400-01201-1
NN-98	18-40-40-000-400-01211-9
NN-97	18-40-40-000-400-01212-8
NN-13 NN-14 NN-31 NN-32 NN-57 NN-58 NN-75 NN-76 NN-101 & NN-102	18-40-40-000-400-01230-6
NN-103	18-40-40-000-400-01240-4
NN-106	18-40-40-000-400-01261-8

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
NN-107 NN-108 NN-227 NN-315	18-40-40-000-400-01270-7
NN-67	18-40-40-000-400-01291-2
NN-29 NN-60 NN-73	18-40-40-000-400-01320-7
NN-74	18-40-40-000-400-01330-5
NN-77	18-40-40-000-400-01351-9
NN-79 NN-80	18-40-40-000-400-01360-8
NN-61	18-40-40-000-400-01422-4
NN-26 NN-63	18-40-40-000-400-01432-2
NN-10	18-40-40-000-400-01531-2
NN-9	18-40-40-000-400-01532-1
NN-18	18-40-40-000-400-01581-1
NN-17	18-40-40-000-400-01582-0
NN-19 NN-20	18-40-40-000-400-01590-0

The following described parcels of land, lying and being in Section 19, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
MM-633 MM-712	19-40-40-000-100-00030-4
MM-313	19-40-40-000-100-00082-1
MM-789 MM-790	19-40-40-000-100-00182-0
MM-396	19-40-40-000-100-00262-3
MM-716	19-40-40-000-100-00313-0
MM-797 & MM-868	19-40-40-000-100-00330-1
MM-637	19-40-40-000-100-00351-5
MM-466&MM-467	19-40-40-000-100-00421-1
MM-398 & MM-399	19-40-40-000-100-00422-0
MM-639 & MM-638	19-40-40-000-100-00462-1
MM-718 & MM-787	19-40-40-000-100-00470-1
MM-559	19-40-40-000-100-00530-9
MM-319 & MM-320	19-40-40-000-100-00562-0
MM-800 & MM-801	19-40-40-000-100-00642-4
MM-561	19-40-40-000-100-00690-5
MM-383	19-40-40-000-100-00731-6
MM-623	19-40-40-000-100-00770-8
MM-722	19-40-40-000-100-00790-4
MM-783	19-40-40-000-100-00791-0
MM-723&782	19-40-40-000-100-00820-8
MM-563 & 564	19-40-40-000-100-00850-1
MM-462	19-40-40-000-100-00871-6
MM-460 & MM-461	19-40-40-000-100-00901-0
MM-701	19-40-40-000-100-00941-2
MM-780 & MM-781	19-40-40-000-100-00951-9
MM-860 & MM-861	19-40-40-000-100-00961-7
MM-804 & MM-805	19-40-40-000-100-00962-6

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
MM-565	19-40-40-000-100-01010-6
MM-539 & MM-540	19-40-40-000-100-01021-3
MM-566	19-40-40-000-100-01080-1
MM-619	19-40-40-000-100-01090-9
MM-699	19-40-40-000-100-01101-6
MM-807 & 858	19-40-40-000-100-01130-1
MM-567	19-40-40-000-100-01170-2
MM-407	19-40-40-000-100-01192-6
MM-327 & MM-378	19-40-40-000-100-01200-6
MM-408 & MM-457	19-40-40-000-100-01220-2
MM-568	19-40-40-000-100-01240-8
MM-617	19-40-40-000-100-01250-5
MM-648 & MM-697	19-40-40-000-100-01260-3
MM-728 & MM-777	19-40-40-000-100-01270-1
MM-809 & MM-810	19-40-40-000-100-01292-5
MM-649 & MM-650 & MM-651	19-40-40-000-100-01312-1
MM-569	19-40-40-000-100-01330-9
MM-489 & MM-490	19-40-40-000-100-01342-5
MM-330 & MM-331	19-40-40-000-100-01372-8
MM-570	19-40-40-000-100-01400-4
MM-615	19-40-40-000-100-01410-2
MM-491 & MM-492	19-40-40-000-100-01502-1
MM-572	19-40-40-000-100-01560-0
MM-233	19-40-40-000-200-00020-4
MM-232	19-40-40-000-200-00030-2
MM-152	19-40-40-000-200-00050-7
MM-76	19-40-40-000-200-00070-3
MM-78	19-40-40-000-200-00110-5
MM-154	19-40-40-000-200-00130-1
MM-310	19-40-40-000-200-00172-0
MM-230	19-40-40-000-200-00190-8
MM-149 & MM-150	19-40-40-000-200-00210-4
MM-79	19-40-40-000-200-00220-2
MM-74	19-40-40-000-200-00230-0
MM-73	19-40-40-000-200-00260-3
MM-156	19-40-40-000-200-00290-7
MM-309	19-40-40-000-200-00320-1
MM-228 & MM-237	19-40-40-000-200-00350-4
MM-157	19-40-40-000-200-00360-2
MM-148	19-40-40-000-200-00370-0
MM-71	19-40-40-000-200-00420-0
MM-147	19-40-40-000-200-00440-6
MM-158	19-40-40-000-200-00450-3
MM-239	19-40-40-000-200-00500-3
MM-226	19-40-40-000-200-00510-1
MM-70	19-40-40-000-200-00550-2

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
MM-145	19-40-40-000-200-00600-2
MM-160	19-40-40-000-200-00610-0
MM-240	19-40-40-000-200-00630-6
MM-305	19-40-40-000-200-00640-4
MM-241	19-40-40-000-200-00660-9
MM-161	19-40-40-000-200-00680-5
MM-144	19-40-40-000-200-00691-2
MM-68	19-40-40-000-200-00710-9
MM-302	19-40-40-000-200-00810-8
MM-67	19-40-40-000-200-00870-5
MM-221	19-40-40-000-200-00940-1
MM-244	19-40-40-000-200-00950-8
MM-301	19-40-40-000-200-00960-6
MM-300	19-40-40-000-200-00970-4
MM-245	19-40-40-000-200-00980-2
MM-220	19-40-40-000-200-00990-0
MM-66	19-40-40-000-200-01030-0
N1/2 MM-12	19-40-40-000-200-01051-4
MM-65	19-40-40-000-200-01060-3
MM-166	19-40-40-000-200-01090-7
MM-299	19-40-40-000-200-01120-1
MM-298	19-40-40-000-200-01130-9
MM-247	19-40-40-000-200-01140-7
MM-218	19-40-40-000-200-01150-4
MM-89	19-40-40-000-200-01180-8
MM-63	19-40-40-000-200-01220-0
MM-217	19-40-40-000-200-01260-1
MM-249	19-40-40-000-200-01300-3
MM-216	19-40-40-000-200-01310-1
MM-169	19-40-40-000-200-01320-9
MM-61	19-40-40-000-200-01380-6
MM-137	19-40-40-000-200-01400-2
MM-170 & MM-171	19-40-40-000-200-01410-0
MM-215	19-40-40-000-200-01420-8
MM-214	19-40-40-000-200-01470-7
MM-135	19-40-40-000-200-01560-8
MM-172	19-40-40-000-200-01570-6
MM-252	19-40-40-000-200-01590-2
MM-293	19-40-40-000-200-01600-0
MM-58	19-40-40-000-300-00070-1
MM-174	19-40-40-000-300-00130-9
MM-211	19-40-40-000-300-00140-7
MM-290	19-40-40-000-300-00170-0
MM-175	19-40-40-000-300-00200-4
MM-132	19-40-40-000-300-00210-2
MM-56	19-40-40-000-300-00230-8

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
MM-176	19-40-40-000-300-00290-5
MM-289	19-40-40-000-300-00320-9
MM-288	19-40-40-000-300-00330-7
MM-208	19-40-40-000-300-00350-2
MM-178 MM-179	19-40-40-000-300-00450-1
MM-26 & MM-27	19-40-40-000-300-00570-6
MM-51	19-40-40-000-300-00580-4
MM-102	19-40-40-000-300-00590-2
MM-127	19-40-40-000-300-00600-0
MM-260	19-40-40-000-300-00630-4
MM-261	19-40-40-000-300-00660-7
MM-126	19-40-40-000-300-00690-1
MM-103	19-40-40-000-300-00700-9
MM-50	19-40-40-000-300-00710-7
MM-28	19-40-40-000-300-00730-3
MM-182	19-40-40-000-300-00770-4
MM-203	19-40-40-000-300-00780-2
MM-283	19-40-40-000-300-00800-8
MM-183	19-40-40-000-300-00840-0
MM-124	19-40-40-000-300-00850-7
MM-48	19-40-40-000-300-00870-3
MM-30, MM-31	19-40-40-000-300-00891-8
MM-47	19-40-40-000-300-00900-7
MM-106	19-40-40-000-300-00910-5
MM-280 W1/2	19-40-40-000-300-00970-2
MM-108	19-40-40-000-300-01070-9
MM-186	19-40-40-000-300-01090-5
MM-266	19-40-40-000-300-01110-1
MM-279	19-40-40-000-300-01120-9
MM-267	19-40-40-000-300-01140-5
MM-109	19-40-40-000-300-01180-6
MM-44	19-40-40-000-300-01190-4
MM-34	19-40-40-000-300-01211-9
MM-43	19-40-40-000-300-01220-8
MM-110	19-40-40-000-300-01230-6
MM-197	19-40-40-000-300-01260-9
MM-277	19-40-40-000-300-01280-5
MM-269	19-40-40-000-300-01300-1
MM-196	19-40-40-000-300-01310-9
MM-111	19-40-40-000-300-01340-3
MM-117	19-40-40-000-300-01400-0
MM-190	19-40-40-000-300-01410-8
MM-274	19-40-40-000-300-01450-9
MM-194	19-40-40-000-300-01470-5
MM-39	19-40-40-000-300-01540-1
MM-272	19-40-40-000-300-01590-0

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
MM-273	19-40-40-000-300-01600-8
MM-692, MM-733, & MM-734	19-40-40-000-400-00022-8
MM-612	19-40-40-000-400-00040-6
MM-452	19-40-40-000-400-00071-8
MM-850, MM-851	19-40-40-000-400-00161-9
MM-334	19-40-40-000-400-00191-3
MM-655, MM-656	19-40-40-000-400-00192-2
MM-450	19-40-40-000-400-00231-5
MM-336, MM-335	19-40-40-000-400-00251-0
MM-449	19-40-40-000-400-00261-8
MM-416	19-40-40-000-400-00262-7
MM-526, MM-529	19-40-40-000-400-00271-6
MM-768	19-40-40-000-400-00341-2
MM-737	19-40-40-000-400-00342-1
MM-608	19-40-40-000-400-00360-8
MM-497, & MM-528	19-40-40-000-400-00380-4
MM-338	19-40-40-000-400-00410-8
MM-498	19-40-40-000-400-00432-2
MM-607	19-40-40-000-400-00450-9
MM-767	19-40-40-000-400-00471-4
MM-738	19-40-40-000-400-00472-3
MM-818	19-40-40-000-400-00482-1
MM-819, MM-820	19-40-40-000-400-00492-9
MM-685& MM-686	19-40-40-000-400-00511-6
MM-606	19-40-40-000-400-00520-5
MM-579	19-40-40-000-400-00530-3
MM-366	19-40-40-000-400-00561-5
MM-500	19-40-40-000-400-00591-9
MM-580	19-40-40-000-400-00600-8
MM-740, MM-741, MM-742	19-40-40-000-400-00632-0
MM-363	19-40-40-000-400-00731-0
MM-342	19-40-40-000-400-00732-9
MM-443	19-40-40-000-400-00740-9
MM-664, MM-665	19-40-40-000-400-00942-5
MM-746	19-40-40-000-400-01112-7
MM-598	19-40-40-000-400-01160-8
MM-507, MM-518	19-40-40-000-400-01180-4
MM-347	19-40-40-000-400-01202-8
MM-357	19-40-40-000-400-01211-7
MM-588	19-40-40-000-400-01240-2
MM-597	19-40-40-000-400-01250-9
MM-748	19-40-40-000-400-01270-5
MM-828, MM-837	19-40-40-000-400-01280-3
MM-829, MM-836	19-40-40-000-400-01290-1
MM-756	19-40-40-000-400-01301-8
MM-749, MM-750	19-40-40-000-400-01302-7

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
MM-669, MM-670	19-40-40-000-400-01312-5
MM-356	19-40-40-000-400-01361-5
MM-353, MM-354 & MM-355	19-40-40-000-400-01371-3
MM-434, MM-435	19-40-40-000-400-01381-1
MM-834, MM-835	19-40-40-000-400-01441-9
MM-831	19-40-40-000-400-01451-6
MM-751	19-40-40-000-400-01462-3
MM-671	19-40-40-000-400-01471-2
MM-594	19-40-40-000-400-01480-1
MM-591	19-40-40-000-400-01490-9
MM-352	19-40-40-000-400-01532-9
MM-432	19-40-40-000-400-01542-7
MM-592	19-40-40-000-400-01560-4
MM-593	19-40-40-000-400-01570-2
MM-673, MM-674, MM-675, MM-676	19-40-40-000-400-01581-9

The following described parcels of land, lying and being in Section 20, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
JJ-401, JJ-402, JJ-403	20-40-40-000-100-00072-1
JJ-562	20-40-40-000-100-00120-3
JJ-639	20-40-40-000-100-00130-1
JJ-879	20-40-40-000-100-00161-3
JJ-638	20-40-40-000-100-00200-6
JJ-563	20-40-40-000-100-00210-4
JJ-324, JJ-397	20-40-40-000-100-00250-5
JJ-484 & JJ-557	20-40-40-000-100-00270-1
JJ-717 & JJ-644	20-40-40-000-100-00301-4
JJ-724 & JJ-797	20-40-40-000-100-00310-3
JJ-804 & JJ-877	20-40-40-000-100-00320-1
JJ-725, JJ-796	20-40-40-000-100-00342-5
JJ-565	20-40-40-000-100-00370-0
JJ-556	20-40-40-000-100-00381-7
JJ-476	20-40-40-000-100-00391-5
JJ-635	20-40-40-000-100-00450-3
JJ-646	20-40-40-000-100-00462-9
JJ-726, JJ-795	20-40-40-000-100-00470-9
JJ-875	20-40-40-000-100-00481-6
JJ-634	20-40-40-000-100-00520-9
JJ-567	20-40-40-000-100-00530-7
JJ-407 & JJ-474	20-40-40-000-100-00550-2
JJ-327, JJ-394	20-40-40-000-100-00560-0
JJ-473	20-40-40-000-100-00581-5
JJ-553	20-40-40-000-100-00591-3

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
JJ-568	20-40-40-000-100-00600-2
JJ-648, JJ-713	20-40-40-000-100-00620-8
JJ-809, JJ-872	20-40-40-000-100-00650-1
JJ-632	20-40-40-000-100-00680-5
JJ-409 & JJ-472	20-40-40-000-100-00711-8
JJ-391 & JJ-330	20-40-40-000-100-00731-4
JJ-811, JJ-812, JJ-870	20-40-40-000-100-00810-8
JJ-651	20-40-40-000-100-00832-2
JJ-630	20-40-40-000-100-00840-2
JJ-491	20-40-40-000-100-00862-5
JJ-332, JJ-389	20-40-40-000-100-00890-1
JJ-469	20-40-40-000-100-00901-8
JJ-412	20-40-40-000-100-00902-7
JJ-492	20-40-40-000-100-00912-5
JJ-629	20-40-40-000-100-00930-3
JJ-652 & JJ-709	20-40-40-000-100-00941-0
JJ-732	20-40-40-000-100-00952-6
JJ-868	20-40-40-000-100-00971-3
JJ-733 & 734	20-40-40-000-100-00982-0
JJ-628	20-40-40-000-100-01000-6
JJ-493	20-40-40-000-100-01022-0
JJ-468	20-40-40-000-100-01031-9
JJ-333, JJ-388	20-40-40-000-100-01040-8
JJ-547	20-40-40-000-100-01071-0
JJ-494	20-40-40-000-100-01072-9
JJ-574	20-40-40-000-100-01080-9
JJ-627	20-40-40-000-100-01090-7
JJ-787	20-40-40-000-100-01110-3
JJ-815	20-40-40-000-100-01132-7
JJ-546	20-40-40-000-100-01186-2
JJ-335	20-40-40-000-100-01202-2
JJ-336 JJ-385	20-40-40-000-100-01210-2
JJ-416 JJ-465	20-40-40-000-100-01220-0
JJ-496	20-40-40-000-100-01232-6
JJ-576	20-40-40-000-100-01240-6
JJ-656 & JJ-705	20-40-40-000-100-01260-1
JJ-785	20-40-40-000-100-01271-8
JJ-816	20-40-40-000-100-01282-5
JJ-817 & JJ-864	20-40-40-000-100-01290-5
JJ-784	20-40-40-000-100-01301-2
JJ-624	20-40-40-000-100-01320-9
JJ-498 & JJ-543	20-40-40-000-100-01390-4
JJ-578	20-40-40-000-100-01400-2
JJ-623	20-40-40-000-100-01410-0
JJ-863	20-40-40-000-100-01441-3
JJ-818 JJ-819	20-40-40-000-100-01442-2

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
JJ-862	20-40-40-000-100-01451-0
JJ-340 & JJ-381	20-40-40-000-100-01530-5
JJ-420	20-40-40-000-100-01542-1
JJ-241	20-40-40-000-200-00020-2
JJ-240	20-40-40-000-200-00030-0
JJ-242	20-40-40-000-200-00150-4
JJ-319	20-40-40-000-200-00160-2
JJ-238	20-40-40-000-200-00190-6
JJ-83	20-40-40-000-200-00220-0
JJ-84	20-40-40-000-200-00270-9
JJ-157	20-40-40-000-200-00280-7
JJ-244	20-40-40-000-200-00310-1
JJ-245	20-40-40-000-200-00340-5
JJ-236	20-40-40-000-200-00350-2
JJ-85	20-40-40-000-200-00380-6
JJ-75 & JJ-76	20-40-40-000-200-00390-4
JJ-6	20-40-40-000-200-00410-0
JJ-86	20-40-40-000-200-00430-6
JJ-235	20-40-40-000-200-00460-9
JJ-246	20-40-40-000-200-00470-7
JJ-315	20-40-40-000-200-00480-5
JJ-167	20-40-40-000-200-00520-7
JJ-8	20-40-40-000-200-00570-6
JJ-153	20-40-40-000-200-00600-0
JJ-168	20-40-40-000-200-00610-8
JJ-313	20-40-40-000-200-00640-2
JJ-249	20-40-40-000-200-00660-7
JJ-152	20-40-40-000-200-00690-1
JJ-89	20-40-40-000-200-00700-9
JJ-9	20-40-40-000-200-00720-5
JJ-10	20-40-40-000-200-00730-3
JJ-71	20-40-40-000-200-00740-1
JJ-90	20-40-40-000-200-00750-8
JJ-170	20-40-40-000-200-00770-4
JJ-250	20-40-40-000-200-00790-0
JJ-230	20-40-40-000-200-00830-2
JJ-150	20-40-40-000-200-00850-7
JJ-69	20-40-40-000-200-00900-7
JJ-172	20-40-40-000-200-00930-1
JJ-252	20-40-40-000-200-00950-6
JJ-228	20-40-40-000-200-00990-8
JJ-148	20-40-40-000-200-01010-2
JJ-14	20-40-40-000-200-01050-3
JJ-227	20-40-40-000-200-01100-3
JJ-254	20-40-40-000-200-01110-1
JJ-175	20-40-40-000-200-01160-0

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
JJ-95	20-40-40-000-200-01180-6
JJ-16	20-40-40-000-200-01210-0
JJ-65	20-40-40-000-200-01220-8
JJ-145	20-40-40-000-200-01240-4
JJ-256	20-40-40-000-200-01270-7
JJ-177	20-40-40-000-200-01320-7
JJ-97	20-40-40-000-200-01340-3
JJ-18	20-40-40-000-200-01370-6
JJ-178	20-40-40-000-200-01410-8
JJ-302	20-40-40-000-200-01450-9
JJ-99	20-40-40-000-200-01500-9
E1/2 OF JJ-61	20-40-40-000-200-01541-0
JJ-100	20-40-40-000-200-01550-8
JJ-221	20-40-40-000-200-01580-2
JJ-260	20-40-40-000-200-01590-0
JJ-300	20-40-40-000-300-00010-2
JJ-140	20-40-40-000-300-00050-3
JJ-101	20-40-40-000-300-00060-1
JJ-219	20-40-40-000-300-00140-5
JJ-262	20-40-40-000-300-00150-2
JJ-138	20-40-40-000-300-00210-0
JJ-104	20-40-40-000-300-00270-7
JJ-56	20-40-40-000-300-00390-2
JJ-25	20-40-40-000-300-00400-0
JJ-26	20-40-40-000-300-00410-8
JJ-55	20-40-40-000-300-00420-6
JJ-294	20-40-40-000-300-00490-1
JJ-267	20-40-40-000-300-00500-9
JJ-214	20-40-40-000-300-00510-7
JJ-134	20-40-40-000-300-00530-3
JJ-108	20-40-40-000-300-00590-0
JJ-133	20-40-40-000-300-00600-8
JJ-213	20-40-40-000-300-00620-4
JJ-191	20-40-40-000-300-00840-8
JJ-111	20-40-40-000-300-00860-3
JJ-31	20-40-40-000-300-00880-9
JJ-112	20-40-40-000-300-00910-3
JJ-129	20-40-40-000-300-00920-1
JJ-192	20-40-40-000-300-00930-9
E1/2 OF JJ-272	20-40-40-000-300-00951-3
JJ-193	20-40-40-000-300-01000-2
JJ-128	20-40-40-000-300-01010-0
JJ-33	20-40-40-000-300-01040-4
JJ-114	20-40-40-000-300-01070-7
JJ-207	20-40-40-000-300-01100-1
JJ-286	20-40-40-000-300-01130-5

SCHEDULE A

LOT NUMBER	PARCEL NUMBER
JJ-35	20-40-40-000-300-01200-0
JJ-197	20-40-40-000-300-01320-5

The following described parcels of land, lying and being in Section 21, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
HH-180 HH-181 & HH-204 HH-205	21-40-40-000-300-01031-3

The following described parcels of land, lying and being in Section 29, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
LL-51	29-40-40-000-300-00550-9
LL-24	29-40-40-000-300-00560-7
LL-25	29-40-40-000-300-00570-5
LL-99	29-40-40-000-300-00590-1
LL-124	29-40-40-000-300-00600-9
LL-271	29-40-40-000-300-00650-8
LL-248	29-40-40-000-300-00660-6

The following described parcels of land, lying and being in Section 30, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

LOT NUMBER	PARCEL NUMBER
RR-239	30-40-40-000-200-01080-6