

**BEFORE THE BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA
DEVELOPMENT ORDER**

RESOLUTION NUMBER 23-

**REGARDING FINAL SITE PLAN FOR PHASE 2 OF THE
HIGHPOINTE PLANNED UNIT DEVELOPMENT
WITH A CERTIFICATE OF PUBLIC FACILITIES RESERVATION**

WHEREAS, this Board has made the following determinations of fact:

1. Christ Fellowship LLC submitted an application for a Final Site Plan for Phase 2 of the Highpointe Planned Unit Development (PUD).
2. The Phase 2 site is approximately 145.31-acres and located within the Highpointe PUD, east of Pratt Whitney Road and north of SW Bulldog Way, in Stuart, as legally described in attached Exhibit A.
3. Included with the application is a request for a Certificate of Public Facilities Reservation.
4. Upon proper notice, this Board held a public meeting on November 7, 2023, and all interested parties were given an opportunity to be heard.
5. The Final Site Plan for Phase 2 is consistent with the Martin County Comprehensive Growth Management Plan and Land Development Regulations (LDR).

NOW, THEREFORE BE IT RESOLVED, BY THE BOARD OF COUNTY COMMISSIONERS:

- A. The Phase 2 Final Site Plan, attached as Exhibit B, for the Highpointe PUD project is approved. Development shall be in accordance with the approved Phase 2 Final Site Plan.
- B. No permits for construction or development activity shall be issued until all required documents, plans, and fees are received, and all applicable federal/state permits are received and approved, as required by Section 10.11, LDR, Martin County Code.
- C. Failure to submit the necessary documents, plans, and/or fees, as required by Section 10.11, LDR, Martin County Code, shall render approval of the Phase 2 Final Site Plan for the Highpointe PUD, null and void.

D. This application is hereby determined to meet the requirements for and shall serve as a Certificate of Public Facilities Reservation as set forth in Section 5.32.D, LDR, Martin County Code.

E. All permits for the Phase 2 Final Site Plan must be obtained within one (1) year, by November 7, 2024. Development must be completed within two (2) years, by November 7, 2025.

F. Hauling of material is authorized in accordance with Section 4.343.C. LDR, Martin County Code. The Owner shall pay a hauling fee of \$0.21 per cubic yard of material being hauled from the site in the amount of \$9,011.10, to be paid within sixty (60) calendar days of the project approval.

G. No land clearing is authorized prior to the mandatory pre-construction meeting for the project. Property corners and preservation areas shall be located by a licensed land surveyor and clearly marked in the field prior to the pre- construction meeting. Authorization for clearing to install erosion control devices and preserve barricades will be granted at the pre-construction meeting. No additional land clearing shall commence until a satisfactory inspection of the required control structures and barricades has been obtained. Authorization for the relocation of gopher tortoises within the development, as provided for on state agency permits, may be granted by the Growth Management Department upon review of required permit materials. Section 4.37, LDR, Martin County Code.

H. In order to ensure that the drainage/stormwater management system functions as designed and permitted in perpetuity, Owner shall maintain the drainage/stormwater management system according to the Stormwater Management System Maintenance Plan as submitted with the final site plan application. The Maintenance Plan will provide that Owner shall be responsible for performing the specific inspections and maintenance operations on the stormwater management system on-site and off-site as approved by the Growth Management Director at final site plan approval in order to ensure it functions as intended and as approved by County. County shall not have any responsibility in maintaining the system

I. This resolution shall be recorded in the public records of Martin County. A copy of this resolution shall be forwarded to the applicant by the Growth Management Department subsequent to recording.

DULY PASSED AND ADOPTED THIS 7TH DAY OF NOVEMBER 2023.

ATTEST:

BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA

BY: _____
CAROLYN TIMMANN
CLERK OF THE CIRCUIT COURT
AND COMPTROLLER

BY: _____
EDWARD V. CIAMPI, CHAIRMAN

APPROVED AS TO FORM AND LEGAL
SUFFICIENCY:

BY: _____
ELYSSE A. ELDER
DEPUTY COUNTY ATTORNEY

ATTACHMENTS:

Exhibit A, Legal Description
Exhibit B, Phase 2 Final Site Plan

EXHIBIT A
Legal Description

Highpointe PUD - Phase 2 Property

LEGAL DESCRIPTION (PHASE 2):

A PORTION OF TRACTS 7, 8, 9, 10, 15 AND 16, SECTION 17, TOWNSHIP 39 SOUTH, RANGE 41 EAST, TROPICAL FRUIT FARMS, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 3, PAGE 6, OF THE PUBLIC RECORDS OF MARTIN COUNTY, FLORIDA, BEING DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF THE SOUTHEAST ONE-QUARTER (SE 1/4) OF SECTION 17, TOWNSHIP 39 SOUTH, RANGE 41 EAST, MARTIN COUNTY, FLORIDA; THENCE NORTH 02°15'47" EAST ALONG THE WEST LINE OF THE EAST ONE-HALF (E 1/2) OF SAID SECTION 17, A DISTANCE OF 461.64 FEET TO A POINT BEING ON THE NORTH LINE OF THE 130 FOOT WIDE STRIP OF LAND CONVEYED TO THE SCHOOL BOARD OF MARTIN COUNTY, FLORIDA, AS MENTIONED IN THAT CERTAIN WARRANTY DEED RECORDED IN OFFICIAL RECORD BOOK 494, PAGE 2683 OF THE PUBLIC RECORDS OF MARTIN COUNTY, FLORIDA; THENCE SOUTH 89°57'57" EAST ALONG SAID NORTH LINE, A DISTANCE OF 100.08 FEET TO A POINT BEING ON A LINE LYING 100.00 FEET EAST OF AND PARALLEL WITH (AS MEASURED AT RIGHT ANGLES) THE WEST LINE OF THE EAST ONE-HALF (E 1/2) OF SAID SECTION 17 AND THE POINT OF BEGINNING; THENCE SOUTH 89°57'57" EAST ALONG SAID NORTH LINE, A DISTANCE OF 2,536.54 FEET TO A POINT OF INTERSECTION WITH THE EAST LINE OF SAID SECTION 17 AND SAID TRACT 16, TROPICAL FRUIT FARMS; THENCE NORTH 00°42'48" WEST ALONG SAID EAST LINE OF SAID SECTION 17 AND THE EAST LINE OF SAID TRACT 16, A DISTANCE OF 579.65 FEET TO A CORNER ON THE SOUTHERLY BOUNDARY OF HIGHPOINTE PUD PHASE 1 PLAT, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 19, PAGE 37 OF SAID PUBLIC RECORDS; THENCE ALONG SAID SOUTHERLY BOUNDARY THE FOLLOWING EIGHTY-THREE (83) COURSES AND DISTANCES: S.54°46'15"W., A DISTANCE OF 9.25 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 14°09'20"; THENCE SOUTHWESTERLY ALONG THE ARC A DISTANCE OF 12.35 FEET TO A POINT OF REVERSE CURVATURE TO THE LEFT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 29°25'26"; THENCE SOUTHWESTERLY ALONG THE ARC, A DISTANCE OF 25.68 FEET TO A POINT OF TANGENCY; THENCE S.39°30'08"W., A DISTANCE OF 29.04 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 19°53'20"; THENCE SOUTHWESTERLY ALONG THE ARC A DISTANCE OF 17.36 FEET TO A POINT OF TANGENCY; THENCE S.59°23'28"W., A DISTANCE OF 86.37 FEET; THENCE S.63°32'35"W., A DISTANCE OF 50.89 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 36°08'01"; THENCE WESTERLY ALONG THE ARC A DISTANCE OF 31.53 FEET TO A POINT OF REVERSE CURVATURE TO THE LEFT HAVING A RADIUS OF 1,000.00 FEET AND A CENTRAL ANGLE OF 05°18'39"; THENCE WESTERLY ALONG THE ARC, A DISTANCE OF 92.69 FEET TO A POINT OF REVERSE CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A

CENTRAL ANGLE OF 19°41'53"; THENCE WESTERLY ALONG THE ARC, A DISTANCE OF 17.19 FEET TO A POINT OF TANGENCY; THENCE N.65°56'09"W., A DISTANCE OF 58.29 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 26°57'40"; THENCE NORTHWESTERLY ALONG THE ARC A DISTANCE OF 23.53 FEET TO A POINT OF TANGENCY; THENCE N.38°58'29"W., A DISTANCE OF 40.70 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 60°58'23"; THENCE NORTHERLY ALONG THE ARC A DISTANCE OF 53.21 FEET TO A POINT OF TANGENCY; THENCE N.21°59'54"E., A DISTANCE OF 17.30 FEET TO A POINT OF NON-TANGENCY WITH A CURVE TO THE RIGHT, OF WHICH THE RADIUS POINT LIES N.37°24'17"E., A RADIAL DISTANCE OF 50.00 FEET; THENCE NORTHERLY ALONG THE ARC, THROUGH A CENTRAL ANGLE OF 58°43'47", A DISTANCE OF 51.25 FEET TO A POINT OF TANGENCY; THENCE N.06°08'04"E., A DISTANCE OF 49.26 FEET; THENCE N.20°02'07"E., A DISTANCE OF 67.33 FEET; THENCE N.27°55'10"E., A DISTANCE OF 61.01 FEET; THENCE N.33°16'26"E., A DISTANCE OF 57.70 FEET; THENCE N.45°44'54"E., A DISTANCE OF 40.93 FEET; THENCE N.32°57'23"E., A DISTANCE OF 13.10 FEET; THENCE N.00°55'59"W., A DISTANCE OF 49.43 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 47°52'14"; THENCE NORTHEASTERLY ALONG THE ARC A DISTANCE OF 41.78 FEET TO A POINT OF TANGENCY; THENCE N.46°56'16"E., A DISTANCE OF 64.84 FEET; THENCE N.34°38'27"W., A DISTANCE OF 12.67 FEET; THENCE N.03°05'22"E., A DISTANCE OF 57.50 FEET TO A POINT OF CURVATURE TO THE LEFT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 17°58'32"; THENCE NORTHERLY ALONG THE ARC A DISTANCE OF 15.69 FEET TO A POINT OF TANGENCY; THENCE N.14°53'10"W., A DISTANCE OF 52.83 FEET; THENCE N.03°16'33"W., A DISTANCE OF 75.49 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 106°03'41"; THENCE NORTHEASTERLY ALONG THE ARC A DISTANCE OF 92.56 FEET TO A POINT OF NON-TANGENCY WITH A CURVE TO THE RIGHT, OF WHICH THE RADIUS POINT LIES N.16°59'05"E., A RADIAL DISTANCE OF 85.99 FEET; THENCE NORTHWESTERLY ALONG THE ARC, THROUGH A CENTRAL ANGLE OF 76°13'03", A DISTANCE OF 114.39 FEET TO A POINT OF TANGENCY; THENCE N.03°12'08"E., A DISTANCE OF 41.81 FEET; THENCE N.07°12'17"E., A DISTANCE OF 50.55 FEET; THENCE N.12°26'30"E., A DISTANCE OF 40.06 FEET TO A POINT OF CURVATURE TO THE LEFT HAVING A RADIUS OF 222.00 FEET AND A CENTRAL ANGLE OF 29°12'44"; THENCE NORTHERLY ALONG THE ARC A DISTANCE OF 113.19 FEET TO A POINT OF REVERSE CURVATURE TO THE RIGHT HAVING A RADIUS OF 530.99 FEET AND A CENTRAL ANGLE OF 39°49'52"; THENCE NORTHERLY ALONG THE ARC, A DISTANCE OF 369.14 FEET TO A POINT OF REVERSE CURVATURE TO THE LEFT HAVING A RADIUS OF 200.00 FEET AND A CENTRAL ANGLE OF 09°14'20"; THENCE NORTHERLY ALONG THE ARC, A DISTANCE OF 32.25 FEET TO A POINT OF TANGENCY; THENCE N.13°49'18"E., A DISTANCE OF 62.16 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 250.00 FEET AND A CENTRAL ANGLE OF 31°12'33"; THENCE NORTHEASTERLY ALONG THE ARC A DISTANCE OF 136.18 FEET TO A POINT OF REVERSE CURVATURE TO THE LEFT HAVING A RADIUS OF 382.90 FEET AND A CENTRAL ANGLE OF 57°03'33"; THENCE NORTHERLY ALONG THE ARC, A DISTANCE OF 381.31 FEET; THENCE ALONG A NON-TANGENT LINE, N.19°45'59"W., A DISTANCE OF 42.44 FEET; THENCE N.25°15'40"W., A DISTANCE OF 123.37 FEET; THENCE N.42°50'43"W., A DISTANCE OF 82.99 FEET TO A POINT OF CURVATURE TO THE LEFT HAVING A RADIUS OF 121.40 FEET AND A CENTRAL ANGLE OF 63°36'01"; THENCE WESTERLY ALONG THE ARC A DISTANCE OF 134.76 FEET TO A POINT OF TANGENCY; THENCE

S.73°33'17"W., A DISTANCE OF 84.02 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 300.00 FEET AND A CENTRAL ANGLE OF 17°23'58"; THENCE WESTERLY ALONG THE ARC A DISTANCE OF 91.10 FEET TO A POINT OF TANGENCY; THENCE N.89°02'46"W., A DISTANCE OF 155.46 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 100.00 FEET AND A CENTRAL ANGLE OF 49°10'02"; THENCE NORTHWESTERLY ALONG THE ARC A DISTANCE OF 85.81 FEET TO A POINT OF TANGENCY; THENCE N.39°52'44"W., A DISTANCE OF 79.42 FEET; THENCE N.32°34'24"W., A DISTANCE OF 48.74 FEET; THENCE N.29°13'27"W., A DISTANCE OF 95.50 FEET TO THE POINT OF NON-TANGENCY WITH A CURVE TO THE LEFT, OF WHICH THE RADIUS POINT LIES S.60°25'28"W., A RADIAL DISTANCE OF 114.55 FEET; THENCE WESTERLY ALONG THE ARC, THROUGH A CENTRAL ANGLE OF 141°15'28", A DISTANCE OF 282.42 FEET TO A POINT OF REVERSE CURVATURE TO THE RIGHT HAVING A RADIUS OF 66.24 FEET AND A CENTRAL ANGLE OF 99°13'27"; THENCE SOUTHWESTERLY ALONG THE ARC, A DISTANCE OF 114.71 FEET; THENCE ALONG A NON-TANGENT LINE, N.27°52'09"W., A DISTANCE OF 122.57 FEET; THENCE S.46°11'08"W., A DISTANCE OF 49.49 FEET TO THE POINT OF NON-TANGENCY WITH A CURVE TO THE RIGHT, OF WHICH THE RADIUS POINT LIES N.38°26'38"W., A RADIAL DISTANCE OF 167.73 FEET; THENCE WESTERLY ALONG THE ARC, THROUGH A CENTRAL ANGLE OF 82°54'05", A DISTANCE OF 242.69 FEET; THENCE ALONG A NON-TANGENT LINE, N.54°25'04"W., A DISTANCE OF 5.95 FEET; THENCE S.40°11'34"E., A DISTANCE OF 148.55 FEET; THENCE S.48°07'29"W., A DISTANCE OF 171.00 FEET; THENCE S.49°33'51"W., A DISTANCE OF 62.14 FEET; THENCE N.33°33'33"W., A DISTANCE OF 165.67 FEET; THENCE S.54°24'26"W., A DISTANCE OF 42.34 FEET TO A POINT OF NON TANGENCY WITH A CURVE TO THE RIGHT, OF WHICH THE RADIUS POINT LIES N.66°43'44"W., A RADIAL DISTANCE OF 34.75 FEET; THENCE SOUTHWESTERLY ALONG THE ARC, THROUGH A CENTRAL ANGLE OF 62°17'20", A DISTANCE OF 37.78 FEET TO A POINT OF COMPOUND CURVATURE TO THE RIGHT HAVING A RADIUS OF 299.68 FEET AND A CENTRAL ANGLE OF 07°24'29"; THENCE WESTERLY ALONG THE ARC, A DISTANCE OF 38.75 FEET TO A POINT OF REVERSE CURVATURE TO THE LEFT HAVING A RADIUS OF 85.70 FEET AND A CENTRAL ANGLE OF 13°32'56"; THENCE WESTERLY ALONG THE ARC, A DISTANCE OF 20.27 FEET TO A POINT OF COMPOUND CURVATURE TO THE LEFT HAVING A RADIUS OF 293.41 FEET AND A CENTRAL ANGLE OF 08°52'02"; THENCE WESTERLY ALONG THE ARC, A DISTANCE OF 45.41 FEET TO A POINT OF REVERSE CURVATURE TO THE RIGHT HAVING A RADIUS OF 205.00 FEET AND A CENTRAL ANGLE OF 14°43'18"; THENCE WESTERLY ALONG THE ARC, A DISTANCE OF 52.67 FEET TO A POINT OF NON-TANGENCY WITH A CURVE TO THE RIGHT, OF WHICH THE RADIUS POINT LIES N.45°12'01"W., A RADIAL DISTANCE OF 241.82 FEET; THENCE SOUTHWESTERLY ALONG THE ARC, THROUGH A CENTRAL ANGLE OF 24°55'28", A DISTANCE OF 105.19 FEET TO A POINT OF REVERSE CURVATURE TO THE LEFT HAVING A RADIUS OF 46.50 FEET AND A CENTRAL ANGLE OF 40°58'23"; THENCE SOUTHWESTERLY ALONG THE ARC, A DISTANCE OF 33.25 FEET TO A POINT OF REVERSE CURVATURE TO THE RIGHT HAVING A RADIUS OF 65.24 FEET AND A CENTRAL ANGLE OF 32°43'28"; THENCE SOUTHWESTERLY ALONG THE ARC, A DISTANCE OF 37.26 FEET TO A POINT OF TANGENCY; THENCE S.61°28'32"W., A DISTANCE OF 39.71 FEET; THENCE S.57°23'10"W., A DISTANCE OF 40.18 FEET; THENCE S.60°43'39"W., A DISTANCE OF 112.39 FEET TO A POINT OF CURVATURE TO THE LEFT HAVING A RADIUS OF 450.00 FEET AND A CENTRAL ANGLE OF 06°59'25"; THENCE SOUTHWESTERLY ALONG THE ARC A DISTANCE OF 54.90 FEET TO A POINT OF REVERSE CURVATURE TO THE RIGHT HAVING A RADIUS OF 244.05 FEET AND A

CENTRAL ANGLE OF 10°33'42"; THENCE SOUTHWESTERLY ALONG THE ARC, A DISTANCE OF 44.99 FEET TO A POINT OF TANGENCY; THENCE S.64°17'57"W., A DISTANCE OF 123.07 FEET TO A POINT OF CURVATURE TO THE RIGHT HAVING A RADIUS OF 259.42 FEET AND A CENTRAL ANGLE OF 17°31'19"; THENCE WESTERLY ALONG THE ARC A DISTANCE OF 79.34 FEET TO A POINT OF COMPOUND CURVATURE TO THE RIGHT HAVING A RADIUS OF 58.30 FEET AND A CENTRAL ANGLE OF 37°27'22"; THENCE WESTERLY ALONG THE ARC, A DISTANCE OF 38.11 FEET TO A POINT OF INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF THAT 200 FOOT WIDE RIGHT-OF-WAY OF SW PRATT-WHITNEY ROAD, AS RECORDED IN ROAD PLAT BOOK 9, PAGE 5 OF SAID PUBLIC RECORDS; THENCE S.02°15'47"W., ALONG SAID EAST RIGHT-OF-WAY LINE, A DISTANCE OF 2453.00 FEET TO THE POINT OF BEGINNING.

SAID LANDS SITUATE, LYING AND BEING IN MARTIN COUNTY, FLORIDA.

CONTAINING 6,329,838 SQUARE FEET/145.3131 ACRES, MORE OR LESS.

SUBJECT TO EASEMENTS, RESTRICTIONS, RESERVATIONS, COVENANTS, AND RIGHTS-OF-WAY OF RECORD.

Exhibit B
PHASE 2 FINAL SITE PLAN