

**BEFORE THE BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA**

RESOLUTION NO. _____

**APPROVAL OF A CONVEYANCE OF PROPERTY AND ACCEPTANCE OF PROPERTY
PURSUANT TO SECTION 125.37 FLORIDA STATUTES**

WHEREAS, on _____, this Board held a public hearing to consider the exchange of property owned by MARTIN COUNTY, a political subdivision of the State of Florida (hereinafter "COUNTY"), described in Exhibit "A" attached hereto and made a part hereof, for property owned by BE A MAN BUY LAND, LLC, a Florida corporation (hereinafter "BAM"), described in the Exhibit "B" and Exhibit "C" attached hereto and made a part hereof; and

WHEREAS, proper notice of hearing was published once a week for two weeks prior to the public hearing in a newspaper of general circulation published in the County; and

WHEREAS, anyone desiring to be heard regarding this matter was given opportunity to present their views to this Board; and

WHEREAS, on November 12, 2024, the Board voted to approve a Settlement, Land Exchange, and Purchase Agreement ("Settlement Agreement") in the case of: Be a Man Buy Land, LLC vs. S. FL. Water Man. Dist.; FL Fish and Wildlife Cons. Comm.; The Board of Trustees of the Internal Improv. Trust Fund of the State of FL; and Martin County; Case No. 2023-CA-000052; and

WHEREAS, Pursuant to the Settlement Agreement, BAM is required to swap land it owns at a ratio of 2:1 in environmentally sensitive middle and eastern portions of Pal Mar, for County and S. FL Water Man. Dist. owned land (either solely or jointly; approx. 559 acres) in the North Chimney portion of Pal Mar. This equates to the County receiving (both solely and jointly) approx. 1,099.78 acres in the middle and eastern portions of Pal Mar; and

WHEREAS, the Board has made the following determinations regarding the property to be conveyed by County Deed to BAM as more particularly described in Exhibit "A", which is attached hereto and incorporated herein:

1. The property is not needed for County purposes.
2. It is in the best interest of the County to exchange the COUNTY's property more

particularly described in Exhibit "A" for the property owned by BAM as more particularly described in Exhibit "B".

3. The exchange of property is deemed an even exchange and no funds will change hands.

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF MARTIN COUNTY, FLORIDA, THAT:

A. Pursuant to Section 125.37, Florida Statutes, the Board of County Commissioners hereby authorizes the exchange of the property described in Exhibit "A" for the property described in Exhibit "B".

B. The property exchange is subject to certain terms and conditions, which are summarized as follows:

1. The Board of County Commissioners accepts this resolution approving the County Deed conveying its interest in the property described in Exhibit "A" to BAM, as consideration for an executed Quit Claim Deed conveying the property described in Exhibit "B" and Exhibit "C" by BAM, a Florida limited liability corporation to COUNTY.

2. Each party shall pay for recording any documents necessary to convey marketable title to the other party, including the deeds. BAM, as the non-exempt party, shall pay for any and all documentary stamps as a result of the property exchange.

3. This resolution hereby accepts and approves the Quit Claim Deeds conveyed by Be a Man Buy Land, LLC, a Florida limited liability corporation to Martin County, a political subdivision of the State of Florida, at the time of closing.

DULY PASSED AND ADOPTED this ____ day of _____, 2025.

ATTEST:

BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA

CAROLYN TIMMANN, CLERK OF THE
CIRCUIT COURT AND COMPTROLLER

SARAH HEARD, CHAIR

APPROVED AS TO FORM AND
LEGAL SUFFICIENCY:

SARAH W. WOODS, COUNTY ATTORNEY

EXHIBIT "A"

COUNTY TO BAM

Parcel A

This instrument prepared by:

Susanna Kenerson, Real Property Division
Martin County
2401 SE Monterey Road
Stuart, FL 34996

Project Name: Be A Man Buy Land RPM 4119
Property Address: Multiple vacant land parcels
PCN: Multiple – see attached Ex. A - M

SPACE ABOVE THIS LINE FOR PROCESSING DATA

SPACE ABOVE THIS LINE FOR RECORDING DATA

COUNTY DEED

THIS DEED, made this ____ day of _____, 2025, by MARTIN COUNTY, a political subdivision of the State of Florida, 2401 SE Monterey Road, Stuart, Florida 34996, Grantor, and BE A MAN BUY LAND, LLC, a Florida limited liability company, Grantee, whose mailing address is 4260 SE Federal Highway, Stuart, Florida 34997.

WITNESSETH that Grantor, for good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, has granted, bargained and sold to Grantee, its heirs and assigns forever, the following described land lying and being in Martin County, Florida:

SEE ATTACHED EXHIBIT "A -M"

IN WITNESS WHEREOF Grantor has caused these presents to be executed in its name by its Board of County Commissioners acting by the Chair or Vice Chair of said Board, the day and year aforesaid.

ATTEST:

BOARD OF COUNTY COMMISSIONERS
MARTIN COUNTY, FLORIDA

CAROLYN TIMMANN, CLERK OF THE
CIRCUIT COURT AND COMPTROLLER

SARAH HEARD, CHAIR

APPROVED AS TO FORM & LEGAL
SUFFICIENCY:

SARAH W. WOODS, COUNTY ATTORNEY

EXHIBIT A

| The following described parcels of land, lying and being in Section 01, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida: | |
|--|--------------------------|
| Lot Number(s) | Parcel Number |
| XX-192 | 01-40-39-000-200-00080-1 |
| XX-128 | 01-40-39-000-200-00120-3 |
| XX-97 | 01-40-39-000-200-00130-1 |
| XX-1 CD North 1/2 | 01-40-39-000-200-00202-4 |
| XX-291 | 01-40-39-000-200-00410-2 |
| XX-227 | 01-40-39-000-200-00450-3 |
| XX-189 | 01-40-39-000-200-00730-5 |
| XX-37 | 01-40-39-000-200-00970-4 |
| XX-6AB S 1/2 | 01-40-39-000-200-01020-2 |
| XX-251 | 01-40-39-000-200-01170-0 |
| XX-122A | 01-40-39-000-200-01324-5 |
| XX-25 | 01-40-39-000-200-01430-6 |
| XX-23 | 01-40-39-000-300-00230-8 |
| XX-170 AB South 1/2 | 01-40-39-000-300-00324-5 |
| XX-215 | 01-40-39-000-300-00350-2 |
| XX-171 | 01-40-39-000-300-00490-3 |
| XX-76 | 01-40-39-000-300-00660-7 |
| XX-117 | 01-40-39-000-300-00690-1 |
| XX-245 | 01-40-39-000-300-00770-4 |
| XX-205 | 01-40-39-000-300-00870-3 |
| XX-83D | 01-40-39-000-300-01072-7 |
| XX-208 CD N 1/2 | 01-40-39-000-300-01541-0 |
| The following described parcels of land, lying and being in Section 02, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida: | |
| Lot Number(s) | Parcel Number |
| WW-256 | 02-40-39-000-100-00050-7 |
| WW-165 | 02-40-39-000-100-00740-3 |
| Being part of that 185 foot wide FP&L Easement as in Deed Book 98 at Page 323, of the Public Records of Martin County, Florida. Being the same property conveyed in Official Records Book 1585, at Page 399, of the Public Records of Martin County, Florida, and containing 19.06 acre(s) more or less. | 02-40-39-000-100-01610-8 |
| WW-219 | 02-40-39-000-400-00380-2 |
| WW-147 | 02-40-39-000-400-00480-1 |
| WW-19B West 1/2 of the South 1/2 | 02-40-39-000-400-00593-5 |
| WW-124 CD North 1/2 | 02-40-39-000-400-01521-0 |

EXHIBIT A

| The following described parcels of land, lying and being in Section 11, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida: | |
|---|--------------------------|
| Lot Number(s) | Parcel Number |
| SS-257 | 11-40-39-000-100-00020-5 |
| SS-225 | 11-40-39-000-100-00040-1 |
| SS-160 (N 1/2) | 11-40-39-000-100-00092-8 |
| SS-97 | 11-40-39-000-100-00120-4 |
| SS-96 | 11-40-39-000-100-00130-2 |
| SS-64 | 11-40-39-000-100-00150-7 |
| SS-33 | 11-40-39-000-100-00180-1 |
| SS-32 | 11-40-39-000-100-00190-9 |
| SS-1 | 11-40-39-000-100-00200-7 |
| SS-223 | 11-40-39-000-100-00360-3 |
| SS-226 | 11-40-39-000-100-00370-1 |
| SS-190CD North 1/2 | 11-40-39-000-100-00471-9 |
| SS-67 | 11-40-39-000-100-00540-6 |
| SS-62 | 11-40-39-000-100-00550-3 |
| SS-35 | 11-40-39-000-100-00580-7 |
| SS-29 | 11-40-39-000-100-00620-9 |
| SS-36 | 11-40-39-000-100-00630-7 |
| SS-68 | 11-40-39-000-100-00670-8 |
| SS-125 | 11-40-39-000-100-00700-2 |
| SS-253 | 11-40-39-000-100-00780-5 |
| SS-261 | 11-40-39-000-100-00820-7 |
| SS-229 | 11-40-39-000-100-00840-3 |
| SS-188 | 11-40-39-000-100-00870-6 |
| SS-165 | 11-40-39-000-100-00880-4 |
| SS-101 | 11-40-39-000-100-00920-6 |
| SS-92 | 11-40-39-000-100-00930-4 |
| SS-69 | 11-40-39-000-100-00940-2 |
| SS-59 | 11-40-39-000-100-01060-4 |
| SS-102 | 11-40-39-000-100-01090-8 |
| SS-166 | 11-40-39-000-100-01130-0 |
| SS-230 | 11-40-39-000-100-01170-1 |
| Being the North 1/2 of the East 2/5 of the South 1/2 of the Northeast 1/4 of the Southeast 1/4 of the Northeast 1/4. Containing 1 acre(s) more or less. | 11-40-39-000-100-01191-6 |
| SS-122 | 11-40-39-000-100-01310-2 |
| SS-39 | 11-40-39-000-100-01380-7 |
| SS-40 | 11-40-39-000-100-01430-7 |
| SS-72 | 11-40-39-000-100-01470-8 |
| SS-136 | 11-40-39-000-100-01510-0 |
| SS-153 | 11-40-39-000-100-01520-8 |
| SS-200 | 11-40-39-000-100-01550-1 |

EXHIBIT A

| | |
|---------------------|--------------------------|
| SS-184 | 11-40-39-000-400-00070-8 |
| SS-73 | 11-40-39-000-400-00140-4 |
| SS-56 | 11-40-39-000-400-00150-1 |
| SS-9 | 11-40-39-000-400-00200-1 |
| SS-10 | 11-40-39-000-400-00210-9 |
| SS-23 | 11-40-39-000-400-00220-7 |
| SS-55 | 11-40-39-000-400-00260-8 |
| SS-87 AB South 1/2 | 11-40-39-000-400-00284-0 |
| SS-170 | 11-40-39-000-400-00330-4 |
| SS-202 | 11-40-39-000-400-00350-9 |
| SS-246 | 11-40-39-000-400-00430-3 |
| SS-214 | 11-40-39-000-400-00450-8 |
| SS-118 AB South 1/2 | 11-40-39-000-400-00514-2 |
| SS-54 | 11-40-39-000-400-00550-7 |
| SS-43 | 11-40-39-000-400-00580-1 |
| SS-22 | 11-40-39-000-400-00590-9 |
| SS-11 A&B | 11-40-39-000-400-00600-7 |
| SS-140 | 11-40-39-000-400-00710-4 |
| SS-149 | 11-40-39-000-400-00720-2 |
| SS-268 | 11-40-39-000-400-00790-7 |

The following described parcels of land, lying and being in Section 12, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida:

| Lot Number(s) | Parcel Number |
|-----------------------------------|--------------------------|
| YY-288 South 1/2 | 12-40-39-000-200-00024-7 |
| YY-256 CD North 1/2 | 12-40-39-000-200-00041-6 |
| YY-160 | 12-40-39-000-200-00100-4 |
| YY-129 | 12-40-39-000-200-00110-2 |
| YY-65 North 1/2 | 12-40-39-000-200-00150-3 |
| YY-33C East 1/2 of the North 1/2 | 12-40-39-000-200-00171-8 |
| YY-1 South 1/2 | 12-40-39-000-200-00191-4 |
| YY-2 North 1/2 | 12-40-39-000-200-00210-1 |
| YY-34 | 12-40-39-000-200-00240-5 |
| YY-95 | 12-40-39-000-200-00270-8 |
| YY-127 | 12-40-39-000-200-00290-4 |
| YY-130 | 12-40-39-000-200-00300-2 |
| YY-159 | 12-40-39-000-200-00310-0 |
| YY-223CD North 1/2 | 12-40-39-000-200-00351-0 |
| YY-226 | 12-40-39-000-200-00360-9 |
| YY-258C East 1/2 of the North 1/2 | 12-40-39-000-200-00380-5 |
| YY-259 | 12-40-39-000-200-00430-5 |
| YY-227 | 12-40-39-000-200-00450-0 |
| YY-195 | 12-40-39-000-200-00470-6 |
| YY-131 | 12-40-39-000-200-00510-8 |
| YY-62 | 12-40-39-000-200-00560-7 |

EXHIBIT A

| | |
|----------------------|--------------------------|
| YY-4 | 12-40-39-000-200-00610-7 |
| YY-93 | 12-40-39-000-200-00670-4 |
| YY-221 | 12-40-39-000-200-00750-7 |
| YY-284 | 12-40-39-000-200-00820-3 |
| YY-197 | 12-40-39-000-200-00870-2 |
| YY-124 | 12-40-39-000-200-00920-2 |
| YY-70 | 12-40-39-000-200-01060-0 |
| YY-91 | 12-40-39-000-200-01070-8 |
| YY-187 | 12-40-39-000-200-01130-6 |
| YY-295CD North 1/2 | 12-40-39-000-200-01211-8 |
| YY-250AB | 12-40-39-000-200-01244-9 |
| YY-122CD North 1/2 | 12-40-39-000-200-01321-5 |
| YY-103 | 12-40-39-000-200-01330-4 |
| YY-25 | 12-40-39-000-200-01430-3 |
| YY-57 | 12-40-39-000-200-01450-8 |
| YY-104 | 12-40-39-000-200-01480-2 |
| YY-248 | 12-40-39-000-300-00040-5 |
| YY-216AB South 1/2 | 12-40-39-000-300-00064-6 |
| YY-88A Southeast 1/4 | 12-40-39-000-300-00144-0 |
| YY-73AB South 1/2 | 12-40-39-000-300-00154-7 |
| YY-9 South 1/2 | 12-40-39-000-300-00190-3 |
| YY-10 CD North 1/2 | 12-40-39-000-300-00210-9 |
| YY-10 South 1/2 | 12-40-39-000-300-00220-7 |
| YY-74 | 12-40-39-000-300-00260-8 |
| YY-215AB South 1/2 | 12-40-39-000-300-00353-6 |
| YY-298 | 12-40-39-000-300-00400-9 |
| YY-299 | 12-40-39-000-300-00410-7 |
| YY-278 | 12-40-39-000-300-00420-5 |
| YY-107 | 12-40-39-000-300-00530-2 |
| YY-43 CD North 1/2 | 12-40-39-000-300-00571-2 |
| YY-11 South 1/2 | 12-40-39-000-300-00600-7 |
| YY-53 | 12-40-39-000-300-00650-6 |
| YY-76 | 12-40-39-000-300-00660-4 |
| YY-85 BD | 12-40-39-000-300-00672-0 |
| YY-172BD West 1/2 | 12-40-39-000-300-00722-0 |
| YY-245 | 12-40-39-000-300-00770-1 |
| YY-301 | 12-40-39-000-300-00810-3 |
| YY-276 | 12-40-39-000-300-00820-1 |
| YY-244 | 12-40-39-000-300-00840-7 |
| YY-212 | 12-40-39-000-300-00860-2 |
| YY-180 | 12-40-39-000-300-00880-8 |
| YY-148 | 12-40-39-000-300-00900-4 |
| YY-109 | 12-40-39-000-300-00930-8 |
| YY-84 | 12-40-39-000-300-00940-6 |
| YY-206 | 12-40-39-000-300-01140-2 |
| YY-238AB South 1/2 | 12-40-39-000-300-01164-3 |

EXHIBIT A

| | |
|--|--------------------------|
| YY-302AB South 1/2 | 12-40-39-000-300-01204-5 |
| YY-303CD North 1/2 | 12-40-39-000-300-01211-6 |
| YY-274 Northeast 1/4 | 12-40-39-000-300-01220-5 |
| YY-242A Southeast 1/4 | 12-40-39-000-300-01244-7 |
| YY-241C Northeast 1/4 | 12-40-39-000-300-01571-0 |
| YY-304 | 12-40-39-000-300-01600-5 |
| YY-232 | 12-40-39-000-200-01560-5 |
| YY-41 | 12-40-39-000-300-00170-7 |
| The following described parcels of land, lying and being in Section 13, Township 40 South, Range 39 East, of Palm Beach Heights, an unrecorded subdivision, Martin County, Florida: | |
| Lot Number(s) | Parcel Number |
| VV-719 | 13-40-39-000-100-00141-5 |

EXHIBIT B
LEGAL DESCRIPTION

ALL THAT PORTION OF THE EAST 185 FEET OF THE WEST 604.5 FEET OF THE EAST 1/2 OF SECTION 11, TOWNSHIP 40 SOUTH, RANGE 39 EAST, MARTIN COUNTY, FLORIDA, LYING 30 FEET NORTHERLY OF THE FOLLOWING DESCRIBED CENTERLINE OF JUPITER-INDIANTOWN ROAD AS SHOWN ON THE SPECIFIC PURPOSE BOUNDARY SURVEY PERFORMED BY BOWMAN CONSULTING, INC., HAVING A PROJECT NUMBER OF 010025-01-002, AND A FIELD DATE OF AUGUST 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS

EXHIBIT B
LEGAL DESCRIPTION

SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID

EXHIBIT B
LEGAL DESCRIPTION

CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54"

EXHIBIT B
LEGAL DESCRIPTION

WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A

EXHIBIT B
LEGAL DESCRIPTION

DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT C
LEGAL DESCRIPTION

All that portion of SS-12, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT C
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT C
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT C
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT C
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT D
LEGAL DESCRIPTION

A parcel lying In Section 11, Township 40 South, Range 39 East, In Martin County, Florida.

Being all that portion of the East 1/2 of the West 2/5 of the South 1/2 of the Southwest 1/4 of the Northwest 1/4 of the Southeast 1/4 of said Section 11, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE,

EXHIBIT D
LEGAL DESCRIPTION

THROUGH A CENTRAL ANGLE OF $33^{\circ}56'34''$, A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $12^{\circ}09'41''$, A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH $85^{\circ}55'38''$ WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH $86^{\circ}38'31''$, A DISTANCE OF 484.92 FEET; THENCE NORTH $86^{\circ}23'44''$ WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH $87^{\circ}04'56''$ WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH $85^{\circ}49'07''$ WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH $80^{\circ}57'42''$ WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH $72^{\circ}32'42''$ WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH $73^{\circ}39'19''$ WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH $26^{\circ}01'17''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $18^{\circ}38'00''$, A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $19^{\circ}11'49''$, A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH $24^{\circ}02'28''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $9^{\circ}33'39''$, A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH $74^{\circ}14'58''$ WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH $73^{\circ}05'43''$ WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH $71^{\circ}23'10''$ WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH $80^{\circ}45'46''$ WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH $13^{\circ}52'44''$ WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $18^{\circ}26'25''$, A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH $79^{\circ}54'05''$ WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $59^{\circ}47'13''$, A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH $40^{\circ}14'38''$ WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH $48^{\circ}00'35''$ WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH $67^{\circ}07'57''$ WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH $50^{\circ}29'06''$ WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH $34^{\circ}33'07''$ WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $13^{\circ}47'53''$, A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH $20^{\circ}28'08''$ WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $35^{\circ}12'33''$, A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A

EXHIBIT D
LEGAL DESCRIPTION

RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF

EXHIBIT D
LEGAL DESCRIPTION

729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23

EXHIBIT D
LEGAL DESCRIPTION

FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

Subject to an easement for ingress, egress, drainage, and utilities over the Easterly 30 feet, and over the North 30 feet.

EXHIBIT E
LEGAL DESCRIPTION

All that portion of SS-244, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT E
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT E
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT E
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT E
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT F
LEGAL DESCRIPTION

All that portion of SS-205, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT F
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT F
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT F
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT F
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT G
LEGAL DESCRIPTION

All that portion of SS-173, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 11, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT G
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT G
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT G
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT G
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT H
LEGAL DESCRIPTION

All that portion of YY-77, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT H
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT H
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT H
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT H
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT I
LEGAL DESCRIPTION

All that portion of YY-52, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH $00^{\circ}06'24''$ EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH $72^{\circ}42'33''$ WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH $72^{\circ}42'33''$ WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH $74^{\circ}44'56''$ WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH $73^{\circ}02'55''$ WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH $71^{\circ}27'10''$ WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $24^{\circ}33'37''$, A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH $46^{\circ}53'33''$ WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH $38^{\circ}12'31''$ WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH $43^{\circ}43'39''$ WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH $40^{\circ}33'57''$ WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH $54^{\circ}15'28''$ WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH $33^{\circ}34'57''$ WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $16^{\circ}57'24''$, A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH $12^{\circ}35'55''$ EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $12^{\circ}25'26''$, A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH $20^{\circ}33'01''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $16^{\circ}01'16''$, A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH $85^{\circ}24'25''$ WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH $03^{\circ}57'21''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $13^{\circ}48'58''$, A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH $21^{\circ}45'33''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $33^{\circ}56'34''$, A DISTANCE OF 61.15 FEET TO THE

EXHIBIT I
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT I
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT I
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT I
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT J
LEGAL DESCRIPTION

All that portion of YY-20, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42"

EXHIBIT J
LEGAL DESCRIPTION

WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS

EXHIBIT J
LEGAL DESCRIPTION

OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL

EXHIBIT J
LEGAL DESCRIPTION

ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT K
LEGAL DESCRIPTION

All that portion of Parcel YY-110, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH $00^{\circ}06'24''$ EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH $72^{\circ}42'33''$ WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH $72^{\circ}42'33''$ WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH $74^{\circ}44'56''$ WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH $73^{\circ}02'55''$ WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH $71^{\circ}27'10''$ WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $24^{\circ}33'37''$, A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH $46^{\circ}53'33''$ WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH $38^{\circ}12'31''$ WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH $43^{\circ}43'39''$ WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH $40^{\circ}33'57''$ WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH $54^{\circ}15'28''$ WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH $33^{\circ}34'57''$ WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $16^{\circ}57'24''$, A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH $12^{\circ}35'55''$ EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $12^{\circ}25'26''$, A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH $20^{\circ}33'01''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $16^{\circ}01'16''$, A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH $85^{\circ}24'25''$ WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH $03^{\circ}57'21''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $13^{\circ}48'58''$, A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH $21^{\circ}45'33''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $33^{\circ}56'34''$, A DISTANCE OF 61.15 FEET TO THE

EXHIBIT K
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT K
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT K
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT K
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT L
LEGAL DESCRIPTION

All that portion of Parcel YY-115, being the East 1/4 of the West 4/5 of the South 1/2 of the Northeast 1/4 of the Southwest 1/4 of the Southwest 1/4; Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE,

EXHIBIT L
LEGAL DESCRIPTION

THROUGH A CENTRAL ANGLE OF $33^{\circ}56'34''$, A DISTANCE OF 61.15 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $12^{\circ}09'41''$, A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH $85^{\circ}55'38''$ WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH $86^{\circ}38'31''$, A DISTANCE OF 484.92 FEET; THENCE NORTH $86^{\circ}23'44''$ WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH $87^{\circ}04'56''$ WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH $85^{\circ}49'07''$ WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH $80^{\circ}57'42''$ WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH $72^{\circ}32'42''$ WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH $73^{\circ}39'19''$ WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH $26^{\circ}01'17''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $18^{\circ}38'00''$, A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $19^{\circ}11'49''$, A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH $24^{\circ}02'28''$ WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $9^{\circ}33'39''$, A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH $74^{\circ}14'58''$ WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH $73^{\circ}05'43''$ WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH $71^{\circ}23'10''$ WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH $80^{\circ}45'46''$ WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH $13^{\circ}52'44''$ WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $18^{\circ}26'25''$, A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH $79^{\circ}54'05''$ WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $59^{\circ}47'13''$, A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH $40^{\circ}14'38''$ WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH $48^{\circ}00'35''$ WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH $67^{\circ}07'57''$ WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH $50^{\circ}29'06''$ WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH $34^{\circ}33'07''$ WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $13^{\circ}47'53''$, A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH $20^{\circ}28'08''$ WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF $35^{\circ}12'33''$, A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A

EXHIBIT L
LEGAL DESCRIPTION

RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF

EXHIBIT L
LEGAL DESCRIPTION

729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23

EXHIBIT L
LEGAL DESCRIPTION

FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT M
LEGAL DESCRIPTION

All that portion of YY-175, PALM BEACH HEIGHTS, an Unrecorded Subdivision, Section 12, Township 40 South, Range 39 East, Martin County, Florida, lying 30 feet northerly of the following described centerline of Jupiter-Indiantown Road as shown on the Specific Purpose Boundary Survey performed by Bowman Consulting, Inc., having a project number of 010025-01-002, and a field date of August 18, 2015:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 24, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 00°06'24" EAST, ALONG THE EAST LINE OF SAID SECTION 24, A DISTANCE OF 555.58 FEET; THENCE NORTH 72°42'33" WEST, A DISTANCE OF 61.71 FEET TO AN INTERSECTION WITH THE WEST RIGHT-OF-WAY LINE OF CR711/PRATT AND WHITNEY ROAD, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF BEGINNING OF THIS CENTERLINE; THENCE CONTINUE NORTH 72°42'33" WEST, A DISTANCE OF 493.03 FEET; THENCE NORTH 74°44'56" WEST, A DISTANCE OF 58.60 FEET; THENCE NORTH 73°02'55" WEST, A DISTANCE OF 1029.84 FEET; THENCE NORTH 71°27'10" WEST, A DISTANCE OF 183.00 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 350.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 24°33'37", A DISTANCE OF 150.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°53'33" WEST, A DISTANCE OF 150.56 FEET; THENCE NORTH 38°12'31" WEST, A DISTANCE OF 224.55 FEET; THENCE NORTH 43°43'39" WEST, A DISTANCE OF 173.88 FEET; THENCE NORTH 40°33'57" WEST, A DISTANCE OF 378.05 FEET; THENCE NORTH 54°15'28" WEST, A DISTANCE OF 109.60 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 364.35 FEET AND WHOSE RADIUS POINT BEARS SOUTH 33°34'57" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 16°57'24", A DISTANCE OF 107.83 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 350.38 FEET AND WHOSE RADIUS POINT BEARS NORTH 12°35'55" EAST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°25'26", A DISTANCE OF 75.98 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 133.52 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°33'01" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 16°01'16", A DISTANCE OF 37.33 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°24'25" WEST, A DISTANCE OF 237.76 FEET TO A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 527.58 FEET AND WHOSE RADIUS POINT BEARS NORTH 03°57'21" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°48'58", A DISTANCE OF 127.22 FEET TO THE END OF SAID CURVE AND BEING A POINT ON A CURVE CONCAVE TO THE SOUTH HAVING A RADIUS OF 103.22 FEET AND WHOSE RADIUS POINT BEARS SOUTH 21°45'33" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 33°56'34", A DISTANCE OF 61.15 FEET TO THE

EXHIBIT M
LEGAL DESCRIPTION

POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 103.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 12°09'41", A DISTANCE OF 21.91 FEET TO THE END OF SAID CURVE; THENCE NORTH 85°55'38" WEST, A DISTANCE OF 242.66 FEET; THENCE NORTH 86°38'31", A DISTANCE OF 484.92 FEET; THENCE NORTH 86°23'44" WEST, A DISTANCE OF 585.93 FEET; THENCE NORTH 87°04'56" WEST, A DISTANCE OF 322.93 FEET; THENCE NORTH 85°49'07" WEST, A DISTANCE OF 304.38 FEET; THENCE NORTH 80°57'42" WEST, A DISTANCE OF 114.18 FEET; THENCE NORTH 72°32'42" WEST, A DISTANCE OF 640.70 FEET; THENCE NORTH 73°39'19" WEST, A DISTANCE OF 207.45 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 135.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 26°01'17" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°38'00", A DISTANCE OF 43.90 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 277.05 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°11'49", A DISTANCE OF 92.83 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 894.38 FEET AND WHOSE RADIUS POINT BEARS SOUTH 24°02'28" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 9°33'39", A DISTANCE OF 149.25 FEET TO THE END OF SAID CURVE; THENCE NORTH 74°14'58" WEST, A DISTANCE OF 221.23 FEET; THENCE NORTH 73°05'43" WEST, A DISTANCE OF 371.66 FEET; THENCE NORTH 71°23'10" WEST, A DISTANCE OF 234.08 FEET; THENCE NORTH 80°45'46" WEST, A DISTANCE OF 58.47 FEET TO A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 534.11 FEET AND WHOSE RADIUS POINT BEARS SOUTH 13°52'44" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°26'25", A DISTANCE OF 171.90 FEET TO THE END OF SAID CURVE; THENCE SOUTH 79°54'05" WEST, A DISTANCE OF 550.79 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 270.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 59°47'13", A DISTANCE OF 281.74 FEET TO THE END OF SAID CURVE; THENCE NORTH 40°14'38" WEST, A DISTANCE OF 361.73 FEET; THENCE NORTH 48°00'35" WEST, A DISTANCE OF 98.88 FEET; THENCE NORTH 67°07'57" WEST, A DISTANCE OF 27.39 FEET; THENCE NORTH 50°29'06" WEST, A DISTANCE OF 81.98 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 280.19 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°33'07" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°47'53", A DISTANCE OF 67.48 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 65.64 FEET AND WHOSE RADIUS POINT BEARS SOUTH 20°28'08" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 35°12'33", A DISTANCE OF 40.34 FEET TO THE END OF SAID CURVE BEING A POINT ON A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 55.59 FEET AND WHOSE RADIUS POINT BEARS NORTH 16°31'23" WEST;

EXHIBIT M
LEGAL DESCRIPTION

THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 37°20'20", A DISTANCE OF 36.23 FEET TO THE END OF SAID CURVE; THENCE NORTH 72°22'07" WEST, A DISTANCE OF 81.87 FEET; THENCE NORTH 79°16'54" WEST, A DISTANCE OF 74.27 FEET; THENCE NORTH 70°50'01" WEST, A DISTANCE OF 76.85 FEET; THENCE NORTH 81°06'31" WEST, A DISTANCE OF 88.05 FEET; THENCE NORTH 74°20'59" WEST, A DISTANCE OF 123.33 FEET; THENCE NORTH 76°20'08" WEST, A DISTANCE OF 401.89 FEET; THENCE NORTH 75°35'04" WEST, A DISTANCE OF 102.48 FEET; THENCE NORTH 70°59'16" WEST, A DISTANCE OF 107.09 FEET; THENCE NORTH 57°59'27" WEST, A DISTANCE OF 119.32 FEET; THENCE NORTH 53°39'46" WEST, A DISTANCE OF 330.46 FEET; THENCE NORTH 51°17'54" WEST, A DISTANCE OF 122.28 FEET; THENCE NORTH 55°35'18" WEST, A DISTANCE OF 318.21 FEET; THENCE NORTH 52°37'50" WEST, A DISTANCE OF 170.93 FEET TO AN INTERSECTION WITH THE WEST LINE OF SECTION 23 TOWNSHIP 40 SOUTH RANGE 40 EAST; THENCE CONTINUE NORTH 52°37'50" WEST A DISTANCE OF 244.43 FEET; THENCE NORTH 53°31'01" WEST, A DISTANCE OF 701.04 FEET; THENCE NORTH 51°05'57" WEST, A DISTANCE OF 49.87 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 250.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°39'01", A DISTANCE OF 90.10 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°44'58" WEST, A DISTANCE OF 137.26 FEET; THENCE NORTH 80°25'25" WEST, A DISTANCE OF 633.60 FEET; THENCE NORTH 81°09'39" WEST, A DISTANCE OF 143.82 FEET; THENCE NORTH 79°38'41" WEST, A DISTANCE OF 482.55 FEET; THENCE NORTH 82°03'40" WEST, A DISTANCE OF 419.85 FEET; THENCE NORTH 80°54'17" WEST, A DISTANCE OF 798.66 FEET; THENCE NORTH 67°36'54" WEST, A DISTANCE OF 262.64 TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 22, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE CONTINUE NORTH 67°36'54" WEST, A DISTANCE OF 1789.17 FEET; THENCE NORTH 66°53'34" WEST, A DISTANCE OF 502.86 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 725.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 22°46'45" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 30°14'19" A DISTANCE OF 382.63 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 82°32'25" WEST, A DISTANCE OF 1093.23 FEET; TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE , THROUGH A CENTRAL ANGLE OF 22°54'54", A DISTANCE OF 199.97 FEET TO THE POINT OF TANGENCY; THENCE NORTH 74°32'41" WEST, A DISTANCE OF 444.19 FEET; THENCE NORTH 72°15'01" WEST, A DISTANCE OF 411.71 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 500.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°44'09", A DISTANCE OF 172.23 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°30'51" WEST, A DISTANCE OF 1401.30 FEET; THENCE NORTH 56°15'02" WEST, A DISTANCE OF 287.61 FEET; THENCE NORTH 72°56'54" WEST, A DISTANCE OF 128.90 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 729.24 FEET; THENCE NORTH 73°13'27" WEST, A DISTANCE OF 1796.30 FEET; THENCE

EXHIBIT M
LEGAL DESCRIPTION

NORTH 48°01'48" WEST, A DISTANCE OF 1235.95 FEET; THENCE SOUTH 88°33'25" WEST, A DISTANCE OF 894.00 FEET; THENCE SOUTH 89°38'47" WEST, A DISTANCE OF 2848.13 FEET; THENCE NORTH 67°16'06" WEST, A DISTANCE OF 1757.79 FEET; THENCE NORTH 87°37'16" WEST, A DISTANCE OF 2634.20 FEET TO AN INTERSECTION WITH THE WESTLINE OF SECTION 18, TOWNSHIP 40 SOUTH, RANGE 40 EAST; THENCE NORTH 89°36'04" WEST, A DISTANCE OF 99.49 FEET; THENCE NORTH 83°19'10" WEST, A DISTANCE OF 87.71 FEET; THENCE SOUTH 89°30'32" WEST, A DISTANCE OF 170.23 FEET; THENCE NORTH 86°51'09" WEST, A DISTANCE OF 340.80 FEET; THENCE NORTH 89°52'34" WEST, A DISTANCE OF 238.38 FEET; THENCE NORTH 87°15'17" WEST, A DISTANCE OF 506.56 FEET TO THE BEGINNING OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 550.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 34°52'09", A DISTANCE OF 334.72 FEET TO THE POINT OF TANGENCY; THENCE NORTH 52°23'08" WEST, A DISTANCE OF 374.66 FEET; THENCE NORTH 54°28'29" WEST, A DISTANCE OF 283.60 FEET; THENCE NORTH 60°09'20" WEST, A DISTANCE OF 319.32 FEET; THENCE NORTH 63°39'12" WEST, A DISTANCE OF 364.18 FEET; THENCE NORTH 59°12'48" WEST, A DISTANCE OF 144.25 FEET; THENCE NORTH 63°06'00" WEST, A DISTANCE OF 332.43 FEET; THENCE NORTH 61°43'46" WEST, A DISTANCE OF 525.09 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 231.45 FEET AND WHOSE RADIUS POINT BEARS SOUTH 39°34'24" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 27°17'45", A DISTANCE OF 110.26 FEET TO THE END OF SAID CURVE; THENCE NORTH 62°00'42" WEST, A DISTANCE OF 672.74 FEET TO THE BEGINNING OF A CURVE TO THE LEFT, HAVING A RADIUS OF 600.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 18°46'23", A DISTANCE OF 196.59 FEET TO THE POINT OF TANGENCY; THENCE NORTH 80°47'05" WEST, A DISTANCE OF 338.30 FEET; THENCE NORTH 81°31'35" WEST, A DISTANCE OF 404.03 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 566.85 FEET AND WHOSE RADIUS POINT BEARS NORTH 00°38'19" EAST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°27'26", A DISTANCE OF 103.46 FEET TO THE END OF SAID CURVE; THENCE NORTH 81°52'18" WEST, A DISTANCE OF 250.80 FEET; THENCE NORTH 76°37'14" WEST, A DISTANCE OF 113.27 FEET; THENCE NORTH 82°48'13" WEST, A DISTANCE OF 193.44 FEET; THENCE NORTH 80°54'46" WEST, A DISTANCE OF 797.13 FEET; THENCE NORTH 81°42'24" WEST, A DISTANCE OF 552.37 FEET; THENCE NORTH 79°29'27" WEST, A DISTANCE OF 179.01 FEET; THENCE NORTH 81°49'28" WEST, A DISTANCE OF 410.57 FEET TO A POINT ON A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 352.50 FEET AND WHOSE RADIUS POINT BEARS SOUTH 17°04'27" WEST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 21°02'17", A DISTANCE OF 129.43 FEET TO THE END OF SAID CURVE; THENCE NORTH 80°15'39" WEST, A DISTANCE OF 244.63 FEET; THENCE NORTH 81°41'45" WEST, A DISTANCE OF 397.23 FEET; THENCE NORTH 80°51'36" WEST, A DISTANCE OF 859.52 FEET TO A POINT ON

EXHIBIT M
LEGAL DESCRIPTION

A CURVE CONCAVE NORTHERLY HAVING A RADIUS OF 750.00 FEET AND WHOSE RADIUS POINT BEARS NORTH 09°08'13" EAST; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°03'03", A DISTANCE OF 288.64 FEET TO THE POINT OF TANGENCY; THENCE NORTH 58°48'44" WEST, A DISTANCE OF 849.33 FEET; THENCE NORTH 62°41'39" WEST, A DISTANCE OF 137.37 FEET; THENCE NORTH 51°46'20" WEST, A DISTANCE OF 45.80 FEET; THENCE NORTH 58°34'11" WEST, A DISTANCE OF 537.78 FEET TO A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2000.00 FEET AND WHOSE RADIUS POINT BEARS SOUTH 34°14'56" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°06'33", A DISTANCE OF 352.88 FEET TO THE END OF SAID CURVE; THENCE NORTH 68°17'18" WEST, A DISTANCE OF 1039.32 FEET; THENCE NORTH 68°31'36" WEST, A DISTANCE OF 266.35 FEET; THENCE NORTH 68°59'21" WEST, A DISTANCE OF 94.39 FEET; THENCE NORTH 67°23'17" WEST, A DISTANCE OF 218.26 FEET; THENCE NORTH 70°11'41" WEST, A DISTANCE OF 205.91 FEET; THENCE NORTH 68°59'50" WEST, A DISTANCE OF 232.21 FEET; THENCE NORTH 67°19'50" WEST, A DISTANCE OF 237.43 FEET; THENCE NORTH 68°08'22" WEST, A DISTANCE OF 250.02 FEET; THENCE NORTH 69°04'07" WEST, A DISTANCE OF 182.58 FEET; THENCE NORTH 68°08'33" WEST, A DISTANCE OF 373.79 FEET; THENCE NORTH 68°08'38" WEST, A DISTANCE OF 403.55 FEET; THENCE NORTH 67°30'54" WEST, A DISTANCE OF 197.10 FEET; THENCE NORTH 67°29'01" WEST, A DISTANCE OF 205.09 FEET; THENCE NORTH 68°15'08" WEST, A DISTANCE OF 359.91 FEET; THENCE NORTH 68°41'42" WEST, A DISTANCE OF 352.77 FEET; THENCE NORTH 66°42'15" WEST, A DISTANCE OF 165.62 FEET; THENCE NORTH 68°08'25" WEST, A DISTANCE OF 225.76 FEET; THENCE NORTH 67°49'34" WEST, A DISTANCE OF 951.46 FEET; THENCE NORTH 69°43'02" WEST, A DISTANCE OF 287.03 FEET; THENCE NORTH 67°24'16" WEST, A DISTANCE OF 762.34 FEET TO AN INTERSECTION WITH THE NORTH LINE OF SECTION 9, TOWNSHIP 40 SOUTH, RANGE 39 EAST; THENCE CONTINUE NORTH 67°24'16" WEST, A DISTANCE OF 71.18 FEET; THENCE NORTH 66°32'34" WEST, A DISTANCE OF 328.51 FEET TO AN INTERSECTION WITH THE EAST RIGHT-OF-WAY LINE OF SR 76/SW KANNER HIGHWAY, BEING A 200 FOOT WIDE RIGHT-OF-WAY AS SHOWN ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 89501-2601 AND THE POINT OF TERMINATION OF THIS CENTERLINE.

EXHIBIT "B"

BAM TO COUNTY

Parcel B

Instrument Prepared By and Return To:

Rene S. Griffith, Esq.
4260 S.E. Federal Highway
Stuart, Florida 34997

QUIT CLAIM DEED

THIS QUIT CLAIM DEED, made this _____ day of February, 2025, by BE A MAN BUY LAND, LLC, a Florida Limited Liability Company, whose mailing address is 4260 S.E. Federal Highway, Stuart, Florida 34997, Grantor, to MARTIN COUNTY, a political subdivision of the State of Florida, whose mailing address is 2401 SE Monterey Road, Stuart, Florida 34996, Grantee.

WITNESSETH, that said Grantor, for and in consideration of the sum of Ten and 00/100ths Dollars (\$10.00), and other good and valuable consideration, the receipt and adequacy of which is hereby acknowledged, does hereby remise, release and quitclaim unto the Grantee, all the right, title, interest, claim and demand which the Grantor has in and to the following described land, situate, lying and being in the County of Martin, State of Florida, and more particularly described in Exhibit "A" attached hereto.

Subject to taxes for 2024 and subsequent years; covenants, conditions, restrictions, easements, reservations and limitations of record, if any.

TOGETHER with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD, the same together with all and singular the appurtenances thereto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of the Grantor, either in law or equity, to the only proper use, benefit and behoof of the Grantee, its successors and assigns forever.

Grantor warrants that at the time of this conveyance, the subject property is not the Grantor's homestead within the meaning set forth in the constitution of the State of Florida, nor is it contiguous to or a part of homestead property.

This deed was prepared without the benefit of title examination. No title opinion, title insurance or title assurances have been requested or given in connection with the preparation of this Deed.

"Grantor" and "Grantee" are used for singular or plural, as the context requires.

<signature block on next page>

IN WITNESS WHEREOF, Grantor has hereunto set Grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

Be A Man Buy Land, LLC, a Florida
limited liability company

By: _____
Joseph Zachary Gazza, Managing Member

Witness printed name: _____
Address: _____

Witness printed name: _____
Address: _____

STATE OF FLORIDA
COUNTY OF MARTIN

The foregoing instrument was acknowledged before me by means of ☐ physical presence or ☐ online notarization this _____ day of February, 2025 by Joseph Zachary Gazza as Managing Member and on behalf of Be A Man Buy Land, LLC, a Florida limited liability company who ☐ is personally known to me or ☐ who has produced a driver's license as identification.

Notary

SCHEDULE A

The following described parcels of land, lying and being in Section 10, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|--|--------------------------|
| FF-68 | 10-40-40-000-100-00680-6 |
| FF-69 | 10-40-40-000-100-00690-4 |
| FF-70 | 10-40-40-000-100-00700-2 |
| FF-101 | 10-40-40-000-100-01010-5 |
| FF-118 | 10-40-40-000-100-01180-9 |
| FF-120 SW 1/4 | 10-40-40-000-100-01200-5 |
| FF-122 N 1/2 | 10-40-40-000-100-01220-1 |
| FF-129 S 1/2 | 10-40-40-000-100-01290-6 |
| FF-132 | 10-40-40-000-100-01320-0 |
| FF-156 CD aka FF-156 N 1/2 | 10-40-40-000-100-01561-8 |
| FF-157 | 10-40-40-000-100-01570-7 |
| FF-170 | 10-40-40-000-400-00100-2 |
| THE SOUTH 1/2 OF PARCELS FF-188 AB & FF-189 D & FF-173 AB & FF-172 D | 10-40-40-000-400-00130-6 |
| FF-179, FF-182 | 10-40-40-000-400-00190-3 |
| FF-180, FF-181 | 10-40-40-000-400-00200-1 |
| FF-221, FF-220 | 10-40-40-000-400-00213-6 |
| FF-218 | 10-40-40-000-400-00231-4 |
| FF-228 | 10-40-40-000-400-00284-0 |
| FF-390, FF-391 | 10-40-40-000-400-00302-8 |
| FF-206 | 10-40-40-000-400-00351-8 |
| FF-204, FF-205 | 10-40-40-000-400-00360-7 |
| FF-319 | 10-40-40-000-400-00820-1 |
| FF-318 | 10-40-40-000-400-00830-9 |
| FF-317 | 10-40-40-000-400-00840-7 |
| FF-316 | 10-40-40-000-400-00850-4 |
| FF-312 | 10-40-40-000-400-00890-6 |
| N 1/2 FF-310 | 10-40-40-000-400-00911-1 |
| FF-307 | 10-40-40-000-400-00940-6 |
| FF-306 | 10-40-40-000-400-00950-3 |
| FF-331 | 10-40-40-000-400-01101-9 |
| FF-330, FF-351 | 10-40-40-000-400-01111-7 |
| FF-328, FF-329 | 10-40-40-000-400-01121-5 |
| FF-325, FF-356 | 10-40-40-000-400-01160-7 |
| FF-361 E 1/2 | 10-40-40-000-400-01211-6 |
| FF-361 W 1/2 | 10-40-40-000-400-01213-0 |
| FF-368, FF-393 | 10-40-40-000-400-01281-1 |
| FF-374 BCD & FF-387 BCD LESS THE SW 1/4 | 10-40-40-000-400-01342-8 |
| E 1/4 FF-414, W 1/2 FF-413, E 1/4 FF-427, W 1/2 FF-428 | 10-40-40-000-400-01470-2 |
| FF-410 | 10-40-40-000-400-01511-3 |
| FF-412, FF-413, FF-429, FF-428 | 10-40-40-000-400-01592-5 |
| FF-164 | 10-40-40-000-400-01641-6 |

SCHEDULE A

The following described parcels of land, lying and being in Section 11, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|----------------------------|--------------------------|
| DD-3 | 11-40-40-000-100-00030-1 |
| DD-15 S 1/2 | 11-40-40-000-100-00151-0 |
| DD-16 | 11-40-40-000-100-00160-3 |
| DD-18 | 11-40-40-000-100-00180-9 |
| DD-20 | 11-40-40-000-100-00200-5 |
| DD-61 NW 1/4 | 11-40-40-000-100-00210-3 |
| DD-68 | 11-40-40-000-100-00280-8 |
| DD-72 | 11-40-40-000-100-00320-0 |
| DD-76 | 11-40-40-000-100-00360-1 |
| DD-77 | 11-40-40-000-100-00370-9 |
| DD-81, DD-82 E 1/2 | 11-40-40-000-100-00420-9 |
| DD-83 | 11-40-40-000-100-00430-7 |
| DD-84 | 11-40-40-000-100-00440-5 |
| DD-89 | 11-40-40-000-100-00490-4 |
| DD-92 | 11-40-40-000-100-00520-8 |
| DD-97 | 11-40-40-000-100-00570-7 |
| DD-98 | 11-40-40-000-100-00580-5 |
| DD-61 SW 1/4 | 11-40-40-000-100-00613-0 |
| DD-161 | 11-40-40-000-100-00810-7 |
| DD-163 | 11-40-40-000-100-00830-3 |
| DD-171 | 11-40-40-000-100-00910-6 |
| DD-173 | 11-40-40-000-100-00930-2 |
| DD-174 | 11-40-40-000-100-00940-0 |
| DD-179 | 11-40-40-000-100-00990-9 |
| DD-226 | 11-40-40-000-100-01080-8 |
| DD-228 | 11-40-40-000-100-01100-4 |
| DD-230 | 11-40-40-000-100-01120-0 |
| DD-231 | 11-40-40-000-100-01130-8 |
| DD-233 | 11-40-40-000-100-01150-3 |
| DD-239 | 11-40-40-000-100-01210-1 |
| DD-241 | 11-40-40-000-100-01230-7 |
| DD-242 | 11-40-40-000-100-01240-5 |
| DD-244 | 11-40-40-000-100-01260-0 |
| DD-249 | 11-40-40-000-100-01310-0 |
| DD-250 | 11-40-40-000-100-01320-8 |
| DD-252 | 11-40-40-000-100-01340-4 |
| DD-299 | 11-40-40-000-100-01424-3 |
| DD-301 | 11-40-40-000-100-01430-5 |
| DD-303 | 11-40-40-000-100-01450-0 |
| DD-304 | 11-40-40-000-100-01460-8 |
| DD-305 | 11-40-40-000-100-01470-6 |
| DD-308 | 11-40-40-000-100-01500-0 |
| W 1/2 DD-311, E 1/4 DD-310 | 11-40-40-000-100-01521-5 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--|--------------------------|
| E 1/2 DD-314, W 1/4 DD-315 | 11-40-40-000-100-01561-6 |
| DD-29 | 11-40-40-000-200-00090-6 |
| DD-32 | 11-40-40-000-200-00121-9 |
| DD-41 NW 1/4 | 11-40-40-000-200-00200-3 |
| N 1/2 DD-52 | 11-40-40-000-200-00320-8 |
| DD-40 NE 1/4 | 11-40-40-000-200-00401-0 |
| DD-137 E 1/2 | 11-40-40-000-200-00770-3 |
| DD-181 | 11-40-40-000-200-00830-1 |
| DD-206 | 11-40-40-000-200-01080-6 |
| DD-208 | 11-40-40-000-200-01100-2 |
| DD-211, DD-212 | 11-40-40-000-200-01130-6 |
| DD-214 E 1/2 | 11-40-40-000-200-01160-9 |
| DD-259 | 11-40-40-000-200-01222-5 |
| DD-263 | 11-40-40-000-200-01250-0 |
| DD-264 | 11-40-40-000-200-01260-8 |
| DD-266 | 11-40-40-000-200-01280-4 |
| DD-272 | 11-40-40-000-200-01340-2 |
| DD-289 | 11-40-40-000-200-01510-6 |
| DD-291A E 1/4, DD-292CD W 1/2 | 11-40-40-000-200-01531-1 |
| W 1/2 DD-343, W 1/2 DD-370, E 1/4 DD-344, E 1/4 DD-369 | 11-40-40-000-300-00072-6 |
| DD-344 W 3/4 | 11-40-40-000-300-00081-5 |
| DD-369 W 3/4 | 11-40-40-000-300-00082-4 |
| DD-346 | 11-40-40-000-300-00101-1 |
| DD-367 | 11-40-40-000-300-00102-0 |
| DD-347, DD-366 | 11-40-40-000-300-00110-0 |
| DD-348 | 11-40-40-000-300-00120-8 |
| DD-365 | 11-40-40-000-300-00124-4 |
| DD-360 | 11-40-40-000-300-00174-3 |
| DD-432 | 11-40-40-000-300-00211-8 |
| DD-434, DD-435 | 11-40-40-000-300-00223-4 |
| DD-440 | 11-40-40-000-300-00284-0 |
| DD-423 | 11-40-40-000-300-00302-8 |
| DD-422 | 11-40-40-000-300-00311-7 |
| DD-418, DD-419 | 11-40-40-000-300-00341-1 |
| DD-523 | 11-40-40-000-300-00464-2 |
| DD-505 & DD-506 | 11-40-40-000-300-00570-3 |
| DD-507, DD-510 | 11-40-40-000-300-00590-9 |
| DD-587 | 11-40-40-000-300-00980-7 |
| DD-657 & DD-664 | 11-40-40-000-300-01040-3 |
| DD-668 | 11-40-40-000-300-01074-2 |
| DD-647 & DD-674 | 11-40-40-000-300-01141-1 |
| DD-644 C-D, DD-645-A, DD-677 C-D & DD-676-A | 11-40-40-000-300-01170-5 |
| DD-643 ABC & DD-678ABC | 11-40-40-000-300-01181-2 |
| DD-718 | 11-40-40-000-300-01221-4 |
| DD-755 | 11-40-40-000-300-01224-1 |
| DD-721, DD-752 | 11-40-40-000-300-01250-8 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--|--------------------------|
| DD-722, DD-751 | 11-40-40-000-300-01260-6 |
| DD-729 | 11-40-40-000-300-01331-1 |
| DD-730 | 11-40-40-000-300-01342-8 |
| DD-734 | 11-40-40-000-300-01370-0 |
| DD-803, DD-804, DD-805, DD-806, DD-821, & DD-822 | 11-40-40-000-300-01461-3 |
| DD-801, DD-802, DD-823, & DD-824 | 11-40-40-000-300-01510-4 |
| DD-800 | 11-40-40-000-300-01531-9 |
| DD-825, DD-826 | 11-40-40-000-300-01534-6 |
| DD-798 & DD-799 | 11-40-40-000-300-01541-7 |
| DD-796 | 11-40-40-000-300-01571-0 |
| DD-741 | 11-40-40-000-300-07410-0 |
| DD-319, DD-394 | 11-40-40-000-400-00010-9 |
| DD-321 | 11-40-40-000-400-00031-4 |
| DD-322 | 11-40-40-000-400-00041-2 |
| DD-323 | 11-40-40-000-400-00051-9 |
| DD-390 | 11-40-40-000-400-00054-6 |
| DD-386A & DD-327A & DD-387CD & DD-326CD | 11-40-40-000-400-00081-3 |
| DD-383 | 11-40-40-000-400-00121-5 |
| DD-457 | 11-40-40-000-400-00272-2 |
| DD-406 | 11-40-40-000-400-00291-9 |
| DD-460 | 11-40-40-000-400-00300-8 |
| DD-461 | 11-40-40-000-400-00310-6 |
| DD-404 | 11-40-40-000-400-00311-5 |
| DD-401 | 11-40-40-000-400-00341-9 |
| DD-468, DD-469 | 11-40-40-000-400-00384-7 |
| DD-473, DD-544 | 11-40-40-000-400-00430-1 |
| DD-478, DD-479 | 11-40-40-000-400-00481-9 |
| DD-539 | 11-40-40-000-400-00482-8 |
| DD-533 | 11-40-40-000-400-00544-4 |
| DD-528 | 11-40-40-000-400-00592-5 |
| DD-556 | 11-40-40-000-400-00710-2 |
| DD-555 | 11-40-40-000-400-00720-0 |
| DD-613 | 11-40-40-000-400-00900-2 |
| DD-612 | 11-40-40-000-400-00910-0 |
| DD-611 | 11-40-40-000-400-00920-8 |
| DD-636, DD-637 | 11-40-40-000-400-01060-6 |
| DD-635 | 11-40-40-000-400-01081-1 |
| DD-632 | 11-40-40-000-400-01111-5 |
| DD-631 | 11-40-40-000-400-01121-3 |
| DD-690 | 11-40-40-000-400-01122-2 |
| DD-692, DD-693 | 11-40-40-000-400-01142-8 |
| DD-626 | 11-40-40-000-400-01143-0 |
| DD-627 | 11-40-40-000-400-01144-0 |
| DD-628 | 11-40-40-000-400-01145-0 |
| DD-623 | 11-40-40-000-400-01201-6 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|-------------------------|--------------------------|
| DD-699 | 11-40-40-000-400-01211-4 |
| DD-703 | 11-40-40-000-400-01251-5 |
| DD-705 | 11-40-40-000-400-01271-1 |
| DD-709 | 11-40-40-000-400-01311-3 |
| DD-764 | 11-40-40-000-400-01314-0 |
| DD-711 | 11-40-40-000-400-01331-9 |
| DD-760 | 11-40-40-000-400-01354-1 |
| DD-790 | 11-40-40-000-400-01451-3 |
| DD-789 | 11-40-40-000-400-01461-1 |
| DD-836 | 11-40-40-000-400-01464-8 |
| DD-788 | 11-40-40-000-400-01471-9 |
| DD-839 | 11-40-40-000-400-01494-2 |
| DD-841 | 11-40-40-000-400-01514-8 |
| DD-842, DD-843 | 11-40-40-000-400-01521-9 |
| DD-783 | 11-40-40-000-400-01522-8 |
| DD-777, DD-778 & DD-848 | 11-40-40-000-400-01585-2 |

SCHEDULE A

The following described parcels of land, lying and being in Section 12, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|--|--------------------------|
| BB-7 | 12-40-40-000-100-00070-0 |
| PORTION OF BB-8 | 12-40-40-000-100-00080-8 |
| BB-9 | 12-40-40-000-100-00090-6 |
| BB-64 SE 1/4 | 12-40-40-000-100-00240-5 |
| BB-67 | 12-40-40-000-100-00270-8 |
| BB-71 | 12-40-40-000-100-00310-0 |
| BB-73 | 12-40-40-000-100-00330-6 |
| BB-75, BB-76, BB-77, BB-78, BB-79, S 1/2 BB-80 | 12-40-40-000-100-00350-1 |
| BB-85 | 12-40-40-000-100-00450-0 |
| BB-87 | 12-40-40-000-100-00470-6 |
| BB-91 | 12-40-40-000-100-00510-8 |
| BB-93 | 12-40-40-000-100-00530-4 |
| BB-97 | 12-40-40-000-100-00570-5 |
| BB-143 | 12-40-40-000-100-00630-3 |
| BB-150 E 1/2 | 12-40-40-000-100-00700-8 |
| BB-164 | 12-40-40-000-100-00840-9 |
| BB-167 | 12-40-40-000-100-00870-2 |
| BB-169 | 12-40-40-000-100-00890-8 |
| BB-170 | 12-40-40-000-100-00900-6 |
| BB-171 | 12-40-40-000-100-00910-4 |
| BB-172 | 12-40-40-000-100-00920-2 |
| BB-174 | 12-40-40-000-100-00940-8 |
| BB-221 | 12-40-40-000-100-01010-1 |
| BB-228 | 12-40-40-000-100-01080-6 |
| BB-231 | 12-40-40-000-100-01110-0 |
| BB-235 | 12-40-40-000-100-01150-1 |
| BB-239 | 12-40-40-000-100-01190-3 |
| BB-241 | 12-40-40-000-100-01210-9 |
| BB-242 | 12-40-40-000-100-01220-7 |
| BB-249 | 12-40-40-000-100-01290-2 |
| BB-254 | 12-40-40-000-100-01340-2 |
| BB-259 | 12-40-40-000-100-01390-1 |
| BB-260 | 12-40-40-000-100-01400-9 |
| E 1/4 BB-305, W 1/2 BB-306 | 12-40-40-000-100-01460-6 |
| BB-308 | 12-40-40-000-100-01480-2 |
| S 1/2 BB-310 | 12-40-40-000-100-01502-6 |
| BB-311 | 12-40-40-000-100-01510-6 |
| BB-312 | 12-40-40-000-100-01520-4 |
| W 3/4 BB-314 | 12-40-40-000-100-01540-0 |
| BB-320 | 12-40-40-000-100-01600-7 |
| BB-29 W 1/2 | 12-40-40-000-200-00090-4 |
| BB-29 E 1/2 | 12-40-40-000-200-00091-0 |
| BB-30 & BB-31 | 12-40-40-000-200-00100-2 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------------|--------------------------|
| BB-48 | 12-40-40-000-200-00280-4 |
| BB-50 | 12-40-40-000-200-00300-0 |
| S 1/2 BB-55 | 12-40-40-000-200-00350-9 |
| BB-101 | 12-40-40-000-200-00410-7 |
| BB-103 | 12-40-40-000-200-00430-3 |
| BB-104 | 12-40-40-000-200-00440-1 |
| BB-107 | 12-40-40-000-200-00470-4 |
| BB-111 | 12-40-40-000-200-00510-6 |
| BB-112 | 12-40-40-000-200-00520-4 |
| BB-113 | 12-40-40-000-200-00530-2 |
| BB-114 | 12-40-40-000-200-00540-0 |
| BB-132, BB-133 | 12-40-40-000-200-00720-2 |
| BB-134 | 12-40-40-000-200-00740-8 |
| BB-135 | 12-40-40-000-200-00750-5 |
| BB-138 | 12-40-40-000-200-00780-9 |
| BB-140 | 12-40-40-000-200-00800-5 |
| BB-182 | 12-40-40-000-200-00820-1 |
| BB-183 | 12-40-40-000-200-00830-9 |
| BB-184 | 12-40-40-000-200-00840-7 |
| BB-185 | 12-40-40-000-200-00850-4 |
| BB-188 | 12-40-40-000-200-00880-8 |
| BB-189 | 12-40-40-000-200-00890-6 |
| BB-190 | 12-40-40-000-200-00900-4 |
| BB-191 | 12-40-40-000-200-00910-2 |
| BB-193 | 12-40-40-000-200-00930-8 |
| BB-194 | 12-40-40-000-200-00940-6 |
| BB-202 | 12-40-40-000-200-01020-7 |
| BB-203 | 12-40-40-000-200-01030-5 |
| BB-204 | 12-40-40-000-200-01040-3 |
| BB-210 | 12-40-40-000-200-01100-0 |
| BB-217 | 12-40-40-000-200-01170-5 |
| BB-264 | 12-40-40-000-200-01240-1 |
| BB-273 | 12-40-40-000-200-01330-2 |
| BB-276 | 12-40-40-000-200-01360-5 |
| BB-279 | 12-40-40-000-200-01390-9 |
| BB-281 | 12-40-40-000-200-01410-5 |
| BB-282 | 12-40-40-000-200-01420-3 |
| BB-283A & BB-284CD W 1/2 | 12-40-40-000-200-02831-4 |
| BB-342, BB-343 | 12-40-40-000-300-00021-6 |
| BB-378, BB-379 | 12-40-40-000-300-00022-5 |
| BB-376, BB-377 | 12-40-40-000-300-00044-9 |
| BB-348, BB-349 | 12-40-40-000-300-00081-3 |
| BB-372 & BB-373 | 12-40-40-000-300-00083-1 |
| BB-369 | 12-40-40-000-300-00124-2 |
| BB-365, BB-366 | 12-40-40-000-300-00153-6 |
| BB-357ABC & BB-364ABC | 12-40-40-000-300-00171-4 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|---|--------------------------|
| BB-440 | 12-40-40-000-300-00211-6 |
| BB-441 | 12-40-40-000-300-00213-4 |
| BB-439 | 12-40-40-000-300-00221-4 |
| BB-429 | 12-40-40-000-300-00321-3 |
| BB-455 | 12-40-40-000-300-00353-4 |
| BB-456, BB-457 | 12-40-40-000-300-00362-3 |
| BB-422, BB-423 | 12-40-40-000-300-00381-0 |
| BB-421 | 12-40-40-000-300-00401-6 |
| BB-539 | 12-40-40-000-300-00422-1 |
| BB-503 | 12-40-40-000-300-00431-0 |
| BB-534, BB-535 | 12-40-40-000-300-00474-8 |
| BB-595 | 12-40-40-000-300-00660-2 |
| W 1/2 BB-594 B | 12-40-40-000-300-00672-8 |
| BB-593 | 12-40-40-000-300-00680-8 |
| BB-592 | 12-40-40-000-300-00690-6 |
| BB-583 | 12-40-40-000-300-00780-7 |
| BB-582 | 12-40-40-000-300-00790-5 |
| BB-683, BB-684 | 12-40-40-000-300-01032-1 |
| BB-66, BB-667 | 12-40-40-000-300-01141-9 |
| BB-664 | 12-40-40-000-300-01171-2 |
| BB-699 | 12-40-40-000-300-01192-7 |
| BB-841, BB-842, BB-843, BB-844, BB-845, BB-846, BB-847, BB-848, BB-849, BB-850, | 12-40-40-000-300-01412-1 |
| BB-328 | 12-40-40-000-400-00081-1 |
| BB-331, BB-332, BB-389, BB-390 | 12-40-40-000-400-00110-6 |
| BB-388 | 12-40-40-000-400-00132-0 |
| BB-335 | 12-40-40-000-400-00151-6 |
| BB-337 | 12-40-40-000-400-00171-2 |
| BB-339 | 12-40-40-000-400-00191-8 |
| BB-419 | 12-40-40-000-400-00221-2 |
| BB-462 | 12-40-40-000-400-00222-1 |
| BB-464 | 12-40-40-000-400-00244-5 |
| BB-466 | 12-40-40-000-400-00263-1 |
| BB-412 | 12-40-40-000-400-00291-7 |
| BB-469 | 12-40-40-000-400-00292-6 |
| BB-411 | 12-40-40-000-400-00301-5 |
| BB-470 | 12-40-40-000-400-00303-3 |
| BB-476 | 12-40-40-000-400-00363-0 |
| BB-478, BB-479 | 12-40-40-000-400-00381-8 |
| BB-403 | 12-40-40-000-400-00382-7 |
| BB-482 | 12-40-40-000-400-00420-1 |
| BB-557 | 12-40-40-000-400-00442-5 |
| BB-486 | 12-40-40-000-400-00461-1 |
| BB-487, BB-554 | 12-40-40-000-400-00470-0 |
| BB-550 | 12-40-40-000-400-00513-9 |
| BB-549 | 12-40-40-000-400-00523-7 |
| BB-493, BB-548 | 12-40-40-000-400-00530-8 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--|--------------------------|
| BB-494, BB-547 | 12-40-40-000-400-00540-6 |
| BB-495, BB-546 | 12-40-40-000-400-00550-3 |
| BB-496, BB-545 | 12-40-40-000-400-00560-1 |
| BB-497 | 12-40-40-000-400-00571-8 |
| BB-544 | 12-40-40-000-400-00572-7 |
| BB-499 | 12-40-40-000-400-00591-4 |
| BB-542 | 12-40-40-000-400-00594-1 |
| BB-579 | 12-40-40-000-400-00620-9 |
| BB-578 | 12-40-40-000-400-00630-7 |
| BB-577 | 12-40-40-000-400-00640-5 |
| BB-576 | 12-40-40-000-400-00650-2 |
| BB-575 | 12-40-40-000-400-00660-0 |
| BB-574 | 12-40-40-000-400-00670-8 |
| BB-573 | 12-40-40-000-400-00680-6 |
| BB-572 | 12-40-40-000-400-00690-4 |
| BB-571 | 12-40-40-000-400-00700-2 |
| BB-566 | 12-40-40-000-400-00750-1 |
| BB-563 | 12-40-40-000-400-00780-5 |
| BB-637 | 12-40-40-000-400-00840-3 |
| BB-660 | 12-40-40-000-400-01010-5 |
| BB-659 | 12-40-40-000-400-01021-2 |
| BB-702 | 12-40-40-000-400-01022-1 |
| BB-658 & BB-703 | 12-40-40-000-400-01030-1 |
| BB-657, BB-704 | 12-40-40-000-400-01040-9 |
| BB-656 & BB-705 | 12-40-40-000-400-01050-6 |
| BB-655, BB-706 | 12-40-40-000-400-01060-4 |
| BB-712 | 12-40-40-000-400-01122-0 |
| BB-645, BB-646 | 12-40-40-000-400-01150-5 |
| BB-721 | 12-40-40-000-400-01211-2 |
| BB-800 | 12-40-40-000-400-01213-0 |
| BB-724 | 12-40-40-000-400-01241-6 |
| BB-726, BB-730, BB-729, BB-792, BB-728, BB-793, BB-794, BB-795 | 12-40-40-000-400-01261-1 |
| BB-732, BB-789 | 12-40-40-000-400-01320-0 |
| BB-787 | 12-40-40-000-400-01344-2 |
| BB-738 | 12-40-40-000-400-01382-5 |
| BB-782 | 12-40-40-000-400-01393-2 |
| BB-819 | 12-40-40-000-400-01421-8 |
| BB-817 | 12-40-40-000-400-01441-4 |
| BB-815 & BB-816 | 12-40-40-000-400-01451-1 |
| BB-865, BB-866 | 12-40-40-000-400-01452-0 |
| BB-814, BB-867 | 12-40-40-000-400-01471-7 |
| BB-812ABC & BB-869ABC | 12-40-40-000-400-01491-3 |
| BB-807 | 12-40-40-000-400-01540-4 |
| BB-874 E 1/2 | 12-40-40-000-400-08741-0 |

SCHEDULE A

The following described parcels of land, lying and being in Section 13, Township 40 South, Range 40 East, Martin County, Florida, less the Southwest ¼ thereof, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|--|--------------------------|
| AA-36 | 13-40-40-000-100-00104-8 |
| AA-71, AA-72 | 13-40-40-000-100-00200-1 |
| AA-217 | 13-40-40-000-100-00210-9 |
| AA-218 | 13-40-40-000-100-00211-8 |
| AA-222 | 13-40-40-000-100-00220-7 |
| AA-219 | 13-40-40-000-100-00222-5 |
| AA-223, AA-224, AA-225, AA-226 | 13-40-40-000-100-00230-5 |
| AA-230 | 13-40-40-000-100-00241-2 |
| AA-228, AA-229 | 13-40-40-000-100-00244-9 |
| AA-239 | 13-40-40-000-100-00272-4 |
| AA-242, AA-243 | 13-40-40-000-100-00282-2 |
| AA-244, AA-245 | 13-40-40-000-100-00283-1 |
| AA-249 | 13-40-40-000-100-00294-8 |
| AA-251 | 13-40-40-000-100-00301-9 |
| AA-254 | 13-40-40-000-100-00311-7 |
| AA-255, AA-256, AA-257, AA-258 | 13-40-40-000-100-00320-6 |
| AA-261 | 13-40-40-000-100-00333-1 |
| AA-268, AA-269 | 13-40-40-000-100-00353-6 |
| AA-276, AA-277 | 13-40-40-000-100-00373-2 |
| AA-291, AA-294 | 13-40-40-000-100-00421-4 |
| AA-295 | 13-40-40-000-100-00431-2 |
| AA-297, AA-300 | 13-40-40-000-100-00433-0 |
| AA-296 | 13-40-40-000-100-00434-9 |
| AA-318 | 13-40-40-000-100-00481-1 |
| AA-321 | 13-40-40-000-100-00493-7 |
| AA-325 | 13-40-40-000-100-00513-3 |
| AA-327 | 13-40-40-000-100-00521-3 |
| AA-330 | 13-40-40-000-100-00522-2 |
| AA-331 | 13-40-40-000-100-00531-1 |
| AA-338, AA-339, AA-342, AA-343, AA-346 | 13-40-40-000-100-00542-8 |
| AA-337 | 13-40-40-000-100-00543-7 |
| AA-340, AA-341 | 13-40-40-000-100-00553-4 |
| AA-347, AA-350, AA-351, AA-354 | 13-40-40-000-100-00571-2 |
| AA-355, AA-358 | 13-40-40-000-100-00591-8 |
| AA-360 | 13-40-40-000-100-00602-5 |
| AA-460 | 13-40-40-000-100-00680-0 |
| AA-461 | 13-40-40-000-100-00690-8 |
| AA-466 | 13-40-40-000-100-00740-8 |
| AA-470 | 13-40-40-000-100-00780-9 |
| AA-471 | 13-40-40-000-100-00790-7 |
| AA-472 | 13-40-40-000-100-00800-5 |
| AA-476 | 13-40-40-000-100-00840-7 |
| AA-478 B | 13-40-40-000-100-00862-0 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|----------------|--------------------------|
| AA-480 | 13-40-40-000-100-00880-8 |
| AA-481 | 13-40-40-000-100-00890-6 |
| AA-482 | 13-40-40-000-100-00900-4 |
| AA-483 | 13-40-40-000-100-00910-2 |
| AA-485 | 13-40-40-000-100-00930-8 |
| AA-487 | 13-40-40-000-100-00950-3 |
| AA-488 | 13-40-40-000-100-00960-1 |
| AA-588 | 13-40-40-000-100-01023-4 |
| AA-589 | 13-40-40-000-100-01024-3 |
| AA-591 | 13-40-40-000-100-01032-3 |
| AA-592 | 13-40-40-000-100-01033-2 |
| AA-598 | 13-40-40-000-100-01041-2 |
| AA-599 | 13-40-40-000-100-01044-0 |
| AA-601 | 13-40-40-000-100-01054-6 |
| AA-604 | 13-40-40-000-100-01063-5 |
| AA-618 | 13-40-40-000-100-01091-1 |
| AA-620 | 13-40-40-000-100-01102-8 |
| AA-622 | 13-40-40-000-100-01113-5 |
| AA-623 | 13-40-40-000-100-01120-6 |
| AA-626 | 13-40-40-000-100-01121-5 |
| AA-632, AA-633 | 13-40-40-000-100-01143-9 |
| AA-637, AA-683 | 13-40-40-000-100-01154-5 |
| AA-645 | 13-40-40-000-100-01170-5 |
| AA-646 | 13-40-40-000-100-01171-4 |
| AA-648, AA-649 | 13-40-40-000-100-01180-3 |
| AA-653 | 13-40-40-000-100-01194-7 |
| AA-658 | 13-40-40-000-100-01212-5 |
| AA-659 | 13-40-40-000-100-01221-4 |
| AA-662 | 13-40-40-000-100-01223-2 |
| AA-663 | 13-40-40-000-100-01231-2 |
| AA-667 | 13-40-40-000-100-01241-0 |
| AA-670 | 13-40-40-000-100-01242-9 |
| AA-675, AA-678 | 13-40-40-000-100-01261-5 |
| AA-680, AA-681 | 13-40-40-000-100-01273-1 |
| AA-690 | 13-40-40-000-100-01292-8 |
| AA-688, AA-689 | 13-40-40-000-100-01293-7 |
| AA-692 | 13-40-40-000-100-01301-7 |
| AA-693 | 13-40-40-000-100-01312-4 |
| AA-704 | 13-40-40-000-100-01344-6 |
| AA-709 | 13-40-40-000-100-01353-4 |
| AA-708 | 13-40-40-000-100-01354-3 |
| AA-714 | 13-40-40-000-100-01362-3 |
| AA-715 | 13-40-40-000-100-01371-2 |
| AA-718 | 13-40-40-000-100-01373-0 |
| AA-719 | 13-40-40-000-100-01374-9 |
| AA-722 | 13-40-40-000-100-01382-9 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------------------|--------------------------|
| AA-721 | 13-40-40-000-100-01383-8 |
| AA-720 | 13-40-40-000-100-01384-7 |
| AA-887 | 13-40-40-000-100-01452-4 |
| AA-888, AA-889 | 13-40-40-000-100-01453-3 |
| AA-891, AA-892 | 13-40-40-000-100-01462-2 |
| AA-895 | 13-40-40-000-100-01472-0 |
| AA-896 | 13-40-40-000-100-01473-9 |
| AA-901 | 13-40-40-000-100-01484-6 |
| AA-907 | 13-40-40-000-100-01501-5 |
| AA-909 | 13-40-40-000-100-01513-1 |
| AA-910 | 13-40-40-000-100-01514-0 |
| AA-916, AA-917, AA-918 | 13-40-40-000-100-01531-9 |
| AA-919, AA-920, AA-921, AA-922 | 13-40-40-000-100-01540-8 |
| AA-923, AA-924, AA-925, AA-926 | 13-40-40-000-100-01550-5 |
| AA-927, AA-928, AA-929, AA-930 | 13-40-40-000-100-01561-2 |
| AA-935, AA-938 | 13-40-40-000-100-01581-8 |
| AA-936, AA-937 | 13-40-40-000-100-01583-6 |
| AA-941, AA-944 | 13-40-40-000-100-01594-3 |
| AA-298 | 13-40-40-000-100-04320-8 |
| AA-73, AA-74 | 13-40-40-000-200-00010-9 |
| AA-79 | 13-40-40-000-200-00033-2 |
| AA-92, AA-93 | 13-40-40-000-200-00063-5 |
| AA-95, AA-96, AA-97, AA-98 | 13-40-40-000-200-00070-6 |
| AA-99, AA-100, AA-101, AA-102 | 13-40-40-000-200-00080-4 |
| AA-106 | 13-40-40-000-200-00091-1 |
| AA-108 | 13-40-40-000-200-00101-9 |
| AA-110 | 13-40-40-000-200-00111-7 |
| AA-111 | 13-40-40-000-200-00121-5 |
| AA-114 | 13-40-40-000-200-00122-4 |
| AA-119, AA-120, AA-121, AA-122 | 13-40-40-000-200-00140-2 |
| AA-124, AA-125 | 13-40-40-000-200-00150-9 |
| AA-136 | 13-40-40-000-200-00184-9 |
| AA-146 | 13-40-40-000-200-00212-5 |
| AA-147, AA-150 | 13-40-40-000-200-00221-4 |
| AA-169 | 13-40-40-000-200-00274-0 |
| AA-174 | 13-40-40-000-200-00281-1 |
| AA-171 | 13-40-40-000-200-00282-0 |
| AA-175, AA-176, AA-177, AA-178 | 13-40-40-000-200-00291-9 |
| AA-179 | 13-40-40-000-200-00301-7 |
| AA-180 | 13-40-40-000-200-00302-6 |
| AA-192 | 13-40-40-000-200-00343-7 |
| AA-195, AA-196, AA-197 | 13-40-40-000-200-00352-5 |
| AA-199, AA-202 | 13-40-40-000-200-00361-4 |
| AA-200, AA-201 | 13-40-40-000-200-00363-2 |
| AA-203, AA-204, AA-205, AA-206 | 13-40-40-000-200-00370-3 |
| AA-361 | 13-40-40-000-200-00410-5 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------------------|--------------------------|
| AA-362 | 13-40-40-000-200-00412-0 |
| AA-364 | 13-40-40-000-200-00413-2 |
| AA-393 | 13-40-40-000-200-00435-0 |
| AA-571, AA-572, AA-573, AA-574 | 13-40-40-000-200-01170-3 |

The following described parcels of land, lying and being in the North Half of Section 14, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| CC-15 | 14-40-40-000-100-00150-9 |
| CC-134 | 14-40-40-000-200-00740-4 |
| CC-188 | 14-40-40-000-200-00920-6 |
| CC-190 | 14-40-40-000-200-00940-2 |

The following described parcels of land, lying and being in the Northeast Quarter of Section 15, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| EE-31 | 15-40-40-000-100-00310-3 |
| WEST 1/2 OF EE-70 | 15-40-40-000-100-00700-1 |
| EE-76 | 15-40-40-000-100-00760-8 |
| EE-77 | 15-40-40-000-100-00770-6 |
| EE-110 | 15-40-40-000-100-01100-5 |

EXHIBIT "C"

BAM TO COUNTY AND SFWMD JOINTLY

Parcel C

Instrument Prepared By and Return To:

Rene S. Griffith, Esq.
4260 S.E. Federal Highway
Stuart, Florida 34997

QUIT CLAIM DEED

THIS QUIT CLAIM DEED, made this _____ day of February, 2025, by BE A MAN BUY LAND, LLC, a Florida Limited Liability Company, whose mailing address is 4260 S.E. Federal Highway, Stuart, Florida 34997, Grantor, to, SOUTH FLORIDA WATER MANAGEMENT DISTRICT, a Public Corporation of the State of Florida, as to an undivided 75% interest, whose mailing address is 3301 Gun Club Road, West Palm Beach, Florida 33406, and to MARTIN COUNTY, a political subdivision of the State of Florida, as to an undivided 25% interest, whose mailing address is 2401 SE Monterey Road, Stuart, Florida 34996, Grantee.

WITNESSETH, that said Grantor, for and in consideration of the sum of Ten and 00/100ths Dollars (\$10.00), and other good and valuable consideration, the receipt and adequacy of which is hereby acknowledged, does hereby remise, release and quitclaim unto the Grantee, all the right, title, interest, claim and demand which the Grantor has in and to the following described land, situate, lying and being in the County of Martin, State of Florida and more particularly described in Exhibit "A" attached hereto.

Subject to taxes for 2024 and subsequent years; covenants, conditions, restrictions, easements, reservations and limitations of record, if any.

TOGETHER with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD, the same together with all and singular appurtenances thereto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of the Grantor, either in law or equity, to the only proper use, benefit and behoof of the Grantee, its successors and assigns forever.

Grantor warrants that at the time of this conveyance, the subject property is not the Grantor's homestead within the meaning set forth in the constitution of the state of Florida, nor is it contiguous to or a part of homestead property.

This deed was prepared without the benefit of title examination. No title opinion, title insurance or title assurances have been requested or given in connection with the preparation of this Deed.

"Grantor" and "Grantee" are used for singular or plural, as the context requires.

<signature block on next page>

IN WITNESS WHEREOF, Grantor has hereunto set Grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

Be A Man Buy Land, LLC, a Florida
limited liability company

By: _____
Joseph Zachary Gazza, Managing Member

Witness printed name: _____
Address: _____

Witness printed name: _____
Address: _____

STATE OF FLORIDA
COUNTY OF MARTIN

The foregoing instrument was acknowledged before me by means of ☐ physical presence or ☐ online notarization this _____ day of February, 2025 by Joseph Zachary Gazza as Managing Member and on behalf of Be A Man Buy Land, LLC, a Florida limited liability company who ☐ is personally known to me or ☐ who has produced a driver's license as identification.

Notary

SCHEDULE A

The following described parcels of land, lying and being in Section 10, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|------------|--------------------------|
| FF-34 | 10-40-40-000-100-00340-8 |

The following described parcels of land, lying and being in Section 11, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|---------------------------|--------------------------|
| DD-155 | 11-40-40-000-100-00750-9 |
| DD-156 | 11-40-40-000-100-00760-7 |
| DD-27 | 11-40-40-000-200-00070-0 |
| WEST 1/2 OF PARCEL DD-504 | 11-40-40-000-300-00561-0 |
| DD-731 | 11-40-40-000-300-01351-6 |
| E 1/2 DD-391 A | 11-40-40-000-400-00044-9 |

The following described parcels of land, lying and being in Section 13, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|---------------------------------|--------------------------|
| AA-32 | 13-40-40-000-100-00094-0 |
| AA-123 | 13-40-40-000-200-00152-7 |
| AA-134 | 13-40-40-000-200-00172-3 |
| AA-151, AA-152, AA-153, AA-154 | 13-40-40-000-200-00230-3 |
| AA-215 | 13-40-40-000-200-00401-6 |
| AA-365 | 13-40-40-000-200-00423-0 |
| AA-368 | 13-40-40-000-200-00434-7 |
| AA-396 | 13-40-40-000-200-00436-0 |
| AA-371 | 13-40-40-000-200-00440-9 |
| AA-386 | 13-40-40-000-200-00461-3 |
| AA-387, AA-390, AA-391 & AA-394 | 13-40-40-000-200-00481-9 |
| AA-392 | 13-40-40-000-200-00494-4 |
| AA-395 | 13-40-40-000-200-00501-5 |
| AA-398 | 13-40-40-000-200-00510-0 |
| AA-402 | 13-40-40-000-200-00522-0 |
| AA-406 | 13-40-40-000-200-00532-8 |
| AA-410 | 13-40-40-000-200-00542-6 |
| AA-415 | 13-40-40-000-200-00561-2 |
| AA-419, AA-420, AA-421 & AA-422 | 13-40-40-000-200-00570-1 |
| AA-430 | 13-40-40-000-200-00590-7 |
| AA-431 | 13-40-40-000-200-00601-4 |
| AA-435 | 13-40-40-000-200-00630-9 |
| AA-439 | 13-40-40-000-200-00661-0 |
| AA-440 | 13-40-40-000-200-00662-0 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------------------|--------------------------|
| AA-449 | 13-40-40-000-200-00770-9 |
| AA-450 | 13-40-40-000-200-00780-7 |
| AA-451 | 13-40-40-000-200-00790-5 |
| AA-452 | 13-40-40-000-200-00800-3 |
| AA-494 | 13-40-40-000-200-00820-9 |
| AA-567 | 13-40-40-000-200-00853-9 |
| AA-511 | 13-40-40-000-200-00990-3 |
| AA-515 | 13-40-40-000-200-01022-3 |
| AA-522 | 13-40-40-000-200-01031-2 |
| AA-519 | 13-40-40-000-200-01032-1 |
| AA-520, AA-521 | 13-40-40-000-200-01033-0 |
| AA-546 | 13-40-40-000-200-01091-9 |
| AA-547 | 13-40-40-000-200-01101-7 |
| AA-548 | 13-40-40-000-200-01104-4 |
| AA-550 | 13-40-40-000-200-01111-5 |
| AA-554, AA-553, AA-552, AA-551 | 13-40-40-000-200-01121-3 |
| AA-561, AA-562 | 13-40-40-000-200-01141-9 |
| AA-583 | 13-40-40-000-200-01201-6 |
| AA-733 | 13-40-40-000-200-01223-0 |
| AA-735 | 13-40-40-000-200-01236-5 |
| AA-743, AA-744, AA-745, AA-746 | 13-40-40-000-200-01250-6 |
| AA-749 | 13-40-40-000-200-01263-1 |
| AA-751, AA-754 | 13-40-40-000-200-01271-1 |
| AA-755 | 13-40-40-000-200-01281-9 |
| AA-766 | 13-40-40-000-200-01311-3 |
| AA-767, AA-768, AA-769, AA-770 | 13-40-40-000-200-01320-2 |
| AA-775, AA-776, AA-777, AA-778 | 13-40-40-000-200-01340-8 |
| AA-779, AA-782 | 13-40-40-000-200-01351-4 |
| AA-781 | 13-40-40-000-200-01353-2 |
| AA-806 | 13-40-40-000-200-01421-0 |
| AA-832 | 13-40-40-000-200-01493-3 |
| AA-843 | 13-40-40-000-200-01532-6 |
| AA-862 | 13-40-40-000-200-01571-8 |
| AA-860, AA-861 | 13-40-40-000-200-01573-6 |
| AA-866 | 13-40-40-000-200-01581-6 |
| AA-382 | 13-40-40-000-200-03820-0 |
| AA-383 | 13-40-40-000-200-03830-0 |
| AA-946 | 13-40-40-000-400-00013-2 |
| AA-964, AA-961 | 13-40-40-000-400-00064-0 |
| AA-970 | 13-40-40-000-400-00072-0 |
| AA-971, AA-974 | 13-40-40-000-400-00081-9 |
| AA-972, AA-973 | 13-40-40-000-400-00082-8 |
| AA-975 | 13-40-40-000-400-00091-7 |
| AA-986 | 13-40-40-000-400-00122-0 |
| AA-988 | 13-40-40-000-400-00131-9 |
| AA-989 | 13-40-40-000-400-00133-7 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|------------------------------------|--------------------------|
| AA-993, AA-994 | 13-40-40-000-400-00141-7 |
| AA-997 | 13-40-40-000-400-00153-2 |
| AA-996 | 13-40-40-000-400-00154-1 |
| AA-1003 | 13-40-40-000-400-00170-1 |
| AA-1004 | 13-40-40-000-400-00174-7 |
| AA-1009 | 13-40-40-000-400-00183-6 |
| AA-1014 | 13-40-40-000-400-00192-5 |
| AA-1017 | 13-40-40-000-400-00211-2 |
| AA-1020 | 13-40-40-000-400-00223-8 |
| AA-1028, AA-1029, AA-1030, AA-1031 | 13-40-40-000-400-00241-6 |
| AA-1040 | 13-40-40-000-400-00273-7 |
| AA-1041 | 13-40-40-000-400-00274-6 |
| AA-1061 | 13-40-40-000-400-00333-5 |
| AA-1081 | 13-40-40-000-400-00384-3 |
| AA-1084, AA-1085 | 13-40-40-000-400-00393-2 |
| AA-1087, AA-1088 | 13-40-40-000-400-00400-3 |
| AA-1092, AA-1093 | 13-40-40-000-400-00423-6 |
| AA-1095 | 13-40-40-000-400-00432-5 |
| AA-1102 | 13-40-40-000-400-00442-3 |
| AA-1103 | 13-40-40-000-400-00451-1 |
| AA-1110, AA-1111 | 13-40-40-000-400-00462-8 |
| AA-1114 | 13-40-40-000-400-00472-6 |
| AA-1125 | 13-40-40-000-400-00513-7 |
| AA-1127 | 13-40-40-000-400-00521-7 |
| AA-1130 | 13-40-40-000-400-00522-6 |
| AA-1133, AA-1141 | 13-40-40-000-400-00531-5 |
| AA-1134 | 13-40-40-000-400-00532-4 |
| AA-1131 | 13-40-40-000-400-00533-3 |
| AA-1143, AA-1144, AA-1145, AA-1146 | 13-40-40-000-400-00560-9 |
| AA-1153 | 13-40-40-000-400-00583-2 |
| AA-1159 | 13-40-40-000-400-00601-0 |
| AA-1160 | 13-40-40-000-400-00604-7 |
| AA-1161 | 13-40-40-000-400-00610-9 |
| W 1/2 AA-1163 | 13-40-40-000-400-00631-4 |
| AA-1164 | 13-40-40-000-400-00640-3 |
| AA-1171 | 13-40-40-000-400-00710-8 |
| AA-1178 | 13-40-40-000-400-00780-3 |
| AA-1180 | 13-40-40-000-400-00800-9 |
| AA-1181, AA-1182 | 13-40-40-000-400-00810-7 |
| AA-1184 | 13-40-40-000-400-00840-1 |
| AA-1185 | 13-40-40-000-400-00850-8 |
| E 1/2 AA-1186A | 13-40-40-000-400-00861-5 |
| AA-1189 | 13-40-40-000-400-00890-0 |
| AA-1191 | 13-40-40-000-400-00910-6 |
| AA-1193 | 13-40-40-000-400-00930-2 |
| AA-1197 | 13-40-40-000-400-00970-3 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|------------------------------------|--------------------------|
| AA-1198 | 13-40-40-000-400-00980-1 |
| AA-1199 | 13-40-40-000-400-00990-9 |
| AA-1219, AA-1222, AA-1223, AA-1226 | 13-40-40-000-400-01066-6 |
| AA-1238 | 13-40-40-000-400-01110-2 |
| AA-1237 | 13-40-40-000-400-01112-0 |
| AA-1239, AA-1240, AA-1241, AA-1242 | 13-40-40-000-400-01120-0 |
| AA-1254 | 13-40-40-000-400-01154-9 |
| AA-1260 | 13-40-40-000-400-01170-9 |
| AA-1261 | 13-40-40-000-400-01174-5 |
| AA-1264 | 13-40-40-000-400-01183-4 |
| AA-1271, AA-1272 | 13-40-40-000-400-01200-3 |
| AA-1283 | 13-40-40-000-400-01243-2 |
| AA-1287, AA-1288 | 13-40-40-000-400-01251-1 |
| AA-1290 | 13-40-40-000-400-01252-0 |
| AA-1289 | 13-40-40-000-400-01253-9 |
| AA-1291 | 13-40-40-000-400-01260-0 |
| AA-1293 | 13-40-40-000-400-01261-9 |
| AA-1294 | 13-40-40-000-400-01262-8 |
| AA-1302 | 13-40-40-000-400-01282-4 |
| AA-1303 | 13-40-40-000-400-01291-3 |
| AA-1304, AA-1305 | 13-40-40-000-400-01293-1 |
| AA-1308 | 13-40-40-000-400-01303-9 |
| AA-1322 | 13-40-40-000-400-01341-3 |
| AA-1323, AA-1324, AA-1325, AA-1326 | 13-40-40-000-400-01351-0 |
| AA-1328, AA-1329, AA-1332, AA-1333 | 13-40-40-000-400-01363-6 |
| AA-1334 | 13-40-40-000-400-01372-5 |
| AA-1336, AA-1337 | 13-40-40-000-400-01383-2 |
| AA-1340, AA-1341 | 13-40-40-000-400-01393-0 |
| AA-1344 | 13-40-40-000-400-01403-8 |
| AA-1359 | 13-40-40-000-400-01452-8 |
| AA-1360 | 13-40-40-000-400-01453-7 |
| AA-1361 | 13-40-40-000-400-01454-6 |
| AA-1364 | 13-40-40-000-400-01463-5 |
| AA-1374 | 13-40-40-000-400-01481-3 |
| AA-1373 | 13-40-40-000-400-01484-0 |
| AA-1380 | 13-40-40-000-400-01503-7 |
| AA-1389 | 13-40-40-000-400-01534-0 |
| AA-1391 | 13-40-40-000-400-01542-0 |
| AA-1397 | 13-40-40-000-400-01554-5 |
| AA-1400 | 13-40-40-000-400-01561-6 |
| AA-1401, AA-1402 | 13-40-40-000-400-01563-4 |
| AA-1412 | 13-40-40-000-400-01590-1 |
| AA-1413 | 13-40-40-000-400-01594-7 |
| AA-1416 | 13-40-40-000-400-01604-5 |
| AA-1232 | 13-40-40-000-400-01903-3 |

SCHEDULE A

The following described parcels of land, lying and being in Section 14, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-----------------------------------|--------------------------|
| CC-3 | 14-40-40-000-100-00030-5 |
| CC-6 | 14-40-40-000-100-00060-8 |
| CC-7 | 14-40-40-000-100-00070-6 |
| CC-12 | 14-40-40-000-100-00120-6 |
| CC-13 | 14-40-40-000-100-00130-4 |
| CC-14 | 14-40-40-000-100-00140-2 |
| CC-18 | 14-40-40-000-100-00180-3 |
| CC-64 | 14-40-40-000-100-00240-1 |
| CC-65 | 14-40-40-000-100-00250-8 |
| CC-66 | 14-40-40-000-100-00260-6 |
| CC-67 | 14-40-40-000-100-00270-4 |
| W 1/2 CC-68 | 14-40-40-000-100-00283-9 |
| CC-70 | 14-40-40-000-100-00300-8 |
| CC-72 W 1/2 | 14-40-40-000-100-00322-0 |
| E 1/2 CC-74 | 14-40-40-000-100-00344-6 |
| CC-76, CC-77, CC-78, CC-79, CC-85 | 14-40-40-000-100-00360-5 |
| CC-81 | 14-40-40-000-100-00410-5 |
| CC-83 | 14-40-40-000-100-00430-1 |
| W 1/2 CC86B | 14-40-40-000-100-00462-2 |
| CC-87 | 14-40-40-000-100-00470-2 |
| W 1/2 CC-88 | 14-40-40-000-100-00482-8 |
| E 1/2 CC-89 | 14-40-40-000-100-00491-7 |
| CC-92 | 14-40-40-000-100-00520-2 |
| CC-93 | 14-40-40-000-100-00530-0 |
| CC-96 | 14-40-40-000-100-00560-3 |
| CC-142 | 14-40-40-000-100-00640-7 |
| CC-153 | 14-40-40-000-100-00750-3 |
| CC-161 (E1/2) | 14-40-40-000-100-00831-6 |
| CC-161 (W1/2) | 14-40-40-000-100-00832-5 |
| E 1/2 OF CC-162 | 14-40-40-000-100-00840-5 |
| CC-168 | 14-40-40-000-100-00900-2 |
| CC-217 | 14-40-40-000-100-01021-4 |
| CC-218 | 14-40-40-000-100-01024-1 |
| CC-219 | 14-40-40-000-100-01030-3 |
| CC-220 | 14-40-40-000-100-01040-1 |
| CC-222 | 14-40-40-000-100-01060-6 |
| CC-224 | 14-40-40-000-100-01080-2 |
| CC-225 | 14-40-40-000-100-01090-0 |
| CC-227 (S1/2) | 14-40-40-000-100-01114-2 |
| E 1/2 CC-228 | 14-40-40-000-100-01121-3 |
| CC-230 | 14-40-40-000-100-01140-0 |
| CC-234 | 14-40-40-000-100-01180-1 |
| CC-235 | 14-40-40-000-100-01190-9 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|-------------------------------------|--------------------------|
| CC-240 | 14-40-40-000-100-01240-9 |
| CC-244 & CC-245 | 14-40-40-000-100-01280-0 |
| CC-250 | 14-40-40-000-100-01340-8 |
| CC-254 | 14-40-40-000-100-01380-9 |
| CC-305 | 14-40-40-000-100-01490-6 |
| CC-306 | 14-40-40-000-100-01500-4 |
| CC-307 | 14-40-40-000-100-01510-2 |
| CC-308 | 14-40-40-000-100-01520-0 |
| CC-309 | 14-40-40-000-100-01530-8 |
| CC-312 | 14-40-40-000-100-01560-1 |
| CC-243 | 14-40-40-000-100-02430-7 |
| CC-23 | 14-40-40-000-200-00030-3 |
| W 1/2 CC-29 | 14-40-40-000-200-00092-8 |
| CC-32 AB EAST 1/2 | 14-40-40-000-200-00121-3 |
| CC-33 | 14-40-40-000-200-00130-2 |
| CC-35 E 1/2 | 14-40-40-000-200-00151-6 |
| CC-43 | 14-40-40-000-200-00230-1 |
| CC-45 | 14-40-40-000-200-00250-6 |
| CC-48 | 14-40-40-000-200-00280-0 |
| E 1/2 OF THE W 3/4 OF PARCEL CC-53 | 14-40-40-000-200-00333-7 |
| CC-56 | 14-40-40-000-200-00360-3 |
| E 1/2 OF CC-57 A & B | 14-40-40-000-200-00371-0 |
| CC-58 | 14-40-40-000-200-00380-9 |
| CC-59 | 14-40-40-000-200-00391-6 |
| CC-60 | 14-40-40-000-200-00394-3 |
| CC-101 | 14-40-40-000-200-00410-3 |
| CC-102 | 14-40-40-000-200-00420-1 |
| CC-104 | 14-40-40-000-200-00440-7 |
| CC-105 | 14-40-40-000-200-00450-4 |
| CC-106 | 14-40-40-000-200-00460-2 |
| CC-107 | 14-40-40-000-200-00471-9 |
| CC-108 | 14-40-40-000-200-00480-8 |
| CC-113 B SE 1/4, CC-113 CD WEST 1/2 | 14-40-40-000-200-00532-6 |
| CC-121 | 14-40-40-000-200-00610-1 |
| CC-129 | 14-40-40-000-200-00690-4 |
| CC-197-B | 14-40-40-000-200-01011-4 |
| CC-198 | 14-40-40-000-200-01020-3 |
| CC-209 (S1/ 2) | 14-40-40-000-200-01130-0 |
| CC-257 | 14-40-40-000-200-01221-0 |
| CC-264 | 14-40-40-000-200-01280-8 |
| CC-265 - E 1/2 | 14-40-40-000-200-01290-6 |
| CC-270 | 14-40-40-000-200-01340-6 |
| CC-274 | 14-40-40-000-200-01380-7 |
| CC-277 | 14-40-40-000-200-01410-1 |
| CC-278 | 14-40-40-000-200-01420-9 |
| CC-279 | 14-40-40-000-200-01430-7 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| CC-284 | 14-40-40-000-200-01480-6 |
| CC-286 | 14-40-40-000-200-01500-2 |
| CC-288 | 14-40-40-000-200-01520-8 |
| CC-293 NE 1/4 | 14-40-40-000-200-01571-6 |
| S 1/2 OF CC-293 | 14-40-40-000-200-01573-4 |
| CC-296 | 14-40-40-000-200-01591-2 |
| CC-295 | 14-40-40-000-200-01592-1 |

The following described parcels of land, lying and being in Section 15, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|------------------------|--------------------------|
| EE-6 | 15-40-40-000-100-00060-5 |
| EE-8 | 15-40-40-000-100-00080-1 |
| EE-11 | 15-40-40-000-100-00110-5 |
| EE-12, EE-13 | 15-40-40-000-100-00120-3 |
| EE-37 | 15-40-40-000-100-00370-0 |
| EE-44 | 15-40-40-000-100-00440-6 |
| EE-45 | 15-40-40-000-100-00450-3 |
| EE-46 | 15-40-40-000-100-00460-1 |
| NORTH 1/2 OF EE-51 | 15-40-40-000-100-00510-1 |
| EE-62 (W1/2) | 15-40-40-000-100-00620-8 |
| EE-78 | 15-40-40-000-100-00780-4 |
| EE-81 | 15-40-40-000-100-00810-8 |
| EE-83 | 15-40-40-000-100-00830-4 |
| EE-84 | 15-40-40-000-100-00840-2 |
| EE-85-A EAST 1/2 | 15-40-40-000-100-00851-8 |
| EE-114 | 15-40-40-000-100-01140-7 |
| EE-116 | 15-40-40-000-100-01160-0 |
| EE-119 | 15-40-40-000-100-01190-6 |
| EE-124 A NORTHEAST 1/4 | 15-40-40-000-100-01241-5 |
| NE 1/4 OF EE-150 | 15-40-40-000-100-01500-1 |

The following described parcels of land, lying and being in Section 18, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| NN-433 | 18-40-40-000-300-00010-6 |
| NN-434 | 18-40-40-000-300-00020-4 |
| NN-435 (E 1/2) | 18-40-40-000-300-00030-2 |
| NN-437 | 18-40-40-000-300-00050-7 |
| NN-439 | 18-40-40-000-300-00070-3 |
| NN-397 | 18-40-40-000-300-00091-8 |
| NN-400 | 18-40-40-000-300-00120-3 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|---------------|--------------------------|
| NN-389 | 18-40-40-000-300-00170-2 |
| NN-390 | 18-40-40-000-300-00180-0 |
| NN-392 | 18-40-40-000-300-00200-6 |
| NN-393 | 18-40-40-000-300-00210-4 |
| NN-354 | 18-40-40-000-300-00260-3 |
| NN-356 | 18-40-40-000-300-00280-9 |
| NN-360 | 18-40-40-000-300-00320-1 |
| NN-348 | 18-40-40-000-300-00360-2 |
| NN-309 | 18-40-40-000-300-00411-1 |
| NN-313 | 18-40-40-000-300-00450-3 |
| NN-301 | 18-40-40-000-300-00490-5 |
| NN-306 | 18-40-40-000-300-00540-5 |
| NN-308 (N1/2) | 18-40-40-000-300-00561-9 |
| NN-265 | 18-40-40-000-300-00571-7 |
| W 1/2 NN-267 | 18-40-40-000-300-00592-2 |
| NN-272 | 18-40-40-000-300-00640-4 |
| NN-258 | 18-40-40-000-300-00660-9 |
| NN-221 | 18-40-40-000-300-00730-5 |
| NN-222 | 18-40-40-000-300-00740-3 |
| NN-224 | 18-40-40-000-300-00760-8 |
| NN-213 | 18-40-40-000-300-00810-8 |
| NN-217 | 18-40-40-000-300-00850-9 |
| NN-219 | 18-40-40-000-300-00870-5 |
| NN-178 | 18-40-40-000-300-00900-9 |
| NN-180 | 18-40-40-000-300-00920-5 |
| NN-181 | 18-40-40-000-300-00930-3 |
| NN-182 | 18-40-40-000-300-00940-1 |
| NN-183 | 18-40-40-000-300-00950-8 |
| NN-184 | 18-40-40-000-300-00960-6 |
| NN-169 | 18-40-40-000-300-00970-4 |
| NN-170 | 18-40-40-000-300-00980-2 |
| NN-173 | 18-40-40-000-300-01010-4 |
| NN-175 | 18-40-40-000-300-01030-0 |
| NN-176 | 18-40-40-000-300-01040-8 |
| NN-134 | 18-40-40-000-300-01060-3 |
| NN-135 | 18-40-40-000-300-01070-1 |
| NN-137 | 18-40-40-000-300-01090-7 |
| NN-139 | 18-40-40-000-300-01110-3 |
| NN-125 | 18-40-40-000-300-01130-9 |
| NN-127 | 18-40-40-000-300-01150-4 |
| NN-94 | 18-40-40-000-300-01260-1 |
| NN-95 | 18-40-40-000-300-01270-9 |
| NN-96 | 18-40-40-000-300-01280-7 |
| NN-83 | 18-40-40-000-300-01310-1 |
| NN-48 | 18-40-40-000-300-01400-2 |
| NN-50 | 18-40-40-000-300-01420-8 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------|--------------------------|
| NN-52 | 18-40-40-000-300-01440-4 |
| NN-37 | 18-40-40-000-300-01450-1 |
| NN-38 | 18-40-40-000-300-01460-9 |
| NN-41 | 18-40-40-000-300-01490-3 |
| NN-42 | 18-40-40-000-300-01500-1 |
| NN-43 | 18-40-40-000-300-01510-9 |
| NN-2 | 18-40-40-000-300-01520-7 |
| NN-44 | 18-40-40-000-300-01521-6 |
| NN-1 | 18-40-40-000-300-01531-4 |
| NN-4 | 18-40-40-000-300-01560-8 |
| NN-7 | 18-40-40-000-300-01590-2 |
| NN-419 | 18-40-40-000-400-00011-3 |
| NN-421 | 18-40-40-000-400-00021-1 |
| NN-429, NN-430 | 18-40-40-000-400-00070-1 |
| NN-406 | 18-40-40-000-400-00091-6 |
| N 1/2 NN-408-B | 18-40-40-000-400-00101-4 |
| S 1/2 OF NN-409 | 18-40-40-000-400-00112-1 |
| NN-409 B NORTH 1/2 | 18-40-40-000-400-00122-9 |
| NN-414 | 18-40-40-000-400-00141-6 |
| NN-415 | 18-40-40-000-400-00152-2 |
| NN-417 | 18-40-40-000-400-00162-0 |
| NN-375 | 18-40-40-000-400-00171-9 |
| N 1/2 OF NN-376 | 18-40-40-000-400-00172-8 |
| S 1/2 NN-376 A | 18-40-40-000-400-00173-7 |
| NN-377, NN-378 | 18-40-40-000-400-00181-7 |
| NN-384 (S1/2) | 18-40-40-000-400-00221-9 |
| NN-384 B NORTH 1/2 | 18-40-40-000-400-00222-8 |
| NN-385 | 18-40-40-000-400-00231-7 |
| NN-388 (S 1/2) | 18-40-40-000-400-00242-4 |
| N 1/2 NN-388 B | 18-40-40-000-400-00243-3 |
| NN-365 | 18-40-40-000-400-00272-7 |
| NN-367 | 18-40-40-000-400-00280-7 |
| NN-368 | 18-40-40-000-400-00290-5 |
| NN-373 & NN-374 | 18-40-40-000-400-00320-9 |
| NN-331 & NN-332 | 18-40-40-000-400-00331-6 |
| NN-333 | 18-40-40-000-400-00340-5 |
| NN-335 | 18-40-40-000-400-00351-1 |
| NN-341 | 18-40-40-000-400-00391-3 |
| NN-342 | 18-40-40-000-400-00392-2 |
| NN-317, NN-318 | 18-40-40-000-400-00410-0 |
| NN-322 | 18-40-40-000-400-00431-5 |
| NN-321 | 18-40-40-000-400-00432-4 |
| NN-287 | 18-40-40-000-400-00491-2 |
| NN-288 | 18-40-40-000-400-00492-1 |
| NN-290 | 18-40-40-000-400-00502-9 |
| NN-291, NN-292 | 18-40-40-000-400-00510-9 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|---|--------------------------|
| NN-300 | 18-40-40-000-400-00562-6 |
| NN-273, NN-274 | 18-40-40-000-400-00570-6 |
| NN-275, NN-276 | 18-40-40-000-400-00580-4 |
| NN-281 | 18-40-40-000-400-00622-4 |
| NN-284 | 18-40-40-000-400-00631-3 |
| NN-253 | 18-40-40-000-400-00711-6 |
| NN-254 | 18-40-40-000-400-00712-5 |
| NN-229, NN-230 | 18-40-40-000-400-00730-3 |
| NN-233 & NN-234 | 18-40-40-000-400-00750-8 |
| NN-237 | 18-40-40-000-400-00782-0 |
| NN-241, NN-242 | 18-40-40-000-400-00802-6 |
| NN-201 | 18-40-40-000-400-00821-3 |
| NN-205 | 18-40-40-000-400-00840-0 |
| NN-207 | 18-40-40-000-400-00861-4 |
| NN-120, NN-145, NN-164, NN-189, NN-208 | 18-40-40-000-400-00862-3 |
| NN-209 | 18-40-40-000-400-00870-3 |
| NN-210 | 18-40-40-000-400-00871-0 |
| NN-211, NN-212 | 18-40-40-000-400-00880-1 |
| NN-192 | 18-40-40-000-400-00930-1 |
| NN-194 | 18-40-40-000-400-00941-8 |
| NN-196 | 18-40-40-000-400-00951-5 |
| NN-195 | 18-40-40-000-400-00952-4 |
| NN-197 NN-198 | 18-40-40-000-400-00960-4 |
| NN-157 | 18-40-40-000-400-00981-9 |
| NN-158 | 18-40-40-000-400-00982-8 |
| NN-148 NN-161 | 18-40-40-000-400-01000-4 |
| NN-147 NN-162 | 18-40-40-000-400-01010-2 |
| NN-167 | 18-40-40-000-400-01041-5 |
| NN-168 | 18-40-40-000-400-01042-4 |
| NN-142 | 18-40-40-000-400-01051-2 |
| NN-124 NN-141 | 18-40-40-000-400-01052-1 |
| S 1/2 NN-143 | 18-40-40-000-400-01063-8 |
| NN-146 | 18-40-40-000-400-01080-7 |
| NN-150 | 18-40-40-000-400-01101-2 |
| NN-149 | 18-40-40-000-400-01102-1 |
| NN-152 | 18-40-40-000-400-01111-0 |
| NN-111 | 18-40-40-000-400-01131-6 |
| NN-114 | 18-40-40-000-400-01142-3 |
| NN-119 | 18-40-40-000-400-01181-5 |
| NN-122 | 18-40-40-000-400-01192-2 |
| NN-123 | 18-40-40-000-400-01201-1 |
| NN-98 | 18-40-40-000-400-01211-9 |
| NN-97 | 18-40-40-000-400-01212-8 |
| NN-13 NN-14 NN-31 NN-32 NN-57 NN-58 NN-75 NN-76 NN-101 & NN-102 | 18-40-40-000-400-01230-6 |
| NN-103 | 18-40-40-000-400-01240-4 |
| NN-106 | 18-40-40-000-400-01261-8 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|-----------------------------|--------------------------|
| NN-107 NN-108 NN-227 NN-315 | 18-40-40-000-400-01270-7 |
| NN-67 | 18-40-40-000-400-01291-2 |
| NN-29 NN-60 NN-73 | 18-40-40-000-400-01320-7 |
| NN-74 | 18-40-40-000-400-01330-5 |
| NN-77 | 18-40-40-000-400-01351-9 |
| NN-79 NN-80 | 18-40-40-000-400-01360-8 |
| NN-61 | 18-40-40-000-400-01422-4 |
| NN-26 NN-63 | 18-40-40-000-400-01432-2 |
| NN-10 | 18-40-40-000-400-01531-2 |
| NN-9 | 18-40-40-000-400-01532-1 |
| NN-18 | 18-40-40-000-400-01581-1 |
| NN-17 | 18-40-40-000-400-01582-0 |
| NN-19 NN-20 | 18-40-40-000-400-01590-0 |

The following described parcels of land, lying and being in Section 19, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| MM-633 MM-712 | 19-40-40-000-100-00030-4 |
| MM-313 | 19-40-40-000-100-00082-1 |
| MM-789 MM-790 | 19-40-40-000-100-00182-0 |
| MM-396 | 19-40-40-000-100-00262-3 |
| MM-716 | 19-40-40-000-100-00313-0 |
| MM-797 & MM-868 | 19-40-40-000-100-00330-1 |
| MM-637 | 19-40-40-000-100-00351-5 |
| MM-466&MM-467 | 19-40-40-000-100-00421-1 |
| MM-398 & MM-399 | 19-40-40-000-100-00422-0 |
| MM-639 & MM-638 | 19-40-40-000-100-00462-1 |
| MM-718 & MM-787 | 19-40-40-000-100-00470-1 |
| MM-559 | 19-40-40-000-100-00530-9 |
| MM-319 & MM-320 | 19-40-40-000-100-00562-0 |
| MM-800 & MM-801 | 19-40-40-000-100-00642-4 |
| MM-561 | 19-40-40-000-100-00690-5 |
| MM-383 | 19-40-40-000-100-00731-6 |
| MM-623 | 19-40-40-000-100-00770-8 |
| MM-722 | 19-40-40-000-100-00790-4 |
| MM-783 | 19-40-40-000-100-00791-0 |
| MM-723&782 | 19-40-40-000-100-00820-8 |
| MM-563 & 564 | 19-40-40-000-100-00850-1 |
| MM-462 | 19-40-40-000-100-00871-6 |
| MM-460 & MM-461 | 19-40-40-000-100-00901-0 |
| MM-701 | 19-40-40-000-100-00941-2 |
| MM-780 & MM-781 | 19-40-40-000-100-00951-9 |
| MM-860 & MM-861 | 19-40-40-000-100-00961-7 |
| MM-804 & MM-805 | 19-40-40-000-100-00962-6 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------------|--------------------------|
| MM-565 | 19-40-40-000-100-01010-6 |
| MM-539 & MM-540 | 19-40-40-000-100-01021-3 |
| MM-566 | 19-40-40-000-100-01080-1 |
| MM-619 | 19-40-40-000-100-01090-9 |
| MM-699 | 19-40-40-000-100-01101-6 |
| MM-807 & 858 | 19-40-40-000-100-01130-1 |
| MM-567 | 19-40-40-000-100-01170-2 |
| MM-407 | 19-40-40-000-100-01192-6 |
| MM-327 & MM-378 | 19-40-40-000-100-01200-6 |
| MM-408 & MM-457 | 19-40-40-000-100-01220-2 |
| MM-568 | 19-40-40-000-100-01240-8 |
| MM-617 | 19-40-40-000-100-01250-5 |
| MM-648 & MM-697 | 19-40-40-000-100-01260-3 |
| MM-728 & MM-777 | 19-40-40-000-100-01270-1 |
| MM-809 & MM-810 | 19-40-40-000-100-01292-5 |
| MM-649 & MM-650 & MM-651 | 19-40-40-000-100-01312-1 |
| MM-569 | 19-40-40-000-100-01330-9 |
| MM-489 & MM-490 | 19-40-40-000-100-01342-5 |
| MM-330 & MM-331 | 19-40-40-000-100-01372-8 |
| MM-570 | 19-40-40-000-100-01400-4 |
| MM-615 | 19-40-40-000-100-01410-2 |
| MM-491 & MM-492 | 19-40-40-000-100-01502-1 |
| MM-572 | 19-40-40-000-100-01560-0 |
| MM-233 | 19-40-40-000-200-00020-4 |
| MM-232 | 19-40-40-000-200-00030-2 |
| MM-152 | 19-40-40-000-200-00050-7 |
| MM-76 | 19-40-40-000-200-00070-3 |
| MM-78 | 19-40-40-000-200-00110-5 |
| MM-154 | 19-40-40-000-200-00130-1 |
| MM-310 | 19-40-40-000-200-00172-0 |
| MM-230 | 19-40-40-000-200-00190-8 |
| MM-149 & MM-150 | 19-40-40-000-200-00210-4 |
| MM-79 | 19-40-40-000-200-00220-2 |
| MM-74 | 19-40-40-000-200-00230-0 |
| MM-73 | 19-40-40-000-200-00260-3 |
| MM-156 | 19-40-40-000-200-00290-7 |
| MM-309 | 19-40-40-000-200-00320-1 |
| MM-228 & MM-237 | 19-40-40-000-200-00350-4 |
| MM-157 | 19-40-40-000-200-00360-2 |
| MM-148 | 19-40-40-000-200-00370-0 |
| MM-71 | 19-40-40-000-200-00420-0 |
| MM-147 | 19-40-40-000-200-00440-6 |
| MM-158 | 19-40-40-000-200-00450-3 |
| MM-239 | 19-40-40-000-200-00500-3 |
| MM-226 | 19-40-40-000-200-00510-1 |
| MM-70 | 19-40-40-000-200-00550-2 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|-----------------|--------------------------|
| MM-145 | 19-40-40-000-200-00600-2 |
| MM-160 | 19-40-40-000-200-00610-0 |
| MM-240 | 19-40-40-000-200-00630-6 |
| MM-305 | 19-40-40-000-200-00640-4 |
| MM-241 | 19-40-40-000-200-00660-9 |
| MM-161 | 19-40-40-000-200-00680-5 |
| MM-144 | 19-40-40-000-200-00691-2 |
| MM-68 | 19-40-40-000-200-00710-9 |
| MM-302 | 19-40-40-000-200-00810-8 |
| MM-67 | 19-40-40-000-200-00870-5 |
| MM-221 | 19-40-40-000-200-00940-1 |
| MM-244 | 19-40-40-000-200-00950-8 |
| MM-301 | 19-40-40-000-200-00960-6 |
| MM-300 | 19-40-40-000-200-00970-4 |
| MM-245 | 19-40-40-000-200-00980-2 |
| MM-220 | 19-40-40-000-200-00990-0 |
| MM-66 | 19-40-40-000-200-01030-0 |
| N1/2 MM-12 | 19-40-40-000-200-01051-4 |
| MM-65 | 19-40-40-000-200-01060-3 |
| MM-166 | 19-40-40-000-200-01090-7 |
| MM-299 | 19-40-40-000-200-01120-1 |
| MM-298 | 19-40-40-000-200-01130-9 |
| MM-247 | 19-40-40-000-200-01140-7 |
| MM-218 | 19-40-40-000-200-01150-4 |
| MM-89 | 19-40-40-000-200-01180-8 |
| MM-63 | 19-40-40-000-200-01220-0 |
| MM-217 | 19-40-40-000-200-01260-1 |
| MM-249 | 19-40-40-000-200-01300-3 |
| MM-216 | 19-40-40-000-200-01310-1 |
| MM-169 | 19-40-40-000-200-01320-9 |
| MM-61 | 19-40-40-000-200-01380-6 |
| MM-137 | 19-40-40-000-200-01400-2 |
| MM-170 & MM-171 | 19-40-40-000-200-01410-0 |
| MM-215 | 19-40-40-000-200-01420-8 |
| MM-214 | 19-40-40-000-200-01470-7 |
| MM-135 | 19-40-40-000-200-01560-8 |
| MM-172 | 19-40-40-000-200-01570-6 |
| MM-252 | 19-40-40-000-200-01590-2 |
| MM-293 | 19-40-40-000-200-01600-0 |
| MM-58 | 19-40-40-000-300-00070-1 |
| MM-174 | 19-40-40-000-300-00130-9 |
| MM-211 | 19-40-40-000-300-00140-7 |
| MM-290 | 19-40-40-000-300-00170-0 |
| MM-175 | 19-40-40-000-300-00200-4 |
| MM-132 | 19-40-40-000-300-00210-2 |
| MM-56 | 19-40-40-000-300-00230-8 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|---------------|--------------------------|
| MM-176 | 19-40-40-000-300-00290-5 |
| MM-289 | 19-40-40-000-300-00320-9 |
| MM-288 | 19-40-40-000-300-00330-7 |
| MM-208 | 19-40-40-000-300-00350-2 |
| MM-178 MM-179 | 19-40-40-000-300-00450-1 |
| MM-26 & MM-27 | 19-40-40-000-300-00570-6 |
| MM-51 | 19-40-40-000-300-00580-4 |
| MM-102 | 19-40-40-000-300-00590-2 |
| MM-127 | 19-40-40-000-300-00600-0 |
| MM-260 | 19-40-40-000-300-00630-4 |
| MM-261 | 19-40-40-000-300-00660-7 |
| MM-126 | 19-40-40-000-300-00690-1 |
| MM-103 | 19-40-40-000-300-00700-9 |
| MM-50 | 19-40-40-000-300-00710-7 |
| MM-28 | 19-40-40-000-300-00730-3 |
| MM-182 | 19-40-40-000-300-00770-4 |
| MM-203 | 19-40-40-000-300-00780-2 |
| MM-283 | 19-40-40-000-300-00800-8 |
| MM-183 | 19-40-40-000-300-00840-0 |
| MM-124 | 19-40-40-000-300-00850-7 |
| MM-48 | 19-40-40-000-300-00870-3 |
| MM-30, MM-31 | 19-40-40-000-300-00891-8 |
| MM-47 | 19-40-40-000-300-00900-7 |
| MM-106 | 19-40-40-000-300-00910-5 |
| MM-280 W1/2 | 19-40-40-000-300-00970-2 |
| MM-108 | 19-40-40-000-300-01070-9 |
| MM-186 | 19-40-40-000-300-01090-5 |
| MM-266 | 19-40-40-000-300-01110-1 |
| MM-279 | 19-40-40-000-300-01120-9 |
| MM-267 | 19-40-40-000-300-01140-5 |
| MM-109 | 19-40-40-000-300-01180-6 |
| MM-44 | 19-40-40-000-300-01190-4 |
| MM-34 | 19-40-40-000-300-01211-9 |
| MM-43 | 19-40-40-000-300-01220-8 |
| MM-110 | 19-40-40-000-300-01230-6 |
| MM-197 | 19-40-40-000-300-01260-9 |
| MM-277 | 19-40-40-000-300-01280-5 |
| MM-269 | 19-40-40-000-300-01300-1 |
| MM-196 | 19-40-40-000-300-01310-9 |
| MM-111 | 19-40-40-000-300-01340-3 |
| MM-117 | 19-40-40-000-300-01400-0 |
| MM-190 | 19-40-40-000-300-01410-8 |
| MM-274 | 19-40-40-000-300-01450-9 |
| MM-194 | 19-40-40-000-300-01470-5 |
| MM-39 | 19-40-40-000-300-01540-1 |
| MM-272 | 19-40-40-000-300-01590-0 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------------|--------------------------|
| MM-273 | 19-40-40-000-300-01600-8 |
| MM-692, MM-733, & MM-734 | 19-40-40-000-400-00022-8 |
| MM-612 | 19-40-40-000-400-00040-6 |
| MM-452 | 19-40-40-000-400-00071-8 |
| MM-850, MM-851 | 19-40-40-000-400-00161-9 |
| MM-334 | 19-40-40-000-400-00191-3 |
| MM-655, MM-656 | 19-40-40-000-400-00192-2 |
| MM-450 | 19-40-40-000-400-00231-5 |
| MM-336, MM-335 | 19-40-40-000-400-00251-0 |
| MM-449 | 19-40-40-000-400-00261-8 |
| MM-416 | 19-40-40-000-400-00262-7 |
| MM-526, MM-529 | 19-40-40-000-400-00271-6 |
| MM-768 | 19-40-40-000-400-00341-2 |
| MM-737 | 19-40-40-000-400-00342-1 |
| MM-608 | 19-40-40-000-400-00360-8 |
| MM-497, & MM-528 | 19-40-40-000-400-00380-4 |
| MM-338 | 19-40-40-000-400-00410-8 |
| MM-498 | 19-40-40-000-400-00432-2 |
| MM-607 | 19-40-40-000-400-00450-9 |
| MM-767 | 19-40-40-000-400-00471-4 |
| MM-738 | 19-40-40-000-400-00472-3 |
| MM-818 | 19-40-40-000-400-00482-1 |
| MM-819, MM-820 | 19-40-40-000-400-00492-9 |
| MM-685& MM-686 | 19-40-40-000-400-00511-6 |
| MM-606 | 19-40-40-000-400-00520-5 |
| MM-579 | 19-40-40-000-400-00530-3 |
| MM-366 | 19-40-40-000-400-00561-5 |
| MM-500 | 19-40-40-000-400-00591-9 |
| MM-580 | 19-40-40-000-400-00600-8 |
| MM-740, MM-741, MM-742 | 19-40-40-000-400-00632-0 |
| MM-363 | 19-40-40-000-400-00731-0 |
| MM-342 | 19-40-40-000-400-00732-9 |
| MM-443 | 19-40-40-000-400-00740-9 |
| MM-664, MM-665 | 19-40-40-000-400-00942-5 |
| MM-746 | 19-40-40-000-400-01112-7 |
| MM-598 | 19-40-40-000-400-01160-8 |
| MM-507, MM-518 | 19-40-40-000-400-01180-4 |
| MM-347 | 19-40-40-000-400-01202-8 |
| MM-357 | 19-40-40-000-400-01211-7 |
| MM-588 | 19-40-40-000-400-01240-2 |
| MM-597 | 19-40-40-000-400-01250-9 |
| MM-748 | 19-40-40-000-400-01270-5 |
| MM-828, MM-837 | 19-40-40-000-400-01280-3 |
| MM-829, MM-836 | 19-40-40-000-400-01290-1 |
| MM-756 | 19-40-40-000-400-01301-8 |
| MM-749, MM-750 | 19-40-40-000-400-01302-7 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|--------------------------------|--------------------------|
| MM-669, MM-670 | 19-40-40-000-400-01312-5 |
| MM-356 | 19-40-40-000-400-01361-5 |
| MM-353, MM-354 & MM-355 | 19-40-40-000-400-01371-3 |
| MM-434, MM-435 | 19-40-40-000-400-01381-1 |
| MM-834, MM-835 | 19-40-40-000-400-01441-9 |
| MM-831 | 19-40-40-000-400-01451-6 |
| MM-751 | 19-40-40-000-400-01462-3 |
| MM-671 | 19-40-40-000-400-01471-2 |
| MM-594 | 19-40-40-000-400-01480-1 |
| MM-591 | 19-40-40-000-400-01490-9 |
| MM-352 | 19-40-40-000-400-01532-9 |
| MM-432 | 19-40-40-000-400-01542-7 |
| MM-592 | 19-40-40-000-400-01560-4 |
| MM-593 | 19-40-40-000-400-01570-2 |
| MM-673, MM-674, MM-675, MM-676 | 19-40-40-000-400-01581-9 |

The following described parcels of land, lying and being in Section 20, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|------------------------|--------------------------|
| JJ-401, JJ-402, JJ-403 | 20-40-40-000-100-00072-1 |
| JJ-562 | 20-40-40-000-100-00120-3 |
| JJ-639 | 20-40-40-000-100-00130-1 |
| JJ-879 | 20-40-40-000-100-00161-3 |
| JJ-638 | 20-40-40-000-100-00200-6 |
| JJ-563 | 20-40-40-000-100-00210-4 |
| JJ-324, JJ-397 | 20-40-40-000-100-00250-5 |
| JJ-484 & JJ-557 | 20-40-40-000-100-00270-1 |
| JJ-717 & JJ-644 | 20-40-40-000-100-00301-4 |
| JJ-724 & JJ-797 | 20-40-40-000-100-00310-3 |
| JJ-804 & JJ-877 | 20-40-40-000-100-00320-1 |
| JJ-725, JJ-796 | 20-40-40-000-100-00342-5 |
| JJ-565 | 20-40-40-000-100-00370-0 |
| JJ-556 | 20-40-40-000-100-00381-7 |
| JJ-476 | 20-40-40-000-100-00391-5 |
| JJ-635 | 20-40-40-000-100-00450-3 |
| JJ-646 | 20-40-40-000-100-00462-9 |
| JJ-726, JJ-795 | 20-40-40-000-100-00470-9 |
| JJ-875 | 20-40-40-000-100-00481-6 |
| JJ-634 | 20-40-40-000-100-00520-9 |
| JJ-567 | 20-40-40-000-100-00530-7 |
| JJ-407 & JJ-474 | 20-40-40-000-100-00550-2 |
| JJ-327, JJ-394 | 20-40-40-000-100-00560-0 |
| JJ-473 | 20-40-40-000-100-00581-5 |
| JJ-553 | 20-40-40-000-100-00591-3 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|------------------------|--------------------------|
| JJ-568 | 20-40-40-000-100-00600-2 |
| JJ-648, JJ-713 | 20-40-40-000-100-00620-8 |
| JJ-809, JJ-872 | 20-40-40-000-100-00650-1 |
| JJ-632 | 20-40-40-000-100-00680-5 |
| JJ-409 & JJ-472 | 20-40-40-000-100-00711-8 |
| JJ-391 & JJ-330 | 20-40-40-000-100-00731-4 |
| JJ-811, JJ-812, JJ-870 | 20-40-40-000-100-00810-8 |
| JJ-651 | 20-40-40-000-100-00832-2 |
| JJ-630 | 20-40-40-000-100-00840-2 |
| JJ-491 | 20-40-40-000-100-00862-5 |
| JJ-332, JJ-389 | 20-40-40-000-100-00890-1 |
| JJ-469 | 20-40-40-000-100-00901-8 |
| JJ-412 | 20-40-40-000-100-00902-7 |
| JJ-492 | 20-40-40-000-100-00912-5 |
| JJ-629 | 20-40-40-000-100-00930-3 |
| JJ-652 & JJ-709 | 20-40-40-000-100-00941-0 |
| JJ-732 | 20-40-40-000-100-00952-6 |
| JJ-868 | 20-40-40-000-100-00971-3 |
| JJ-733 & 734 | 20-40-40-000-100-00982-0 |
| JJ-628 | 20-40-40-000-100-01000-6 |
| JJ-493 | 20-40-40-000-100-01022-0 |
| JJ-468 | 20-40-40-000-100-01031-9 |
| JJ-333, JJ-388 | 20-40-40-000-100-01040-8 |
| JJ-547 | 20-40-40-000-100-01071-0 |
| JJ-494 | 20-40-40-000-100-01072-9 |
| JJ-574 | 20-40-40-000-100-01080-9 |
| JJ-627 | 20-40-40-000-100-01090-7 |
| JJ-787 | 20-40-40-000-100-01110-3 |
| JJ-815 | 20-40-40-000-100-01132-7 |
| JJ-546 | 20-40-40-000-100-01186-2 |
| JJ-335 | 20-40-40-000-100-01202-2 |
| JJ-336 JJ-385 | 20-40-40-000-100-01210-2 |
| JJ-416 JJ-465 | 20-40-40-000-100-01220-0 |
| JJ-496 | 20-40-40-000-100-01232-6 |
| JJ-576 | 20-40-40-000-100-01240-6 |
| JJ-656 & JJ-705 | 20-40-40-000-100-01260-1 |
| JJ-785 | 20-40-40-000-100-01271-8 |
| JJ-816 | 20-40-40-000-100-01282-5 |
| JJ-817 & JJ-864 | 20-40-40-000-100-01290-5 |
| JJ-784 | 20-40-40-000-100-01301-2 |
| JJ-624 | 20-40-40-000-100-01320-9 |
| JJ-498 & JJ-543 | 20-40-40-000-100-01390-4 |
| JJ-578 | 20-40-40-000-100-01400-2 |
| JJ-623 | 20-40-40-000-100-01410-0 |
| JJ-863 | 20-40-40-000-100-01441-3 |
| JJ-818 JJ-819 | 20-40-40-000-100-01442-2 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|-----------------|--------------------------|
| JJ-862 | 20-40-40-000-100-01451-0 |
| JJ-340 & JJ-381 | 20-40-40-000-100-01530-5 |
| JJ-420 | 20-40-40-000-100-01542-1 |
| JJ-241 | 20-40-40-000-200-00020-2 |
| JJ-240 | 20-40-40-000-200-00030-0 |
| JJ-242 | 20-40-40-000-200-00150-4 |
| JJ-319 | 20-40-40-000-200-00160-2 |
| JJ-238 | 20-40-40-000-200-00190-6 |
| JJ-83 | 20-40-40-000-200-00220-0 |
| JJ-84 | 20-40-40-000-200-00270-9 |
| JJ-157 | 20-40-40-000-200-00280-7 |
| JJ-244 | 20-40-40-000-200-00310-1 |
| JJ-245 | 20-40-40-000-200-00340-5 |
| JJ-236 | 20-40-40-000-200-00350-2 |
| JJ-85 | 20-40-40-000-200-00380-6 |
| JJ-75 & JJ-76 | 20-40-40-000-200-00390-4 |
| JJ-6 | 20-40-40-000-200-00410-0 |
| JJ-86 | 20-40-40-000-200-00430-6 |
| JJ-235 | 20-40-40-000-200-00460-9 |
| JJ-246 | 20-40-40-000-200-00470-7 |
| JJ-315 | 20-40-40-000-200-00480-5 |
| JJ-167 | 20-40-40-000-200-00520-7 |
| JJ-8 | 20-40-40-000-200-00570-6 |
| JJ-153 | 20-40-40-000-200-00600-0 |
| JJ-168 | 20-40-40-000-200-00610-8 |
| JJ-313 | 20-40-40-000-200-00640-2 |
| JJ-249 | 20-40-40-000-200-00660-7 |
| JJ-152 | 20-40-40-000-200-00690-1 |
| JJ-89 | 20-40-40-000-200-00700-9 |
| JJ-9 | 20-40-40-000-200-00720-5 |
| JJ-10 | 20-40-40-000-200-00730-3 |
| JJ-71 | 20-40-40-000-200-00740-1 |
| JJ-90 | 20-40-40-000-200-00750-8 |
| JJ-170 | 20-40-40-000-200-00770-4 |
| JJ-250 | 20-40-40-000-200-00790-0 |
| JJ-230 | 20-40-40-000-200-00830-2 |
| JJ-150 | 20-40-40-000-200-00850-7 |
| JJ-69 | 20-40-40-000-200-00900-7 |
| JJ-172 | 20-40-40-000-200-00930-1 |
| JJ-252 | 20-40-40-000-200-00950-6 |
| JJ-228 | 20-40-40-000-200-00990-8 |
| JJ-148 | 20-40-40-000-200-01010-2 |
| JJ-14 | 20-40-40-000-200-01050-3 |
| JJ-227 | 20-40-40-000-200-01100-3 |
| JJ-254 | 20-40-40-000-200-01110-1 |
| JJ-175 | 20-40-40-000-200-01160-0 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|----------------|--------------------------|
| JJ-95 | 20-40-40-000-200-01180-6 |
| JJ-16 | 20-40-40-000-200-01210-0 |
| JJ-65 | 20-40-40-000-200-01220-8 |
| JJ-145 | 20-40-40-000-200-01240-4 |
| JJ-256 | 20-40-40-000-200-01270-7 |
| JJ-177 | 20-40-40-000-200-01320-7 |
| JJ-97 | 20-40-40-000-200-01340-3 |
| JJ-18 | 20-40-40-000-200-01370-6 |
| JJ-178 | 20-40-40-000-200-01410-8 |
| JJ-302 | 20-40-40-000-200-01450-9 |
| JJ-99 | 20-40-40-000-200-01500-9 |
| E1/2 OF JJ-61 | 20-40-40-000-200-01541-0 |
| JJ-100 | 20-40-40-000-200-01550-8 |
| JJ-221 | 20-40-40-000-200-01580-2 |
| JJ-260 | 20-40-40-000-200-01590-0 |
| JJ-300 | 20-40-40-000-300-00010-2 |
| JJ-140 | 20-40-40-000-300-00050-3 |
| JJ-101 | 20-40-40-000-300-00060-1 |
| JJ-219 | 20-40-40-000-300-00140-5 |
| JJ-262 | 20-40-40-000-300-00150-2 |
| JJ-138 | 20-40-40-000-300-00210-0 |
| JJ-104 | 20-40-40-000-300-00270-7 |
| JJ-56 | 20-40-40-000-300-00390-2 |
| JJ-25 | 20-40-40-000-300-00400-0 |
| JJ-26 | 20-40-40-000-300-00410-8 |
| JJ-55 | 20-40-40-000-300-00420-6 |
| JJ-294 | 20-40-40-000-300-00490-1 |
| JJ-267 | 20-40-40-000-300-00500-9 |
| JJ-214 | 20-40-40-000-300-00510-7 |
| JJ-134 | 20-40-40-000-300-00530-3 |
| JJ-108 | 20-40-40-000-300-00590-0 |
| JJ-133 | 20-40-40-000-300-00600-8 |
| JJ-213 | 20-40-40-000-300-00620-4 |
| JJ-191 | 20-40-40-000-300-00840-8 |
| JJ-111 | 20-40-40-000-300-00860-3 |
| JJ-31 | 20-40-40-000-300-00880-9 |
| JJ-112 | 20-40-40-000-300-00910-3 |
| JJ-129 | 20-40-40-000-300-00920-1 |
| JJ-192 | 20-40-40-000-300-00930-9 |
| E1/2 OF JJ-272 | 20-40-40-000-300-00951-3 |
| JJ-193 | 20-40-40-000-300-01000-2 |
| JJ-128 | 20-40-40-000-300-01010-0 |
| JJ-33 | 20-40-40-000-300-01040-4 |
| JJ-114 | 20-40-40-000-300-01070-7 |
| JJ-207 | 20-40-40-000-300-01100-1 |
| JJ-286 | 20-40-40-000-300-01130-5 |

SCHEDULE A

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| JJ-35 | 20-40-40-000-300-01200-0 |
| JJ-197 | 20-40-40-000-300-01320-5 |

The following described parcels of land, lying and being in Section 21, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-------------------------------|--------------------------|
| HH-180 HH-181 & HH-204 HH-205 | 21-40-40-000-300-01031-3 |

The following described parcels of land, lying and being in Section 29, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| LL-51 | 29-40-40-000-300-00550-9 |
| LL-24 | 29-40-40-000-300-00560-7 |
| LL-25 | 29-40-40-000-300-00570-5 |
| LL-99 | 29-40-40-000-300-00590-1 |
| LL-124 | 29-40-40-000-300-00600-9 |
| LL-271 | 29-40-40-000-300-00650-8 |
| LL-248 | 29-40-40-000-300-00660-6 |

The following described parcels of land, lying and being in Section 30, Township 40 South, Range 40 East, Martin County, Florida, (said parcels are hereinafter identified by reference to lots on the unrecorded Plat of Palm Beach Heights) to wit:

| LOT NUMBER | PARCEL NUMBER |
|-------------------|--------------------------|
| RR-239 | 30-40-40-000-200-01080-6 |