

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Weir Component

Weir: 2
 Weir Count: 1
 Weir Flow Direction: Both
 Damping: 0.0000 ft
 Weir Type: Sharp Crested Vertical
 Geometry Type: Circular
 Invert: 13.40 ft
 Control Elevation: 13.40 ft
 Max Depth: 0.25 ft

Bottom Clip

Default: 0.00 ft

Op Table:

Ref Node:

Top Clip

Default: 0.00 ft

Op Table:

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Weir Component

Weir: 3
 Weir Count: 1
 Weir Flow Direction: Both
 Damping: 0.0000 ft
 Weir Type: Sharp Crested Vertical
 Geometry Type: Rectangular
 Invert: 14.25 ft
 Control Elevation: 14.25 ft
 Max Depth: 0.50 ft
 Max Width: 3.00 ft
 Fillet: 0.00 ft

Bottom Clip

Default: 0.00 ft

Op Table:

Ref Node:

Top Clip

Default: 0.00 ft

Op Table:

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Drop Structure Comment:

Pipe Link: Existing Office - D17

Upstream

Downstream

Scenario: Zero
 From Node: Existing Office
 To Node: Proposed Road
 Link Count: 1
 Flow Direction: Both
 Damping: 0.0000 ft
 Length: 105.00 ft

Invert: 11.12 ft

Manning's N: 0.0110

Geometry: Circular

Max Depth: 2.00 ft

Default: 0.00 ft

Op Table:

Invert: 11.09 ft

Manning's N: 0.0110

Geometry: Circular

Max Depth: 2.00 ft

Default: 0.00 ft

Op Table:

Bottom Clip

FHWA Code: 0	Ref Node:	Ref Node:
Entr Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Exit Loss Coef: 0.00	Top Clip	
Bend Loss Coef: 0.00	Default: 0.00 ft	Default: 0.00 ft
Bend Location: 0.00 ft	Op Table:	Op Table:
Energy Switch: Energy	Ref Node:	Ref Node:
	Manning's N: 0.0000	Manning's N: 0.0000

Comment:

Pipe Link: LOT 3 to Road	Upstream	Downstream
Scenario: Zero	Invert: 10.00 ft	Invert: 10.00 ft
From Node: LOT 3	Manning's N: 0.0110	Manning's N: 0.0110
To Node: Proposed Road	Geometry: Circular	Geometry: Circular
Link Count: 1	Max Depth: 2.00 ft	Max Depth: 2.00 ft
Flow Direction: Both	Bottom Clip	
Damping: 0.0000 ft	Default: 0.00 ft	Default: 0.00 ft
Length: 50.00 ft	Op Table:	Op Table:
FHWA Code: 0	Ref Node:	Ref Node:
Entr Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Exit Loss Coef: 0.00	Top Clip	
Bend Loss Coef: 0.00	Default: 0.00 ft	Default: 0.00 ft
Bend Location: 0.00 ft	Op Table:	Op Table:
Energy Switch: Energy	Ref Node:	Ref Node:
	Manning's N: 0.0000	Manning's N: 0.0000

Comment:

Pipe Link: LOT 4 to Dry Area 1	Upstream	Downstream
Scenario: Zero	Invert: 10.00 ft	Invert: 11.00 ft
From Node: LOT 4	Manning's N: 0.0110	Manning's N: 0.0110
To Node: Dry Retention Area 1	Geometry: Circular	Geometry: Circular
Link Count: 1	Max Depth: 2.00 ft	Max Depth: 2.00 ft
Flow Direction: Positive	Bottom Clip	
Damping: 0.0000 ft	Default: 0.00 ft	Default: 0.00 ft
Length: 51.71 ft	Op Table:	Op Table:
FHWA Code: 0	Ref Node:	Ref Node:
Entr Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Exit Loss Coef: 0.00	Top Clip	
Bend Loss Coef: 0.00	Default: 0.00 ft	Default: 0.00 ft
Bend Location: 0.00 ft	Op Table:	Op Table:
Energy Switch: Energy	Ref Node:	Ref Node:
	Manning's N: 0.0000	Manning's N: 0.0000

Comment:

Drop Structure Link: Lake to MH		Upstream Pipe	Downstream Pipe
Scenario:	Zero	Invert: 10.50 ft	Invert: 9.68 ft
From Node:	Existing Lake	Manning's N: 0.0120	Manning's N: 0.0120
To Node:	Existing Manhole	Geometry: Circular	Geometry: Circular
Link Count:	1	Max Depth: 2.00 ft	Max Depth: 2.00 ft
Flow Direction:	Both	Bottom Clip	
Solution:	Combine	Default: 0.00 ft	Default: 0.00 ft
Increments:	10	Op Table:	Op Table:
Pipe Count:	1	Ref Node:	Ref Node:
Damping:	0.0000 ft	Manning's N: 0.0000	Manning's N: 0.0000
Length:	55.00 ft	Top Clip	
FHWA Code:	0	Default: 0.00 ft	Default: 0.00 ft
Entr Loss Coef:	0.00	Op Table:	Op Table:
Exit Loss Coef:	0.00	Ref Node:	Ref Node:
Bend Loss Coef:	0.00	Manning's N: 0.0000	Manning's N: 0.0000
Bend Location:	0.00 ft		
Energy Switch:	Energy		
Pipe Comment:			

Weir Component			
Weir:	1	Bottom Clip	
Weir Count:	1	Default:	0.00 ft
Weir Flow Direction:	Both	Op Table:	
Damping:	0.0000 ft	Ref Node:	
Weir Type:	Horizontal	Top Clip	
Geometry Type:	Rectangular	Default:	0.00 ft
Invert:	14.43 ft	Op Table:	
Control Elevation:	14.43 ft	Ref Node:	
Max Depth:	3.00 ft	Discharge Coefficients	
Max Width:	4.00 ft	Weir Default:	3.200
Fillet:	0.00 ft	Weir Table:	
		Orifice Default:	0.600
		Orifice Table:	

Weir Comment:

Weir Component			
Weir:	2	Bottom Clip	
Weir Count:	1	Default:	0.00 ft
Weir Flow Direction:	Both	Op Table:	
Damping:	0.0000 ft	Ref Node:	
Weir Type:	Sharp Crested Vertical	Top Clip	
Geometry Type:	Circular	Default:	0.00 ft
Invert:	13.26 ft	Op Table:	
Control Elevation:	13.26 ft	Ref Node:	
Max Depth:	0.33 ft	Discharge Coefficients	
		Weir Default:	3.200
		Weir Table:	
		Orifice Default:	0.600
		Orifice Table:	

Weir Comment:

Drop Structure Comment:

Drop Structure Link: MH 8 CS

		Upstream Pipe	Downstream Pipe
Scenario:	Zero	Invert: 12.19 ft	Invert: 11.68 ft
From Node:	MH 8	Manning's N: 0.0110	Manning's N: 0.0110
To Node:	Outfall	Geometry: Circular	Geometry: Circular
Link Count:	1	Max Depth: 2.00 ft	Max Depth: 2.00 ft
Flow Direction:	None	Bottom Clip	
Solution:	Combine	Default: 0.00 ft	Default: 0.00 ft
Increments:	10	Op Table:	Op Table:
Pipe Count:	1	Ref Node:	Ref Node:
Damping:	0.0000 ft	Manning's N: 0.0000	Manning's N: 0.0000
Length:	22.00 ft	Top Clip	
FHWA Code:	0	Default: 0.00 ft	Default: 0.00 ft
Entr Loss Coef:	0.00	Op Table:	Op Table:
Exit Loss Coef:	0.00	Ref Node:	Ref Node:
Bend Loss Coef:	0.00	Manning's N: 0.0000	Manning's N: 0.0000
Bend Location:	0.00 ft		
Energy Switch:	Energy		

Pipe Comment:

Weir Component

Weir:	1	Bottom Clip	
Weir Count:	1	Default: 0.00 ft	
Weir Flow Direction:	Both	Op Table:	
Damping:	0.0000 ft	Ref Node:	
Weir Type:	Sharp Crested Vertical	Top Clip	
Geometry Type:	Rectangular	Default: 0.00 ft	
Invert:	12.00 ft	Op Table:	
Control Elevation:	12.00 ft	Ref Node:	
Max Depth:	1.00 ft	Discharge Coefficients	
Max Width:	1.25 ft	Weir Default: 3.200	
Fillet:	0.00 ft	Weir Table:	
		Orifice Default: 0.600	
		Orifice Table:	

Weir Comment:

Drop Structure Comment:

Drop Structure Link: MH to Wetland

		Upstream Pipe	Downstream Pipe
Scenario:	Zero	Invert: 8.85 ft	Invert: 9.29 ft
From Node:	Wetland Preserve	Manning's N: 0.0120	Manning's N: 0.0120
Tract:		Geometry: Circular	Geometry: Circular
To Node:	Existing Manhole	Max Depth: 3.00 ft	Max Depth: 3.00 ft

Link Count: 1	Bottom Clip	
Flow Direction: Both	Default: 0.00 ft	Default: 0.00 ft
Solution: Combine	Op Table:	Op Table:
Increments: 10	Ref Node:	Ref Node:
Pipe Count: 1	Manning's N: 0.0000	Manning's N: 0.0000
Damping: 0.0000 ft	Top Clip	
Length: 65.00 ft	Default: 0.00 ft	Default: 0.00 ft
FWHA Code: 0	Op Table:	Op Table:
Entr Loss Coef: 0.00	Ref Node:	Ref Node:
Exit Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Bend Loss Coef: 0.00		
Bend Location: 0.00 ft		
Energy Switch: Energy		
Pipe Comment:		

Weir Component	
Weir: 1	Bottom Clip
Weir Count: 1	Default: 0.00 ft
Weir Flow Direction: Both	Op Table:
Damping: 0.0000 ft	Ref Node:
Weir Type: Horizontal	Top Clip
Geometry Type: Rectangular	Default: 0.00 ft
Invert: 13.16 ft	Op Table:
Control Elevation: 13.16 ft	Ref Node:
Max Depth: 3.00 ft	Discharge Coefficients
Max Width: 4.00 ft	Weir Default: 3.200
Fillet: 0.00 ft	Weir Table:
	Orifice Default: 0.600
	Orifice Table:

Weir Comment:

Drop Structure Comment:

Pipe Link: MH4 - MH8	Upstream	Downstream
Scenario: Zero	Invert: 10.35 ft	Invert: 10.11 ft
From Node: MH 4	Manning's N: 0.0110	Manning's N: 0.0110
To Node: MH 8	Geometry: Circular	Geometry: Circular
Link Count: 1	Max Depth: 1.50 ft	Max Depth: 1.50 ft
Flow Direction: Both	Bottom Clip	
Damping: 0.0000 ft	Default: 0.00 ft	Default: 0.00 ft
Length: 505.00 ft	Op Table:	Op Table:
FWHA Code: 0	Ref Node:	Ref Node:
Entr Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Exit Loss Coef: 0.00	Top Clip	
Bend Loss Coef: 0.00	Default: 0.00 ft	Default: 0.00 ft
Bend Location: 0.00 ft	Op Table:	Op Table:
Energy Switch: Energy	Ref Node:	Ref Node:

Manning's N: 0.0000

Manning's N: 0.0000

Comment:

Pipe Link: Road to D16		Upstream	Downstream
Scenario:	Zero	Invert: 7.70 ft	Invert: 9.50 ft
From Node:	Proposed Road	Manning's N: 0.0110	Manning's N: 0.0110
To Node:	Dry Retention Area	Geometry: Circular	Geometry: Circular
Link Count:	1	Max Depth: 2.50 ft	Max Depth: 2.50 ft
Flow Direction:	Positive	Bottom Clip	
Damping:	0.0000 ft	Default: 0.00 ft	Default: 0.00 ft
Length:	21.00 ft	Op Table:	Op Table:
FHWA Code:	0	Ref Node:	Ref Node:
Entr Loss Coef:	0.00	Manning's N: 0.0000	Manning's N: 0.0000
Exit Loss Coef:	0.00	Top Clip	
Bend Loss Coef:	0.00	Default: 0.00 ft	Default: 0.00 ft
Bend Location:	0.00 ft	Op Table:	Op Table:
Energy Switch:	Energy	Ref Node:	Ref Node:
		Manning's N: 0.0000	Manning's N: 0.0000
Comment:			

Drop Structure Link: Wetland Outfall		Upstream Pipe	Downstream Pipe
Scenario:	Zero	Invert: 8.27 ft	Invert: 10.30 ft
From Node:	Wetland Preserve	Manning's N: 0.0110	Manning's N: 0.0011
	Tract	Geometry: Circular	Geometry: Circular
To Node:	MH 4	Max Depth: 2.50 ft	Max Depth: 2.50 ft
Link Count:	1	Bottom Clip	
Flow Direction:	Both	Default: 0.00 ft	Default: 0.00 ft
Solution:	Combine	Op Table:	Op Table:
Increments:	10	Ref Node:	Ref Node:
Pipe Count:	1	Manning's N: 0.0000	Manning's N: 0.0000
Damping:	0.0000 ft	Top Clip	
Length:	82.00 ft	Default: 0.00 ft	Default: 0.00 ft
FHWA Code:	0	Op Table:	Op Table:
Entr Loss Coef:	0.00	Ref Node:	Ref Node:
Exit Loss Coef:	0.00	Manning's N: 0.0000	Manning's N: 0.0000
Bend Loss Coef:	0.00		
Bend Location:	0.00 ft		
Energy Switch:	Energy		
Pipe Comment:			

Weir Component		Bottom Clip
Weir:	1	Default: 0.00 ft
Weir Count:	1	Op Table:
Weir Flow Direction:	Both	Ref Node:
Damping:	0.0000 ft	

Weir Type: Horizontal
Geometry Type: Rectangular
Invert: 13.02 ft
Control Elevation: 13.02 ft
Max Depth: 1.49 ft
Max Width: 2.75 ft
Fillet: 0.00 ft

Top Clip

Default: 0.00 ft

Op Table:

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Weir Component

Weir: 2
Weir Count: 1
Weir Flow Direction: Both
Damping: 0.0000 ft
Weir Type: Horizontal
Geometry Type: Rectangular
Invert: 14.82 ft
Control Elevation: 14.82 ft
Max Depth: 1.49 ft
Max Width: 2.75 ft
Fillet: 0.00 ft

Bottom Clip

Default: 0.00 ft

Op Table:

Ref Node:

Top Clip

Default: 0.00 ft

Op Table:

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Weir Component

Weir: 3
Weir Count: 1
Weir Flow Direction: Both
Damping: 0.0000 ft
Weir Type: Horizontal
Geometry Type: Rectangular
Invert: 14.42 ft
Control Elevation: 14.42 ft
Max Depth: 1.49 ft
Max Width: 2.75 ft
Fillet: 0.00 ft

Bottom Clip

Default: 0.00 ft

Op Table:

Ref Node:

Top Clip

Default: 0.00 ft

Op Table:

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Drop Structure Comment:

Simulation: 12 Days

Scenario: Recovery
 Run Date/Time: 12/2/2019 6:23:59 PM
 Program Version: ICPR4 4.05.02

General

Run Mode: Normal

	Year	Month	Day	Hour [hr]
Start Time:	0	0	0	0.0000
End Time:	0	0	0	288.0000

	Hydrology [sec]	Surface Hydraulics [sec]	Groundwater [sec]
Min Calculation Time:	60.0000	0.5000	900.0000
Max Calculation Time:		30.0000	

Output Time Increments

Hydrology

Year	Month	Day	Hour [hr]	Time Increment [min]
0	0	0	0.0000	15.0000

Surface Hydraulics

Year	Month	Day	Hour [hr]	Time Increment [min]
0	0	0	0.0000	15.0000

Groundwater

Year	Month	Day	Hour [hr]	Time Increment [min]
0	0	0	0.0000	360.0000

Restart File

Save Restart: False

Resources & Lookup Tables

Resources

Rainfall Folder:
 Reference ET Folder:
 Unit Hydrograph
 Folder:

Lookup Tables

Boundary Stage Set:
 Extern Hydrograph Set:
 Curve Number Set: Site

 Green-Ampt Set:
 Vertical Layers Set:
 Impervious Set: Impervious
 Roughness Set:
 Crop Coef Set:
 Fillable Porosity Set:

Conductivity Set:

Leakage Set:

Tolerances & Options

Time Marching: SAOR	IA Recovery Time: 24.0000 hr
Max Iterations: 6	ET for Manual Basins: False
Over-Relax Weight: 0.5 dec	
Fact:	
dZ Tolerance: 0.0050 ft	Smp/Man Basin Rain: No Rainfall
	Opt:
Max dZ: 1.0000 ft	OF Region Rain Opt: No Rainfall
Link Optimizer Tol: 0.0000 ft	
Edge Length Option: Automatic	
Dflt Damping (2D): 0.0000 ft	Dflt Damping (1D): 0.0000 ft
Min Node Srf Area: 100 ft2	Min Node Srf Area: 100 ft2
(2D):	(1D):
Energy Switch (2D): Energy	Energy Switch (1D): Energy

Comment:

Node: Dry Retention Area 1

Scenario: Recovery
 Type: Stage/Volume
 Base Flow: 0.00 cfs
 Initial Stage: 15.55 ft
 Warning Stage: 0.00 ft

Stage [ft]	Volume [ac-ft]	Volume [ft3]
13.00	0.00	0
13.50	0.50	21824
14.00	1.06	46043
14.50	1.67	72745
15.00	2.34	101887
15.50	3.06	133424
16.00	3.84	167445
16.50	4.65	202685
17.00	5.46	237925
17.50	6.27	273165
18.00	7.08	308361

Comment: This area is the combination of Dry Retention Area 1 and Lot 4 Future Dry Retention Area

Node: Dry Retention Area 2

Scenario: Recovery
 Type: Stage/Volume
 Base Flow: 0.00 cfs
 Initial Stage: 15.55 ft
 Warning Stage: 0.00 ft

Stage [ft]	Volume [ac-ft]	Volume [ft3]
13.00	0.00	0
13.50	0.06	2788
14.00	0.14	5924
14.50	0.22	9365
15.00	0.30	13112
15.50	0.40	17206
16.00	0.50	21649
16.50	0.60	26223
17.00	0.71	30840

Comment:

Node: Existing Lake

Scenario: Recovery
 Type: Stage/Volume
 Base Flow: 0.00 cfs
 Initial Stage: 15.52 ft
 Warning Stage: 0.00 ft

Stage [ft]	Volume [ac-ft]	Volume [ft3]
12.00	0.00	0
12.50	0.45	19776
13.00	0.93	40380
13.50	1.42	61812
14.00	1.93	84027
14.50	2.49	108595
15.00	3.14	136604
15.50	3.85	167706
16.00	4.60	200289
16.50	5.35	232915
17.00	6.10	265498
17.50	6.84	298125
18.00	7.59	330708

Comment:

Node: Existing Manhole

Scenario: Recovery
Type: Stage/Area
Base Flow: 0.00 cfs
Initial Stage: 9.29 ft
Warning Stage: 0.00 ft

Comment:

Node: GW

Scenario: Recovery
Type: Time/Stage
Base Flow: 0.00 cfs
Initial Stage: 12.00 ft
Warning Stage: 0.00 ft
Boundary Stage:

Comment:

Node: GW1

Scenario: Recovery
Type: Time/Stage
Base Flow: 0.00 cfs
Initial Stage: 12.00 ft
Warning Stage: 0.00 ft
Boundary Stage:

Comment:

Node: MH 4

Scenario: Recovery
Type: Stage/Area
Base Flow: 0.00 cfs
Initial Stage: 10.35 ft
Warning Stage: 0.00 ft

Comment:

Node: MH 8

Scenario: Recovery
 Type: Stage/Area
 Base Flow: 0.00 cfs
 Initial Stage: 10.11 ft
 Warning Stage: 0.00 ft

Comment:

Node: Outfall

Scenario: Recovery
 Type: Time/Stage
 Base Flow: 0.00 cfs
 Initial Stage: 0.00 ft
 Warning Stage: 0.00 ft
 Boundary Stage:

Year	Month	Day	Hour	Stage [ft]
0	0	0	0.0000	12.00
0	0	0	288.0000	12.00

Comment:

Node: Wetland Preserve Tract

Scenario: Recovery
 Type: Stage/Volume
 Base Flow: 0.00 cfs
 Initial Stage: 15.46 ft
 Warning Stage: 0.00 ft

Stage [ft]	Volume [ac-ft]	Volume [ft3]
12.00	0.00	0
12.50	0.52	22651
13.00	1.18	51488
13.50	1.99	86467
14.00	2.93	127631
14.50	3.98	173412
15.00	5.10	222287
15.50	6.30	274254
16.00	7.56	329270
16.50	8.89	387423
17.00	10.23	445532
17.50	11.56	503641
18.00	12.90	561793

Comment:

Drop Structure Link: CS2 - Existing Lake		Upstream Pipe	Downstream Pipe
Scenario:	Recovery	Invert: 10.00 ft	Invert: 8.00 ft
From Node:	Dry Retention Area 2	Manning's N: 0.0110	Manning's N: 0.0110
		Geometry: Circular	Geometry: Circular
To Node:	Existing Lake	Max Depth: 2.00 ft	Max Depth: 2.00 ft
Link Count:	1	Bottom Clip	
Flow Direction:	Both	Default: 0.00 ft	Default: 0.00 ft
Solution:	Combine	Op Table:	Op Table:
Increments:	10	Ref Node:	Ref Node:
Pipe Count:	1	Manning's N: 0.0000	Manning's N: 0.0000
Damping:	0.0000 ft	Top Clip	
Length:	80.00 ft	Default: 0.00 ft	Default: 0.00 ft
FHWA Code:	0	Op Table:	Op Table:
Entr Loss Coef:	0.00	Ref Node:	Ref Node:
Exit Loss Coef:	0.00	Manning's N: 0.0000	Manning's N: 0.0000
Bend Loss Coef:	0.00		
Bend Location:	0.00 ft		
Energy Switch:	Energy		

Pipe Comment:

Weir Component			
Weir:	1	Bottom Clip	
Weir Count:	1	Default:	0.00 ft
Weir Flow Direction:	Both	Op Table:	
Damping:	0.0000 ft	Ref Node:	
Weir Type:	Horizontal	Top Clip	
Geometry Type:	Rectangular	Default:	0.00 ft
Invert:	14.60 ft	Op Table:	
Control Elevation:	14.60 ft	Ref Node:	
Max Depth:	3.00 ft	Discharge Coefficients	
Max Width:	9.00 ft	Weir Default:	3.200
Fillet:	0.00 ft	Weir Table:	
		Orifice Default:	0.600
		Orifice Table:	

Weir Comment:

Weir Component			
Weir:	2	Bottom Clip	
Weir Count:	1	Default:	0.00 ft
Weir Flow Direction:	Both	Op Table:	
Damping:	0.0000 ft	Ref Node:	
Weir Type:	Sharp Crested Vertical	Top Clip	
Geometry Type:	Circular	Default:	0.00 ft
Invert:	13.50 ft	Op Table:	

Control Elevation: 13.50 ft
Max Depth: 0.25 ft

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Weir Component

Weir: 3

Weir Count: 1

Weir Flow Direction: Both

Damping: 0.0000 ft

Weir Type: Sharp Crested Vertical

Geometry Type: Rectangular

Invert: 14.10 ft

Control Elevation: 14.10 ft

Max Depth: 0.50 ft

Max Width: 3.00 ft

Fillet: 0.00 ft

Bottom Clip

Default: 0.00 ft

Op Table:

Ref Node:

Top Clip

Default: 0.00 ft

Op Table:

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:

Orifice Default: 0.600

Orifice Table:

Weir Comment:

Drop Structure Comment:

Drop Structure Link: Dry Pretreatment
Area 1 to Lake

Scenario: Recovery

From Node: Dry Retention Area

1

To Node: Existing Lake

Link Count: 1

Flow Direction: Both

Solution: Combine

Increments: 10

Pipe Count: 1

Damping: 0.0000 ft

Length: 47.00 ft

FHWA Code: 0

Entr Loss Coef: 0.00

Exit Loss Coef: 0.00

Bend Loss Coef: 0.00

Bend Location: 0.00 ft

Energy Switch: Energy

Upstream Pipe

Invert: 9.00 ft

Manning's N: 0.0120

Geometry: Circular

Max Depth: 3.00 ft

Downstream Pipe

Invert: 7.00 ft

Manning's N: 0.0120

Geometry: Circular

Max Depth: 3.00 ft

Bottom Clip

Default: 0.00 ft

Op Table:

Ref Node:

Manning's N: 0.0000

Default: 0.00 ft

Op Table:

Ref Node:

Manning's N: 0.0000

Top Clip

Default: 0.00 ft

Op Table:

Ref Node:

Manning's N: 0.0000

Default: 0.00 ft

Op Table:

Ref Node:

Manning's N: 0.0000

Pipe Comment:

Weir Component	
Weir: 1	Bottom Clip
Weir Count: 1	Default: 0.00 ft
Weir Flow Direction: Both	Op Table:
Damping: 0.0000 ft	Ref Node:
Weir Type: Horizontal	Top Clip
Geometry Type: Rectangular	Default: 0.00 ft
Invert: 14.60 ft	Op Table:
Control Elevation: 14.60 ft	Ref Node:
Max Depth: 3.00 ft	Discharge Coefficients
Max Width: 9.00 ft	Weir Default: 3.200
Fillet: 0.00 ft	Weir Table:
	Orifice Default: 0.600
	Orifice Table:

Weir Comment:

Weir Component	
Weir: 2	Bottom Clip
Weir Count: 1	Default: 0.00 ft
Weir Flow Direction: Both	Op Table:
Damping: 0.0000 ft	Ref Node:
Weir Type: Sharp Crested Vertical	Top Clip
Geometry Type: Circular	Default: 0.00 ft
Invert: 13.40 ft	Op Table:
Control Elevation: 13.40 ft	Ref Node:
Max Depth: 0.25 ft	Discharge Coefficients
	Weir Default: 3.200
	Weir Table:
	Orifice Default: 0.600
	Orifice Table:

Weir Comment:

Weir Component	
Weir: 3	Bottom Clip
Weir Count: 1	Default: 0.00 ft
Weir Flow Direction: Both	Op Table:
Damping: 0.0000 ft	Ref Node:
Weir Type: Sharp Crested Vertical	Top Clip
Geometry Type: Rectangular	Default: 0.00 ft
Invert: 14.25 ft	Op Table:
Control Elevation: 14.25 ft	Ref Node:
Max Depth: 0.50 ft	Discharge Coefficients
Max Width: 3.00 ft	Weir Default: 3.200
Fillet: 0.00 ft	Weir Table:
	Orifice Default: 0.600
	Orifice Table:

Weir Comment:

Drop Structure Comment:

Percolation Link: Dry Retention Area 1

Scenario:	Recovery	Surface Area Option:	Vary Based on Stage/Area Table
From Node:	Dry Retention Area 1	Vertical Flow Termination:	Horizontal Flow Algorithm
To Node:	GW	Perimeter 1:	1222.00 ft
Link Count:	1	Perimeter 2:	1395.00 ft
Flow Direction:	Both	Perimeter 3:	1541.00 ft
Aquifer Base Elevation:	0.00 ft	Distance P1 to P2:	50.00 ft
Water Table Elevation:	12.00 ft	Distance P2 to P3:	50.00 ft
Annual Recharge Rate:	0 ipy	# of Cells P1 to P2:	4
Horizontal Conductivity:	19.000 fpd	# of Cells P2 to P3:	4
Vertical Conductivity:	12.670 fpd		
Fillable Porosity:	0.250		
Layer Thickness:	0.00 ft		

Comment:

Percolation Link: Dry Retention Area 2

Scenario:	Recovery	Surface Area Option:	Vary Based on Stage/Area Table
From Node:	Dry Retention Area 2	Vertical Flow Termination:	Horizontal Flow Algorithm
To Node:	GW1	Perimeter 1:	264.49 ft
Link Count:	1	Perimeter 2:	350.66 ft
Flow Direction:	Both	Perimeter 3:	648.67 ft
Aquifer Base Elevation:	0.00 ft	Distance P1 to P2:	25.00 ft
Water Table Elevation:	12.00 ft	Distance P2 to P3:	25.00 ft
Annual Recharge Rate:	0 ipy	# of Cells P1 to P2:	4
Horizontal Conductivity:	19.000 fpd	# of Cells P2 to P3:	4
Vertical Conductivity:	12.670 fpd		
Fillable Porosity:	0.250		
Layer Thickness:	0.00 ft		

Comment:

Drop Structure Link: Lake to MH

		Upstream Pipe	Downstream Pipe
Scenario:	Recovery	Invert: 10.50 ft	Invert: 9.68 ft
From Node:	Existing Lake	Manning's N: 0.0120	Manning's N: 0.0120
To Node:	Existing Manhole	Geometry: Circular	Geometry: Circular
Link Count:	1	Max Depth: 2.00 ft	Max Depth: 2.00 ft
Flow Direction:	Both	Bottom Clip	
Solution:	Combine	Default: 0.00 ft	Default: 0.00 ft
Increments:	10	Op Table:	Op Table:
Pipe Count:	1	Ref Node:	Ref Node:
Damping:	0.0000 ft	Manning's N: 0.0000	Manning's N: 0.0000
Length:	55.00 ft	Top Clip	
FHWA Code:	0	Default: 0.00 ft	Default: 0.00 ft
Entr Loss Coef:	0.00	Op Table:	Op Table:
Exit Loss Coef:	0.00	Ref Node:	Ref Node:
Bend Loss Coef:	0.00	Manning's N: 0.0000	Manning's N: 0.0000

Bend Location: 0.00 ft

Energy Switch: Energy

Pipe Comment:

Weir Component

Weir: 1
 Weir Count: 1
 Weir Flow Direction: Both
 Damping: 0.0000 ft
 Weir Type: Horizontal
 Geometry Type: Rectangular
 Invert: 14.43 ft
 Control Elevation: 14.43 ft
 Max Depth: 3.00 ft
 Max Width: 4.00 ft
 Fillet: 0.00 ft

Bottom Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Top Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Discharge Coefficients

Weir Default: 3.200
 Weir Table:
 Orifice Default: 0.600
 Orifice Table:

Weir Comment:

Weir Component

Weir: 2
 Weir Count: 1
 Weir Flow Direction: Both
 Damping: 0.0000 ft
 Weir Type: Sharp Crested Vertical
 Geometry Type: Circular
 Invert: 13.26 ft
 Control Elevation: 13.26 ft
 Max Depth: 0.33 ft

Bottom Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Top Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Discharge Coefficients

Weir Default: 3.200
 Weir Table:
 Orifice Default: 0.600
 Orifice Table:

Weir Comment:

Drop Structure Comment:

Drop Structure Link: MH 8 CS**Upstream Pipe****Downstream Pipe**

Scenario: Recovery
 From Node: MH 8
 To Node: Outfall
 Link Count: 1
 Flow Direction: Both
 Solution: Combine
 Increments: 10
 Pipe Count: 1

Invert: 12.19 ft

Manning's N: 0.0110

Geometry: Circular

Max Depth: 2.00 ft

Default: 0.00 ft

Op Table:

Ref Node:

Invert: 11.68 ft

Manning's N: 0.0110

Geometry: Circular

Max Depth: 2.00 ft

Default: 0.00 ft

Op Table:

Ref Node:

Bottom Clip

Damping: 0.0000 ft	Manning's N: 0.0000	Manning's N: 0.0000
Length: 22.00 ft	Top Clip	
FHWA Code: 0	Default: 0.00 ft	Default: 0.00 ft
Entr Loss Coef: 0.00	Op Table:	Op Table:
Exit Loss Coef: 0.00	Ref Node:	Ref Node:
Bend Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Bend Location: 0.00 ft		
Energy Switch: Energy		

Pipe Comment:

Weir Component		Bottom Clip
Weir: 1		
Weir Count: 1		Default: 0.00 ft
Weir Flow Direction: Both		Op Table:
Damping: 0.0000 ft		Ref Node:
Weir Type: Sharp Crested Vertical	Top Clip	
Geometry Type: Rectangular		Default: 0.00 ft
Invert: 12.00 ft		Op Table:
Control Elevation: 12.00 ft		Ref Node:
Max Depth: 1.00 ft	Discharge Coefficients	
Max Width: 1.25 ft		Weir Default: 3.200
Fillet: 0.00 ft		Weir Table:
		Orifice Default: 0.600
		Orifice Table:

Weir Comment:

Drop Structure Comment:

Drop Structure Link: MH to Wetland		Upstream Pipe	Downstream Pipe
Scenario: Recovery		Invert: 8.85 ft	Invert: 9.29 ft
From Node: Wetland Preserve		Manning's N: 0.0120	Manning's N: 0.0120
Tract		Geometry: Circular	Geometry: Circular
To Node: Existing Manhole		Max Depth: 3.00 ft	Max Depth: 3.00 ft
Link Count: 1		Bottom Clip	
Flow Direction: Both		Default: 0.00 ft	Default: 0.00 ft
Solution: Combine		Op Table:	Op Table:
Increments: 10		Ref Node:	Ref Node:
Pipe Count: 1		Manning's N: 0.0000	Manning's N: 0.0000
Damping: 0.0000 ft		Top Clip	
Length: 65.00 ft		Default: 0.00 ft	Default: 0.00 ft
FHWA Code: 0		Op Table:	Op Table:
Entr Loss Coef: 0.00		Ref Node:	Ref Node:
Exit Loss Coef: 0.00		Manning's N: 0.0000	Manning's N: 0.0000
Bend Loss Coef: 0.00			
Bend Location: 0.00 ft			
Energy Switch: Energy			

Pipe Comment:

Weir Component	
Weir: 1	Bottom Clip
Weir Count: 1	Default: 0.00 ft
Weir Flow Direction: Both	Op Table:
Damping: 0.0000 ft	Ref Node:
Weir Type: Horizontal	Top Clip
Geometry Type: Rectangular	Default: 0.00 ft
Invert: 13.16 ft	Op Table:
Control Elevation: 13.16 ft	Ref Node:
Max Depth: 3.00 ft	Discharge Coefficients
Max Width: 4.00 ft	Weir Default: 3.200
Fillet: 0.00 ft	Weir Table:
	Orifice Default: 0.600
	Orifice Table:

Weir Comment:

Drop Structure Comment:

Pipe Link: MH4 - MH8	Upstream	Downstream
Scenario: Recovery	Invert: 10.35 ft	Invert: 10.11 ft
From Node: MH 4	Manning's N: 0.0110	Manning's N: 0.0110
To Node: MH 8	Geometry: Circular	Geometry: Circular
Link Count: 1	Max Depth: 1.50 ft	Max Depth: 1.50 ft
Flow Direction: Both	Bottom Clip	
Damping: 0.0000 ft	Default: 0.00 ft	Default: 0.00 ft
Length: 505.00 ft	Op Table:	Op Table:
FHWA Code: 0	Ref Node:	Ref Node:
Entr Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Exit Loss Coef: 0.00	Top Clip	
Bend Loss Coef: 0.00	Default: 0.00 ft	Default: 0.00 ft
Bend Location: 0.00 ft	Op Table:	Op Table:
Energy Switch: Energy	Ref Node:	Ref Node:
	Manning's N: 0.0000	Manning's N: 0.0000

Comment:

Drop Structure Link: Wetland Outfall	Upstream Pipe	Downstream Pipe
Scenario: Recovery	Invert: 8.27 ft	Invert: 10.30 ft
From Node: Wetland Preserve Tract	Manning's N: 0.0110	Manning's N: 0.0011
To Node: MH 4	Geometry: Circular	Geometry: Circular
Link Count: 1	Max Depth: 2.50 ft	Max Depth: 2.50 ft
Flow Direction: Both	Bottom Clip	
Solution: Combine	Default: 0.00 ft	Default: 0.00 ft
Increments: 10	Op Table:	Op Table:
	Ref Node:	Ref Node:

Pipe Count: 1	Manning's N: 0.0000	Manning's N: 0.0000
Damping: 0.0000 ft	Top Clip	
Length: 82.00 ft	Default: 0.00 ft	Default: 0.00 ft
FHWA Code: 0	Op Table:	Op Table:
Entr Loss Coef: 0.00	Ref Node:	Ref Node:
Exit Loss Coef: 0.00	Manning's N: 0.0000	Manning's N: 0.0000
Bend Loss Coef: 0.00		
Bend Location: 0.00 ft		
Energy Switch: Energy		

Pipe Comment:

Weir Component

Weir: 1
 Weir Count: 1
 Weir Flow Direction: Both
 Damping: 0.0000 ft
 Weir Type: Horizontal
 Geometry Type: Rectangular
 Invert: 13.02 ft
 Control Elevation: 13.02 ft
 Max Depth: 1.49 ft
 Max Width: 2.75 ft
 Fillet: 0.00 ft

Bottom Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Top Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Discharge Coefficients

Weir Default: 3.200
 Weir Table:
 Orifice Default: 0.600
 Orifice Table:

Weir Comment:

Weir Component

Weir: 2
 Weir Count: 1
 Weir Flow Direction: Both
 Damping: 0.0000 ft
 Weir Type: Horizontal
 Geometry Type: Rectangular
 Invert: 14.82 ft
 Control Elevation: 14.82 ft
 Max Depth: 1.49 ft
 Max Width: 2.75 ft
 Fillet: 0.00 ft

Bottom Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Top Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Discharge Coefficients

Weir Default: 3.200
 Weir Table:
 Orifice Default: 0.600
 Orifice Table:

Weir Comment:

Weir Component

Weir: 3
 Weir Count: 1
 Weir Flow Direction: Both
 Damping: 0.0000 ft
 Weir Type: Horizontal
 Geometry Type: Rectangular

Bottom Clip

Default: 0.00 ft
 Op Table:
 Ref Node:

Top Clip

Default: 0.00 ft

Invert: 14.42 ft
Control Elevation: 14.42 ft
Max Depth: 1.49 ft
Max Width: 2.75 ft
Fillet: 0.00 ft

Op Table:

Ref Node:

Discharge Coefficients

Weir Default: 3.200

Weir Table:


Orifice Default: 0.600

Orifice Table:


Weir Comment:

Drop Structure Comment:

Perc Link: Dry Retention Area 1 (Sim: 12 Days) [Dry Retention Area 1]



Perc Link: Dry Retention Area 2 (Sim: 12 Days) [Dry Retention Area 2]



Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	0.0001	15.55
Recovery	12 Days	Dry Retention Area 1	0.2503	15.48
Recovery	12 Days	Dry Retention Area 1	0.5002	15.44
Recovery	12 Days	Dry Retention Area 1	0.7500	15.41
Recovery	12 Days	Dry Retention Area 1	1.0002	15.38
Recovery	12 Days	Dry Retention Area 1	1.2501	15.35
Recovery	12 Days	Dry Retention Area 1	1.5002	15.33
Recovery	12 Days	Dry Retention Area 1	1.7507	15.30
Recovery	12 Days	Dry Retention Area 1	2.0000	15.27
Recovery	12 Days	Dry Retention Area 1	2.2501	15.25
Recovery	12 Days	Dry Retention Area 1	2.5000	15.22
Recovery	12 Days	Dry Retention Area 1	2.7500	15.20
Recovery	12 Days	Dry Retention Area 1	3.0002	15.17
Recovery	12 Days	Dry Retention Area 1	3.2503	15.15
Recovery	12 Days	Dry Retention Area 1	3.5004	15.12
Recovery	12 Days	Dry Retention Area 1	3.7502	15.10
Recovery	12 Days	Dry Retention Area 1	4.0002	15.07
Recovery	12 Days	Dry Retention Area 1	4.2501	15.05
Recovery	12 Days	Dry Retention Area 1	4.5002	15.02
Recovery	12 Days	Dry Retention Area 1	4.7502	15.00
Recovery	12 Days	Dry Retention Area 1	5.0002	14.97
Recovery	12 Days	Dry Retention Area 1	5.2506	14.95
Recovery	12 Days	Dry Retention Area 1	5.5005	14.93
Recovery	12 Days	Dry Retention Area 1	5.7501	14.90
Recovery	12 Days	Dry Retention Area 1	6.0009	14.88
Recovery	12 Days	Dry Retention Area 1	6.2508	14.86
Recovery	12 Days	Dry Retention Area 1	6.5007	14.83
Recovery	12 Days	Dry Retention Area 1	6.7502	14.81
Recovery	12 Days	Dry Retention Area 1	7.0001	14.79
Recovery	12 Days	Dry Retention Area 1	7.2509	14.76
Recovery	12 Days	Dry Retention Area 1	7.5000	14.74
Recovery	12 Days	Dry Retention Area 1	7.7503	14.72
Recovery	12 Days	Dry Retention Area 1	8.0008	14.70
Recovery	12 Days	Dry Retention Area 1	8.2503	14.68
Recovery	12 Days	Dry Retention Area 1	8.5001	14.66
Recovery	12 Days	Dry Retention Area 1	8.7505	14.64
Recovery	12 Days	Dry Retention Area 1	9.0002	14.62
Recovery	12 Days	Dry Retention Area 1	9.2505	14.61
Recovery	12 Days	Dry Retention Area 1	9.5004	14.59
Recovery	12 Days	Dry Retention Area 1	9.7503	14.58
Recovery	12 Days	Dry Retention Area 1	10.0003	14.56
Recovery	12 Days	Dry Retention Area 1	10.2501	14.55
Recovery	12 Days	Dry Retention Area 1	10.5002	14.54
Recovery	12 Days	Dry Retention Area 1	10.7501	14.52
Recovery	12 Days	Dry Retention Area 1	11.0004	14.51
Recovery	12 Days	Dry Retention Area 1	11.2506	14.50
Recovery	12 Days	Dry Retention Area 1	11.5001	14.49
Recovery	12 Days	Dry Retention Area 1	11.7501	14.49

← Peak stage during design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	12.0000	14.48
Recovery	12 Days	Dry Retention Area 1	12.2501	14.47
Recovery	12 Days	Dry Retention Area 1	12.5003	14.47
Recovery	12 Days	Dry Retention Area 1	12.7503	14.46
Recovery	12 Days	Dry Retention Area 1	13.0003	14.45
Recovery	12 Days	Dry Retention Area 1	13.2501	14.45
Recovery	12 Days	Dry Retention Area 1	13.5002	14.44
Recovery	12 Days	Dry Retention Area 1	13.7503	14.44
Recovery	12 Days	Dry Retention Area 1	14.0001	14.44
Recovery	12 Days	Dry Retention Area 1	14.2502	14.43
Recovery	12 Days	Dry Retention Area 1	14.5003	14.43
Recovery	12 Days	Dry Retention Area 1	14.7504	14.42
Recovery	12 Days	Dry Retention Area 1	15.0000	14.42
Recovery	12 Days	Dry Retention Area 1	15.2503	14.41
Recovery	12 Days	Dry Retention Area 1	15.5001	14.41
Recovery	12 Days	Dry Retention Area 1	15.7500	14.40
Recovery	12 Days	Dry Retention Area 1	16.0003	14.40
Recovery	12 Days	Dry Retention Area 1	16.2500	14.40
Recovery	12 Days	Dry Retention Area 1	16.5002	14.39
Recovery	12 Days	Dry Retention Area 1	16.7503	14.39
Recovery	12 Days	Dry Retention Area 1	17.0007	14.38
Recovery	12 Days	Dry Retention Area 1	17.2504	14.38
Recovery	12 Days	Dry Retention Area 1	17.5003	14.37
Recovery	12 Days	Dry Retention Area 1	17.7501	14.37
Recovery	12 Days	Dry Retention Area 1	18.0006	14.36
Recovery	12 Days	Dry Retention Area 1	18.2512	14.36
Recovery	12 Days	Dry Retention Area 1	18.5031	14.35
Recovery	12 Days	Dry Retention Area 1	18.7505	14.35
Recovery	12 Days	Dry Retention Area 1	19.0016	14.35
Recovery	12 Days	Dry Retention Area 1	19.2550	14.34
Recovery	12 Days	Dry Retention Area 1	19.5081	14.34
Recovery	12 Days	Dry Retention Area 1	19.7581	14.33
Recovery	12 Days	Dry Retention Area 1	20.0081	14.33
Recovery	12 Days	Dry Retention Area 1	20.2581	14.32
Recovery	12 Days	Dry Retention Area 1	20.5081	14.32
Recovery	12 Days	Dry Retention Area 1	20.7581	14.31
Recovery	12 Days	Dry Retention Area 1	21.0072	14.31
Recovery	12 Days	Dry Retention Area 1	21.2521	14.31
Recovery	12 Days	Dry Retention Area 1	21.5037	14.30
Recovery	12 Days	Dry Retention Area 1	21.7508	14.30
Recovery	12 Days	Dry Retention Area 1	22.0016	14.29
Recovery	12 Days	Dry Retention Area 1	22.2522	14.29
Recovery	12 Days	Dry Retention Area 1	22.5005	14.29
Recovery	12 Days	Dry Retention Area 1	22.7515	14.28
Recovery	12 Days	Dry Retention Area 1	23.0002	14.28
Recovery	12 Days	Dry Retention Area 1	23.2508	14.28
Recovery	12 Days	Dry Retention Area 1	23.5026	14.27
Recovery	12 Days	Dry Retention Area 1	23.7509	14.27

← Approximate 50% recovery approximately 0.9 days after end of design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	24.0022	14.27
Recovery	12 Days	Dry Retention Area 1	24.2539	14.26
Recovery	12 Days	Dry Retention Area 1	24.5015	14.26
Recovery	12 Days	Dry Retention Area 1	24.7524	14.26
Recovery	12 Days	Dry Retention Area 1	25.0018	14.25
Recovery	12 Days	Dry Retention Area 1	25.2503	14.25
Recovery	12 Days	Dry Retention Area 1	25.5010	14.25
Recovery	12 Days	Dry Retention Area 1	25.7509	14.25
Recovery	12 Days	Dry Retention Area 1	26.0027	14.24
Recovery	12 Days	Dry Retention Area 1	26.2511	14.24
Recovery	12 Days	Dry Retention Area 1	26.5027	14.24
Recovery	12 Days	Dry Retention Area 1	26.7509	14.23
Recovery	12 Days	Dry Retention Area 1	27.0008	14.23
Recovery	12 Days	Dry Retention Area 1	27.2500	14.23
Recovery	12 Days	Dry Retention Area 1	27.5005	14.23
Recovery	12 Days	Dry Retention Area 1	27.7513	14.22
Recovery	12 Days	Dry Retention Area 1	28.0001	14.22
Recovery	12 Days	Dry Retention Area 1	28.2526	14.22
Recovery	12 Days	Dry Retention Area 1	28.5003	14.21
Recovery	12 Days	Dry Retention Area 1	28.7503	14.21
Recovery	12 Days	Dry Retention Area 1	29.0007	14.21
Recovery	12 Days	Dry Retention Area 1	29.2521	14.20
Recovery	12 Days	Dry Retention Area 1	29.5001	14.20
Recovery	12 Days	Dry Retention Area 1	29.7507	14.20
Recovery	12 Days	Dry Retention Area 1	30.0002	14.20
Recovery	12 Days	Dry Retention Area 1	30.2504	14.19
Recovery	12 Days	Dry Retention Area 1	30.5022	14.19
Recovery	12 Days	Dry Retention Area 1	30.7509	14.19
Recovery	12 Days	Dry Retention Area 1	31.0008	14.18
Recovery	12 Days	Dry Retention Area 1	31.2524	14.18
Recovery	12 Days	Dry Retention Area 1	31.5013	14.18
Recovery	12 Days	Dry Retention Area 1	31.7512	14.17
Recovery	12 Days	Dry Retention Area 1	32.0003	14.17
Recovery	12 Days	Dry Retention Area 1	32.2508	14.17
Recovery	12 Days	Dry Retention Area 1	32.5020	14.17
Recovery	12 Days	Dry Retention Area 1	32.7514	14.16
Recovery	12 Days	Dry Retention Area 1	33.0012	14.16
Recovery	12 Days	Dry Retention Area 1	33.2512	14.16
Recovery	12 Days	Dry Retention Area 1	33.5002	14.15
Recovery	12 Days	Dry Retention Area 1	33.7519	14.15
Recovery	12 Days	Dry Retention Area 1	34.0022	14.15
Recovery	12 Days	Dry Retention Area 1	34.2513	14.14
Recovery	12 Days	Dry Retention Area 1	34.5011	14.14
Recovery	12 Days	Dry Retention Area 1	34.7501	14.14
Recovery	12 Days	Dry Retention Area 1	35.0022	14.14
Recovery	12 Days	Dry Retention Area 1	35.2518	14.13
Recovery	12 Days	Dry Retention Area 1	35.5001	14.13
Recovery	12 Days	Dry Retention Area 1	35.7511	14.13

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	36.0001	14.12
Recovery	12 Days	Dry Retention Area 1	36.2514	14.12
Recovery	12 Days	Dry Retention Area 1	36.5011	14.12
Recovery	12 Days	Dry Retention Area 1	36.7507	14.11
Recovery	12 Days	Dry Retention Area 1	37.0009	14.11
Recovery	12 Days	Dry Retention Area 1	37.2505	14.11
Recovery	12 Days	Dry Retention Area 1	37.5008	14.10
Recovery	12 Days	Dry Retention Area 1	37.7503	14.10
Recovery	12 Days	Dry Retention Area 1	38.0003	14.10
Recovery	12 Days	Dry Retention Area 1	38.2516	14.10
Recovery	12 Days	Dry Retention Area 1	38.5008	14.09
Recovery	12 Days	Dry Retention Area 1	38.7505	14.09
Recovery	12 Days	Dry Retention Area 1	39.0006	14.09
Recovery	12 Days	Dry Retention Area 1	39.2500	14.08
Recovery	12 Days	Dry Retention Area 1	39.5006	14.08
Recovery	12 Days	Dry Retention Area 1	39.7504	14.08
Recovery	12 Days	Dry Retention Area 1	40.0008	14.07
Recovery	12 Days	Dry Retention Area 1	40.2511	14.07
Recovery	12 Days	Dry Retention Area 1	40.5007	14.07
Recovery	12 Days	Dry Retention Area 1	40.7510	14.07
Recovery	12 Days	Dry Retention Area 1	41.0002	14.06
Recovery	12 Days	Dry Retention Area 1	41.2503	14.06
Recovery	12 Days	Dry Retention Area 1	41.5000	14.06
Recovery	12 Days	Dry Retention Area 1	41.7509	14.05
Recovery	12 Days	Dry Retention Area 1	42.0002	14.05
Recovery	12 Days	Dry Retention Area 1	42.2503	14.05
Recovery	12 Days	Dry Retention Area 1	42.5020	14.04
Recovery	12 Days	Dry Retention Area 1	42.7501	14.04
Recovery	12 Days	Dry Retention Area 1	43.0005	14.04
Recovery	12 Days	Dry Retention Area 1	43.2510	14.04
Recovery	12 Days	Dry Retention Area 1	43.5003	14.03
Recovery	12 Days	Dry Retention Area 1	43.7510	14.03
Recovery	12 Days	Dry Retention Area 1	44.0002	14.03
Recovery	12 Days	Dry Retention Area 1	44.2509	14.02
Recovery	12 Days	Dry Retention Area 1	44.5003	14.02
Recovery	12 Days	Dry Retention Area 1	44.7508	14.02
Recovery	12 Days	Dry Retention Area 1	45.0012	14.01
Recovery	12 Days	Dry Retention Area 1	45.2501	14.01
Recovery	12 Days	Dry Retention Area 1	45.5009	14.01
Recovery	12 Days	Dry Retention Area 1	45.7507	14.01
Recovery	12 Days	Dry Retention Area 1	46.0010	14.00
Recovery	12 Days	Dry Retention Area 1	46.2503	14.00
Recovery	12 Days	Dry Retention Area 1	46.5007	14.00
Recovery	12 Days	Dry Retention Area 1	46.7506	13.99
Recovery	12 Days	Dry Retention Area 1	47.0003	13.99
Recovery	12 Days	Dry Retention Area 1	47.2505	13.99
Recovery	12 Days	Dry Retention Area 1	47.5005	13.98
Recovery	12 Days	Dry Retention Area 1	47.7504	13.98

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	48.0005	13.98
Recovery	12 Days	Dry Retention Area 1	48.2501	13.98
Recovery	12 Days	Dry Retention Area 1	48.5009	13.97
Recovery	12 Days	Dry Retention Area 1	48.7501	13.97
Recovery	12 Days	Dry Retention Area 1	49.0005	13.97
Recovery	12 Days	Dry Retention Area 1	49.2502	13.96
Recovery	12 Days	Dry Retention Area 1	49.5000	13.96
Recovery	12 Days	Dry Retention Area 1	49.7501	13.96
Recovery	12 Days	Dry Retention Area 1	50.0013	13.96
Recovery	12 Days	Dry Retention Area 1	50.2510	13.95
Recovery	12 Days	Dry Retention Area 1	50.5005	13.95
Recovery	12 Days	Dry Retention Area 1	50.7511	13.95
Recovery	12 Days	Dry Retention Area 1	51.0008	13.94
Recovery	12 Days	Dry Retention Area 1	51.2502	13.94
Recovery	12 Days	Dry Retention Area 1	51.5005	13.94
Recovery	12 Days	Dry Retention Area 1	51.7512	13.94
Recovery	12 Days	Dry Retention Area 1	52.0006	13.93
Recovery	12 Days	Dry Retention Area 1	52.2502	13.93
Recovery	12 Days	Dry Retention Area 1	52.5001	13.93
Recovery	12 Days	Dry Retention Area 1	52.7504	13.92
Recovery	12 Days	Dry Retention Area 1	53.0003	13.92
Recovery	12 Days	Dry Retention Area 1	53.2505	13.92
Recovery	12 Days	Dry Retention Area 1	53.5005	13.92
Recovery	12 Days	Dry Retention Area 1	53.7503	13.91
Recovery	12 Days	Dry Retention Area 1	54.0010	13.91
Recovery	12 Days	Dry Retention Area 1	54.2500	13.91
Recovery	12 Days	Dry Retention Area 1	54.5001	13.90
Recovery	12 Days	Dry Retention Area 1	54.7502	13.90
Recovery	12 Days	Dry Retention Area 1	55.0001	13.90
Recovery	12 Days	Dry Retention Area 1	55.2505	13.90
Recovery	12 Days	Dry Retention Area 1	55.5007	13.89
Recovery	12 Days	Dry Retention Area 1	55.7506	13.89
Recovery	12 Days	Dry Retention Area 1	56.0004	13.89
Recovery	12 Days	Dry Retention Area 1	56.2513	13.88
Recovery	12 Days	Dry Retention Area 1	56.5008	13.88
Recovery	12 Days	Dry Retention Area 1	56.7505	13.88
Recovery	12 Days	Dry Retention Area 1	57.0002	13.88
Recovery	12 Days	Dry Retention Area 1	57.2508	13.87
Recovery	12 Days	Dry Retention Area 1	57.5002	13.87
Recovery	12 Days	Dry Retention Area 1	57.7502	13.87
Recovery	12 Days	Dry Retention Area 1	58.0008	13.86
Recovery	12 Days	Dry Retention Area 1	58.2506	13.86
Recovery	12 Days	Dry Retention Area 1	58.5006	13.86
Recovery	12 Days	Dry Retention Area 1	58.7503	13.86
Recovery	12 Days	Dry Retention Area 1	59.0007	13.85
Recovery	12 Days	Dry Retention Area 1	59.2502	13.85
Recovery	12 Days	Dry Retention Area 1	59.5005	13.85
Recovery	12 Days	Dry Retention Area 1	59.7504	13.85

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	60.0008	13.84
Recovery	12 Days	Dry Retention Area 1	60.2507	13.84
Recovery	12 Days	Dry Retention Area 1	60.5002	13.84
Recovery	12 Days	Dry Retention Area 1	60.7501	13.83
Recovery	12 Days	Dry Retention Area 1	61.0006	13.83
Recovery	12 Days	Dry Retention Area 1	61.2500	13.83
Recovery	12 Days	Dry Retention Area 1	61.5008	13.83
Recovery	12 Days	Dry Retention Area 1	61.7502	13.82
Recovery	12 Days	Dry Retention Area 1	62.0006	13.82
Recovery	12 Days	Dry Retention Area 1	62.2504	13.82
Recovery	12 Days	Dry Retention Area 1	62.5007	13.82
Recovery	12 Days	Dry Retention Area 1	62.7500	13.81
Recovery	12 Days	Dry Retention Area 1	63.0005	13.81
Recovery	12 Days	Dry Retention Area 1	63.2500	13.81
Recovery	12 Days	Dry Retention Area 1	63.5004	13.80
Recovery	12 Days	Dry Retention Area 1	63.7500	13.80
Recovery	12 Days	Dry Retention Area 1	64.0001	13.80
Recovery	12 Days	Dry Retention Area 1	64.2502	13.80
Recovery	12 Days	Dry Retention Area 1	64.5003	13.79
Recovery	12 Days	Dry Retention Area 1	64.7501	13.79
Recovery	12 Days	Dry Retention Area 1	65.0008	13.79
Recovery	12 Days	Dry Retention Area 1	65.2510	13.79
Recovery	12 Days	Dry Retention Area 1	65.5004	13.78
Recovery	12 Days	Dry Retention Area 1	65.7501	13.78
Recovery	12 Days	Dry Retention Area 1	66.0006	13.78
Recovery	12 Days	Dry Retention Area 1	66.2503	13.78
Recovery	12 Days	Dry Retention Area 1	66.5001	13.77
Recovery	12 Days	Dry Retention Area 1	66.7505	13.77
Recovery	12 Days	Dry Retention Area 1	67.0002	13.77
Recovery	12 Days	Dry Retention Area 1	67.2507	13.77
Recovery	12 Days	Dry Retention Area 1	67.5001	13.76
Recovery	12 Days	Dry Retention Area 1	67.7506	13.76
Recovery	12 Days	Dry Retention Area 1	68.0005	13.76
Recovery	12 Days	Dry Retention Area 1	68.2503	13.76
Recovery	12 Days	Dry Retention Area 1	68.5005	13.75
Recovery	12 Days	Dry Retention Area 1	68.7502	13.75
Recovery	12 Days	Dry Retention Area 1	69.0003	13.75
Recovery	12 Days	Dry Retention Area 1	69.2503	13.75
Recovery	12 Days	Dry Retention Area 1	69.5006	13.74
Recovery	12 Days	Dry Retention Area 1	69.7501	13.74
Recovery	12 Days	Dry Retention Area 1	70.0002	13.74
Recovery	12 Days	Dry Retention Area 1	70.2501	13.74
Recovery	12 Days	Dry Retention Area 1	70.5005	13.73
Recovery	12 Days	Dry Retention Area 1	70.7503	13.73
Recovery	12 Days	Dry Retention Area 1	71.0001	13.73
Recovery	12 Days	Dry Retention Area 1	71.2501	13.73
Recovery	12 Days	Dry Retention Area 1	71.5006	13.72
Recovery	12 Days	Dry Retention Area 1	71.7500	13.72

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	72.0004	13.72
Recovery	12 Days	Dry Retention Area 1	72.2500	13.72
Recovery	12 Days	Dry Retention Area 1	72.5003	13.71
Recovery	12 Days	Dry Retention Area 1	72.7503	13.71
Recovery	12 Days	Dry Retention Area 1	73.0000	13.71
Recovery	12 Days	Dry Retention Area 1	73.2502	13.71
Recovery	12 Days	Dry Retention Area 1	73.5003	13.70
Recovery	12 Days	Dry Retention Area 1	73.7504	13.70
Recovery	12 Days	Dry Retention Area 1	74.0005	13.70
Recovery	12 Days	Dry Retention Area 1	74.2504	13.70
Recovery	12 Days	Dry Retention Area 1	74.5005	13.69
Recovery	12 Days	Dry Retention Area 1	74.7503	13.69
Recovery	12 Days	Dry Retention Area 1	75.0002	13.69
Recovery	12 Days	Dry Retention Area 1	75.2502	13.69
Recovery	12 Days	Dry Retention Area 1	75.5003	13.69
Recovery	12 Days	Dry Retention Area 1	75.7505	13.68
Recovery	12 Days	Dry Retention Area 1	76.0002	13.68
Recovery	12 Days	Dry Retention Area 1	76.2504	13.68
Recovery	12 Days	Dry Retention Area 1	76.5002	13.68
Recovery	12 Days	Dry Retention Area 1	76.7500	13.67
Recovery	12 Days	Dry Retention Area 1	77.0001	13.67
Recovery	12 Days	Dry Retention Area 1	77.2504	13.67
Recovery	12 Days	Dry Retention Area 1	77.5001	13.67
Recovery	12 Days	Dry Retention Area 1	77.7502	13.67
Recovery	12 Days	Dry Retention Area 1	78.0001	13.66
Recovery	12 Days	Dry Retention Area 1	78.2504	13.66
Recovery	12 Days	Dry Retention Area 1	78.5004	13.66
Recovery	12 Days	Dry Retention Area 1	78.7502	13.66
Recovery	12 Days	Dry Retention Area 1	79.0005	13.66
Recovery	12 Days	Dry Retention Area 1	79.2500	13.65
Recovery	12 Days	Dry Retention Area 1	79.5002	13.65
Recovery	12 Days	Dry Retention Area 1	79.7503	13.65
Recovery	12 Days	Dry Retention Area 1	80.0004	13.65
Recovery	12 Days	Dry Retention Area 1	80.2506	13.65
Recovery	12 Days	Dry Retention Area 1	80.5001	13.64
Recovery	12 Days	Dry Retention Area 1	80.7506	13.64
Recovery	12 Days	Dry Retention Area 1	81.0004	13.64
Recovery	12 Days	Dry Retention Area 1	81.2503	13.64
Recovery	12 Days	Dry Retention Area 1	81.5005	13.64
Recovery	12 Days	Dry Retention Area 1	81.7502	13.63
Recovery	12 Days	Dry Retention Area 1	82.0003	13.63
Recovery	12 Days	Dry Retention Area 1	82.2501	13.63
Recovery	12 Days	Dry Retention Area 1	82.5002	13.63
Recovery	12 Days	Dry Retention Area 1	82.7506	13.63
Recovery	12 Days	Dry Retention Area 1	83.0006	13.63
Recovery	12 Days	Dry Retention Area 1	83.2506	13.62
Recovery	12 Days	Dry Retention Area 1	83.5005	13.62
Recovery	12 Days	Dry Retention Area 1	83.7503	13.62

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	84.0005	13.62
Recovery	12 Days	Dry Retention Area 1	84.2505	13.62
Recovery	12 Days	Dry Retention Area 1	84.5004	13.61
Recovery	12 Days	Dry Retention Area 1	84.7504	13.61
Recovery	12 Days	Dry Retention Area 1	85.0006	13.61
Recovery	12 Days	Dry Retention Area 1	85.2505	13.61
Recovery	12 Days	Dry Retention Area 1	85.5003	13.61
Recovery	12 Days	Dry Retention Area 1	85.7502	13.61
Recovery	12 Days	Dry Retention Area 1	86.0004	13.60
Recovery	12 Days	Dry Retention Area 1	86.2503	13.60
Recovery	12 Days	Dry Retention Area 1	86.5003	13.60
Recovery	12 Days	Dry Retention Area 1	86.7507	13.60
Recovery	12 Days	Dry Retention Area 1	87.0004	13.60
Recovery	12 Days	Dry Retention Area 1	87.2504	13.60
Recovery	12 Days	Dry Retention Area 1	87.5006	13.59
Recovery	12 Days	Dry Retention Area 1	87.7507	13.59
Recovery	12 Days	Dry Retention Area 1	88.0008	13.59
Recovery	12 Days	Dry Retention Area 1	88.2511	13.59
Recovery	12 Days	Dry Retention Area 1	88.5009	13.59
Recovery	12 Days	Dry Retention Area 1	88.7504	13.59
Recovery	12 Days	Dry Retention Area 1	89.0008	13.59
Recovery	12 Days	Dry Retention Area 1	89.2501	13.58
Recovery	12 Days	Dry Retention Area 1	89.5002	13.58
Recovery	12 Days	Dry Retention Area 1	89.7506	13.58
Recovery	12 Days	Dry Retention Area 1	90.0004	13.58
Recovery	12 Days	Dry Retention Area 1	90.2512	13.58
Recovery	12 Days	Dry Retention Area 1	90.5003	13.58
Recovery	12 Days	Dry Retention Area 1	90.7501	13.57
Recovery	12 Days	Dry Retention Area 1	91.0007	13.57
Recovery	12 Days	Dry Retention Area 1	91.2511	13.57
Recovery	12 Days	Dry Retention Area 1	91.5005	13.57
Recovery	12 Days	Dry Retention Area 1	91.7504	13.57
Recovery	12 Days	Dry Retention Area 1	92.0005	13.57
Recovery	12 Days	Dry Retention Area 1	92.2503	13.57
Recovery	12 Days	Dry Retention Area 1	92.5002	13.56
Recovery	12 Days	Dry Retention Area 1	92.7509	13.56
Recovery	12 Days	Dry Retention Area 1	93.0007	13.56
Recovery	12 Days	Dry Retention Area 1	93.2508	13.56
Recovery	12 Days	Dry Retention Area 1	93.5001	13.56
Recovery	12 Days	Dry Retention Area 1	93.7504	13.56
Recovery	12 Days	Dry Retention Area 1	94.0010	13.56
Recovery	12 Days	Dry Retention Area 1	94.2501	13.55
Recovery	12 Days	Dry Retention Area 1	94.5001	13.55
Recovery	12 Days	Dry Retention Area 1	94.7503	13.55
Recovery	12 Days	Dry Retention Area 1	95.0004	13.55
Recovery	12 Days	Dry Retention Area 1	95.2507	13.55
Recovery	12 Days	Dry Retention Area 1	95.5002	13.55
Recovery	12 Days	Dry Retention Area 1	95.7505	13.55

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	96.0003	13.54
Recovery	12 Days	Dry Retention Area 1	96.2503	13.54
Recovery	12 Days	Dry Retention Area 1	96.5007	13.54
Recovery	12 Days	Dry Retention Area 1	96.7503	13.54
Recovery	12 Days	Dry Retention Area 1	97.0003	13.54
Recovery	12 Days	Dry Retention Area 1	97.2509	13.54
Recovery	12 Days	Dry Retention Area 1	97.5000	13.54
Recovery	12 Days	Dry Retention Area 1	97.7504	13.54
Recovery	12 Days	Dry Retention Area 1	98.0010	13.53
Recovery	12 Days	Dry Retention Area 1	98.2507	13.53
Recovery	12 Days	Dry Retention Area 1	98.5003	13.53
Recovery	12 Days	Dry Retention Area 1	98.7501	13.53
Recovery	12 Days	Dry Retention Area 1	99.0003	13.53
Recovery	12 Days	Dry Retention Area 1	99.2508	13.53
Recovery	12 Days	Dry Retention Area 1	99.5004	13.53
Recovery	12 Days	Dry Retention Area 1	99.7504	13.53
Recovery	12 Days	Dry Retention Area 1	100.0011	13.52
Recovery	12 Days	Dry Retention Area 1	100.2505	13.52
Recovery	12 Days	Dry Retention Area 1	100.5004	13.52
Recovery	12 Days	Dry Retention Area 1	100.7506	13.52
Recovery	12 Days	Dry Retention Area 1	101.0008	13.52
Recovery	12 Days	Dry Retention Area 1	101.2503	13.52
Recovery	12 Days	Dry Retention Area 1	101.5001	13.52
Recovery	12 Days	Dry Retention Area 1	101.7501	13.52
Recovery	12 Days	Dry Retention Area 1	102.0006	13.52
Recovery	12 Days	Dry Retention Area 1	102.2505	13.51
Recovery	12 Days	Dry Retention Area 1	102.5007	13.51
Recovery	12 Days	Dry Retention Area 1	102.7505	13.51
Recovery	12 Days	Dry Retention Area 1	103.0010	13.51
Recovery	12 Days	Dry Retention Area 1	103.2506	13.51
Recovery	12 Days	Dry Retention Area 1	103.5008	13.51
Recovery	12 Days	Dry Retention Area 1	103.7506	13.51
Recovery	12 Days	Dry Retention Area 1	104.0005	13.51
Recovery	12 Days	Dry Retention Area 1	104.2507	13.51
Recovery	12 Days	Dry Retention Area 1	104.5009	13.50
Recovery	12 Days	Dry Retention Area 1	104.7500	13.50
Recovery	12 Days	Dry Retention Area 1	105.0005	13.50
Recovery	12 Days	Dry Retention Area 1	105.2506	13.50
Recovery	12 Days	Dry Retention Area 1	105.5010	13.50
Recovery	12 Days	Dry Retention Area 1	105.7509	13.50
Recovery	12 Days	Dry Retention Area 1	106.0003	13.50
Recovery	12 Days	Dry Retention Area 1	106.2502	13.50
Recovery	12 Days	Dry Retention Area 1	106.5006	13.50
Recovery	12 Days	Dry Retention Area 1	106.7508	13.49
Recovery	12 Days	Dry Retention Area 1	107.0007	13.49
Recovery	12 Days	Dry Retention Area 1	107.2504	13.49
Recovery	12 Days	Dry Retention Area 1	107.5009	13.49
Recovery	12 Days	Dry Retention Area 1	107.7509	13.49

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	108.0000	13.49
Recovery	12 Days	Dry Retention Area 1	108.2504	13.49
Recovery	12 Days	Dry Retention Area 1	108.5010	13.49
Recovery	12 Days	Dry Retention Area 1	108.7501	13.49
Recovery	12 Days	Dry Retention Area 1	109.0003	13.49
Recovery	12 Days	Dry Retention Area 1	109.2510	13.48
Recovery	12 Days	Dry Retention Area 1	109.5012	13.48
Recovery	12 Days	Dry Retention Area 1	109.7504	13.48
Recovery	12 Days	Dry Retention Area 1	110.0007	13.48
Recovery	12 Days	Dry Retention Area 1	110.2502	13.48
Recovery	12 Days	Dry Retention Area 1	110.5011	13.48
Recovery	12 Days	Dry Retention Area 1	110.7502	13.48
Recovery	12 Days	Dry Retention Area 1	111.0010	13.48
Recovery	12 Days	Dry Retention Area 1	111.2504	13.48
Recovery	12 Days	Dry Retention Area 1	111.5005	13.48
Recovery	12 Days	Dry Retention Area 1	111.7502	13.47
Recovery	12 Days	Dry Retention Area 1	112.0002	13.47
Recovery	12 Days	Dry Retention Area 1	112.2501	13.47
Recovery	12 Days	Dry Retention Area 1	112.5011	13.47
Recovery	12 Days	Dry Retention Area 1	112.7501	13.47
Recovery	12 Days	Dry Retention Area 1	113.0004	13.47
Recovery	12 Days	Dry Retention Area 1	113.2504	13.47
Recovery	12 Days	Dry Retention Area 1	113.5008	13.47
Recovery	12 Days	Dry Retention Area 1	113.7504	13.47
Recovery	12 Days	Dry Retention Area 1	114.0000	13.47
Recovery	12 Days	Dry Retention Area 1	114.2500	13.47
Recovery	12 Days	Dry Retention Area 1	114.5001	13.46
Recovery	12 Days	Dry Retention Area 1	114.7501	13.46
Recovery	12 Days	Dry Retention Area 1	115.0005	13.46
Recovery	12 Days	Dry Retention Area 1	115.2504	13.46
Recovery	12 Days	Dry Retention Area 1	115.5010	13.46
Recovery	12 Days	Dry Retention Area 1	115.7504	13.46
Recovery	12 Days	Dry Retention Area 1	116.0008	13.46
Recovery	12 Days	Dry Retention Area 1	116.2501	13.46
Recovery	12 Days	Dry Retention Area 1	116.5011	13.46
Recovery	12 Days	Dry Retention Area 1	116.7505	13.46
Recovery	12 Days	Dry Retention Area 1	117.0006	13.46
Recovery	12 Days	Dry Retention Area 1	117.2501	13.45
Recovery	12 Days	Dry Retention Area 1	117.5012	13.45
Recovery	12 Days	Dry Retention Area 1	117.7501	13.45
Recovery	12 Days	Dry Retention Area 1	118.0012	13.45
Recovery	12 Days	Dry Retention Area 1	118.2502	13.45
Recovery	12 Days	Dry Retention Area 1	118.5001	13.45
Recovery	12 Days	Dry Retention Area 1	118.7503	13.45
Recovery	12 Days	Dry Retention Area 1	119.0006	13.45
Recovery	12 Days	Dry Retention Area 1	119.2509	13.45
Recovery	12 Days	Dry Retention Area 1	119.5006	13.45
Recovery	12 Days	Dry Retention Area 1	119.7508	13.45

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	120.0001	13.45
Recovery	12 Days	Dry Retention Area 1	120.2513	13.44
Recovery	12 Days	Dry Retention Area 1	120.5004	13.44
Recovery	12 Days	Dry Retention Area 1	120.7504	13.44
Recovery	12 Days	Dry Retention Area 1	121.0006	13.44
Recovery	12 Days	Dry Retention Area 1	121.2505	13.44
Recovery	12 Days	Dry Retention Area 1	121.5005	13.44
Recovery	12 Days	Dry Retention Area 1	121.7517	13.44
Recovery	12 Days	Dry Retention Area 1	122.0003	13.44
Recovery	12 Days	Dry Retention Area 1	122.2501	13.44
Recovery	12 Days	Dry Retention Area 1	122.5004	13.44
Recovery	12 Days	Dry Retention Area 1	122.7513	13.44
Recovery	12 Days	Dry Retention Area 1	123.0017	13.44
Recovery	12 Days	Dry Retention Area 1	123.2503	13.43
Recovery	12 Days	Dry Retention Area 1	123.5008	13.43
Recovery	12 Days	Dry Retention Area 1	123.7505	13.43
Recovery	12 Days	Dry Retention Area 1	124.0007	13.43
Recovery	12 Days	Dry Retention Area 1	124.2516	13.43
Recovery	12 Days	Dry Retention Area 1	124.5011	13.43
Recovery	12 Days	Dry Retention Area 1	124.7502	13.43
Recovery	12 Days	Dry Retention Area 1	125.0004	13.43
Recovery	12 Days	Dry Retention Area 1	125.2506	13.43
Recovery	12 Days	Dry Retention Area 1	125.5006	13.43
Recovery	12 Days	Dry Retention Area 1	125.7504	13.43
Recovery	12 Days	Dry Retention Area 1	126.0008	13.43
Recovery	12 Days	Dry Retention Area 1	126.2511	13.42
Recovery	12 Days	Dry Retention Area 1	126.5006	13.42
Recovery	12 Days	Dry Retention Area 1	126.7507	13.42
Recovery	12 Days	Dry Retention Area 1	127.0007	13.42
Recovery	12 Days	Dry Retention Area 1	127.2501	13.42
Recovery	12 Days	Dry Retention Area 1	127.5008	13.42
Recovery	12 Days	Dry Retention Area 1	127.7504	13.42
Recovery	12 Days	Dry Retention Area 1	128.0010	13.42
Recovery	12 Days	Dry Retention Area 1	128.2507	13.42
Recovery	12 Days	Dry Retention Area 1	128.5007	13.42
Recovery	12 Days	Dry Retention Area 1	128.7509	13.42
Recovery	12 Days	Dry Retention Area 1	129.0006	13.42
Recovery	12 Days	Dry Retention Area 1	129.2511	13.42
Recovery	12 Days	Dry Retention Area 1	129.5015	13.41
Recovery	12 Days	Dry Retention Area 1	129.7502	13.41
Recovery	12 Days	Dry Retention Area 1	130.0002	13.41
Recovery	12 Days	Dry Retention Area 1	130.2500	13.41
Recovery	12 Days	Dry Retention Area 1	130.5023	13.41
Recovery	12 Days	Dry Retention Area 1	130.7513	13.41
Recovery	12 Days	Dry Retention Area 1	131.0018	13.41
Recovery	12 Days	Dry Retention Area 1	131.2518	13.41
Recovery	12 Days	Dry Retention Area 1	131.5024	13.41
Recovery	12 Days	Dry Retention Area 1	131.7511	13.41

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	132.0008	13.41
Recovery	12 Days	Dry Retention Area 1	132.2510	13.41
Recovery	12 Days	Dry Retention Area 1	132.5009	13.41
Recovery	12 Days	Dry Retention Area 1	132.7505	13.40
Recovery	12 Days	Dry Retention Area 1	133.0010	13.40
Recovery	12 Days	Dry Retention Area 1	133.2518	13.40
Recovery	12 Days	Dry Retention Area 1	133.5019	13.40
Recovery	12 Days	Dry Retention Area 1	133.7518	13.40
Recovery	12 Days	Dry Retention Area 1	134.0027	13.40
Recovery	12 Days	Dry Retention Area 1	134.2510	13.40
Recovery	12 Days	Dry Retention Area 1	134.5007	13.40
Recovery	12 Days	Dry Retention Area 1	134.7513	13.40
Recovery	12 Days	Dry Retention Area 1	135.0004	13.40
Recovery	12 Days	Dry Retention Area 1	135.2510	13.40
Recovery	12 Days	Dry Retention Area 1	135.5001	13.40
Recovery	12 Days	Dry Retention Area 1	135.7515	13.39
Recovery	12 Days	Dry Retention Area 1	136.0012	13.39
Recovery	12 Days	Dry Retention Area 1	136.2510	13.39
Recovery	12 Days	Dry Retention Area 1	136.5010	13.39
Recovery	12 Days	Dry Retention Area 1	136.7501	13.39
Recovery	12 Days	Dry Retention Area 1	137.0001	13.39
Recovery	12 Days	Dry Retention Area 1	137.2527	13.39
Recovery	12 Days	Dry Retention Area 1	137.5015	13.39
Recovery	12 Days	Dry Retention Area 1	137.7512	13.39
Recovery	12 Days	Dry Retention Area 1	138.0010	13.39
Recovery	12 Days	Dry Retention Area 1	138.2508	13.39
Recovery	12 Days	Dry Retention Area 1	138.5006	13.39
Recovery	12 Days	Dry Retention Area 1	138.7525	13.39
Recovery	12 Days	Dry Retention Area 1	139.0002	13.38
Recovery	12 Days	Dry Retention Area 1	139.2511	13.38
Recovery	12 Days	Dry Retention Area 1	139.5001	13.38
Recovery	12 Days	Dry Retention Area 1	139.7515	13.38
Recovery	12 Days	Dry Retention Area 1	140.0018	13.38
Recovery	12 Days	Dry Retention Area 1	140.2523	13.38
Recovery	12 Days	Dry Retention Area 1	140.5000	13.38
Recovery	12 Days	Dry Retention Area 1	140.7504	13.38
Recovery	12 Days	Dry Retention Area 1	141.0012	13.38
Recovery	12 Days	Dry Retention Area 1	141.2508	13.38
Recovery	12 Days	Dry Retention Area 1	141.5005	13.38
Recovery	12 Days	Dry Retention Area 1	141.7503	13.38
Recovery	12 Days	Dry Retention Area 1	142.0012	13.38
Recovery	12 Days	Dry Retention Area 1	142.2504	13.37
Recovery	12 Days	Dry Retention Area 1	142.5017	13.37
Recovery	12 Days	Dry Retention Area 1	142.7524	13.37
Recovery	12 Days	Dry Retention Area 1	143.0025	13.37
Recovery	12 Days	Dry Retention Area 1	143.2523	13.37
Recovery	12 Days	Dry Retention Area 1	143.5001	13.37
Recovery	12 Days	Dry Retention Area 1	143.7507	13.37

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	144.0010	13.37
Recovery	12 Days	Dry Retention Area 1	144.2513	13.37
Recovery	12 Days	Dry Retention Area 1	144.5020	13.37
Recovery	12 Days	Dry Retention Area 1	144.7525	13.37
Recovery	12 Days	Dry Retention Area 1	145.0016	13.37
Recovery	12 Days	Dry Retention Area 1	145.2527	13.37
Recovery	12 Days	Dry Retention Area 1	145.5012	13.36
Recovery	12 Days	Dry Retention Area 1	145.7508	13.36
Recovery	12 Days	Dry Retention Area 1	146.0039	13.36
Recovery	12 Days	Dry Retention Area 1	146.2527	13.36
Recovery	12 Days	Dry Retention Area 1	146.5027	13.36
Recovery	12 Days	Dry Retention Area 1	146.7509	13.36
Recovery	12 Days	Dry Retention Area 1	147.0005	13.36
Recovery	12 Days	Dry Retention Area 1	147.2531	13.36
Recovery	12 Days	Dry Retention Area 1	147.5031	13.36
Recovery	12 Days	Dry Retention Area 1	147.7517	13.36
Recovery	12 Days	Dry Retention Area 1	148.0008	13.36
Recovery	12 Days	Dry Retention Area 1	148.2533	13.36
Recovery	12 Days	Dry Retention Area 1	148.5026	13.36
Recovery	12 Days	Dry Retention Area 1	148.7538	13.35
Recovery	12 Days	Dry Retention Area 1	149.0018	13.35
Recovery	12 Days	Dry Retention Area 1	149.2535	13.35
Recovery	12 Days	Dry Retention Area 1	149.5020	13.35
Recovery	12 Days	Dry Retention Area 1	149.7518	13.35
Recovery	12 Days	Dry Retention Area 1	150.0000	13.35
Recovery	12 Days	Dry Retention Area 1	150.2538	13.35
Recovery	12 Days	Dry Retention Area 1	150.5038	13.35
Recovery	12 Days	Dry Retention Area 1	150.7526	13.35
Recovery	12 Days	Dry Retention Area 1	151.0013	13.35
Recovery	12 Days	Dry Retention Area 1	151.2514	13.35
Recovery	12 Days	Dry Retention Area 1	151.5014	13.35
Recovery	12 Days	Dry Retention Area 1	151.7532	13.35
Recovery	12 Days	Dry Retention Area 1	152.0026	13.34
Recovery	12 Days	Dry Retention Area 1	152.2529	13.34
Recovery	12 Days	Dry Retention Area 1	152.5005	13.34
Recovery	12 Days	Dry Retention Area 1	152.7524	13.34
Recovery	12 Days	Dry Retention Area 1	153.0013	13.34
Recovery	12 Days	Dry Retention Area 1	153.2500	13.34
Recovery	12 Days	Dry Retention Area 1	153.5033	13.34
Recovery	12 Days	Dry Retention Area 1	153.7542	13.34
Recovery	12 Days	Dry Retention Area 1	154.0036	13.34
Recovery	12 Days	Dry Retention Area 1	154.2516	13.34
Recovery	12 Days	Dry Retention Area 1	154.5011	13.34
Recovery	12 Days	Dry Retention Area 1	154.7508	13.34
Recovery	12 Days	Dry Retention Area 1	155.0001	13.34
Recovery	12 Days	Dry Retention Area 1	155.2510	13.33
Recovery	12 Days	Dry Retention Area 1	155.5002	13.33
Recovery	12 Days	Dry Retention Area 1	155.7513	13.33

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	156.0004	13.33
Recovery	12 Days	Dry Retention Area 1	156.2507	13.33
Recovery	12 Days	Dry Retention Area 1	156.5001	13.33
Recovery	12 Days	Dry Retention Area 1	156.7509	13.33
Recovery	12 Days	Dry Retention Area 1	157.0007	13.33
Recovery	12 Days	Dry Retention Area 1	157.2509	13.33
Recovery	12 Days	Dry Retention Area 1	157.5007	13.33
Recovery	12 Days	Dry Retention Area 1	157.7531	13.33
Recovery	12 Days	Dry Retention Area 1	158.0026	13.33
Recovery	12 Days	Dry Retention Area 1	158.2516	13.33
Recovery	12 Days	Dry Retention Area 1	158.5021	13.32
Recovery	12 Days	Dry Retention Area 1	158.7506	13.32
Recovery	12 Days	Dry Retention Area 1	159.0010	13.32
Recovery	12 Days	Dry Retention Area 1	159.2535	13.32
Recovery	12 Days	Dry Retention Area 1	159.5020	13.32
Recovery	12 Days	Dry Retention Area 1	159.7524	13.32
Recovery	12 Days	Dry Retention Area 1	160.0033	13.32
Recovery	12 Days	Dry Retention Area 1	160.2533	13.32
Recovery	12 Days	Dry Retention Area 1	160.5025	13.32
Recovery	12 Days	Dry Retention Area 1	160.7528	13.32
Recovery	12 Days	Dry Retention Area 1	161.0022	13.32
Recovery	12 Days	Dry Retention Area 1	161.2511	13.32
Recovery	12 Days	Dry Retention Area 1	161.5054	13.32
Recovery	12 Days	Dry Retention Area 1	161.7526	13.31
Recovery	12 Days	Dry Retention Area 1	162.0048	13.31
Recovery	12 Days	Dry Retention Area 1	162.2535	13.31
Recovery	12 Days	Dry Retention Area 1	162.5008	13.31
Recovery	12 Days	Dry Retention Area 1	162.7520	13.31
Recovery	12 Days	Dry Retention Area 1	163.0018	13.31
Recovery	12 Days	Dry Retention Area 1	163.2513	13.31
Recovery	12 Days	Dry Retention Area 1	163.5021	13.31
Recovery	12 Days	Dry Retention Area 1	163.7512	13.31
Recovery	12 Days	Dry Retention Area 1	164.0020	13.31
Recovery	12 Days	Dry Retention Area 1	164.2501	13.31
Recovery	12 Days	Dry Retention Area 1	164.5024	13.31
Recovery	12 Days	Dry Retention Area 1	164.7529	13.31
Recovery	12 Days	Dry Retention Area 1	165.0038	13.30
Recovery	12 Days	Dry Retention Area 1	165.2539	13.30
Recovery	12 Days	Dry Retention Area 1	165.5014	13.30
Recovery	12 Days	Dry Retention Area 1	165.7515	13.30
Recovery	12 Days	Dry Retention Area 1	166.0023	13.30
Recovery	12 Days	Dry Retention Area 1	166.2515	13.30
Recovery	12 Days	Dry Retention Area 1	166.5004	13.30
Recovery	12 Days	Dry Retention Area 1	166.7513	13.30
Recovery	12 Days	Dry Retention Area 1	167.0011	13.30
Recovery	12 Days	Dry Retention Area 1	167.2515	13.30
Recovery	12 Days	Dry Retention Area 1	167.5028	13.30
Recovery	12 Days	Dry Retention Area 1	167.7503	13.30

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	168.0006	13.30
Recovery	12 Days	Dry Retention Area 1	168.2511	13.30
Recovery	12 Days	Dry Retention Area 1	168.5013	13.29
Recovery	12 Days	Dry Retention Area 1	168.7506	13.29
Recovery	12 Days	Dry Retention Area 1	169.0016	13.29
Recovery	12 Days	Dry Retention Area 1	169.2506	13.29
Recovery	12 Days	Dry Retention Area 1	169.5005	13.29
Recovery	12 Days	Dry Retention Area 1	169.7522	13.29
Recovery	12 Days	Dry Retention Area 1	170.0008	13.29
Recovery	12 Days	Dry Retention Area 1	170.2522	13.29
Recovery	12 Days	Dry Retention Area 1	170.5004	13.29
Recovery	12 Days	Dry Retention Area 1	170.7514	13.29
Recovery	12 Days	Dry Retention Area 1	171.0029	13.29
Recovery	12 Days	Dry Retention Area 1	171.2509	13.29
Recovery	12 Days	Dry Retention Area 1	171.5008	13.29
Recovery	12 Days	Dry Retention Area 1	171.7520	13.28
Recovery	12 Days	Dry Retention Area 1	172.0021	13.28
Recovery	12 Days	Dry Retention Area 1	172.2518	13.28
Recovery	12 Days	Dry Retention Area 1	172.5013	13.28
Recovery	12 Days	Dry Retention Area 1	172.7502	13.28
Recovery	12 Days	Dry Retention Area 1	173.0001	13.28
Recovery	12 Days	Dry Retention Area 1	173.2503	13.28
Recovery	12 Days	Dry Retention Area 1	173.5006	13.28
Recovery	12 Days	Dry Retention Area 1	173.7523	13.28
Recovery	12 Days	Dry Retention Area 1	174.0012	13.28
Recovery	12 Days	Dry Retention Area 1	174.2505	13.28
Recovery	12 Days	Dry Retention Area 1	174.5012	13.28
Recovery	12 Days	Dry Retention Area 1	174.7510	13.28
Recovery	12 Days	Dry Retention Area 1	175.0002	13.28
Recovery	12 Days	Dry Retention Area 1	175.2516	13.27
Recovery	12 Days	Dry Retention Area 1	175.5006	13.27
Recovery	12 Days	Dry Retention Area 1	175.7517	13.27
Recovery	12 Days	Dry Retention Area 1	176.0006	13.27
Recovery	12 Days	Dry Retention Area 1	176.2510	13.27
Recovery	12 Days	Dry Retention Area 1	176.5024	13.27
Recovery	12 Days	Dry Retention Area 1	176.7505	13.27
Recovery	12 Days	Dry Retention Area 1	177.0008	13.27
Recovery	12 Days	Dry Retention Area 1	177.2523	13.27
Recovery	12 Days	Dry Retention Area 1	177.5022	13.27
Recovery	12 Days	Dry Retention Area 1	177.7515	13.27
Recovery	12 Days	Dry Retention Area 1	178.0008	13.27
Recovery	12 Days	Dry Retention Area 1	178.2518	13.27
Recovery	12 Days	Dry Retention Area 1	178.5029	13.26
Recovery	12 Days	Dry Retention Area 1	178.7513	13.26
Recovery	12 Days	Dry Retention Area 1	179.0009	13.26
Recovery	12 Days	Dry Retention Area 1	179.2512	13.26
Recovery	12 Days	Dry Retention Area 1	179.5007	13.26
Recovery	12 Days	Dry Retention Area 1	179.7518	13.26

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	180.0011	13.26
Recovery	12 Days	Dry Retention Area 1	180.2504	13.26
Recovery	12 Days	Dry Retention Area 1	180.5023	13.26
Recovery	12 Days	Dry Retention Area 1	180.7506	13.26
Recovery	12 Days	Dry Retention Area 1	181.0024	13.26
Recovery	12 Days	Dry Retention Area 1	181.2508	13.26
Recovery	12 Days	Dry Retention Area 1	181.5016	13.26
Recovery	12 Days	Dry Retention Area 1	181.7505	13.26
Recovery	12 Days	Dry Retention Area 1	182.0078	13.25
Recovery	12 Days	Dry Retention Area 1	182.2577	13.25
Recovery	12 Days	Dry Retention Area 1	182.5077	13.25
Recovery	12 Days	Dry Retention Area 1	182.7577	13.25
Recovery	12 Days	Dry Retention Area 1	183.0077	13.25
Recovery	12 Days	Dry Retention Area 1	183.2577	13.25
Recovery	12 Days	Dry Retention Area 1	183.5077	13.25
Recovery	12 Days	Dry Retention Area 1	183.7577	13.25
Recovery	12 Days	Dry Retention Area 1	184.0077	13.25
Recovery	12 Days	Dry Retention Area 1	184.2577	13.25
Recovery	12 Days	Dry Retention Area 1	184.5077	13.25
Recovery	12 Days	Dry Retention Area 1	184.7577	13.25
Recovery	12 Days	Dry Retention Area 1	185.0077	13.25
Recovery	12 Days	Dry Retention Area 1	185.2577	13.24
Recovery	12 Days	Dry Retention Area 1	185.5077	13.24
Recovery	12 Days	Dry Retention Area 1	185.7577	13.24
Recovery	12 Days	Dry Retention Area 1	186.0077	13.24
Recovery	12 Days	Dry Retention Area 1	186.2577	13.24
Recovery	12 Days	Dry Retention Area 1	186.5077	13.24
Recovery	12 Days	Dry Retention Area 1	186.7577	13.24
Recovery	12 Days	Dry Retention Area 1	187.0077	13.24
Recovery	12 Days	Dry Retention Area 1	187.2577	13.24
Recovery	12 Days	Dry Retention Area 1	187.5077	13.24
Recovery	12 Days	Dry Retention Area 1	187.7577	13.24
Recovery	12 Days	Dry Retention Area 1	188.0077	13.24
Recovery	12 Days	Dry Retention Area 1	188.2577	13.24
Recovery	12 Days	Dry Retention Area 1	188.5077	13.24
Recovery	12 Days	Dry Retention Area 1	188.7577	13.23
Recovery	12 Days	Dry Retention Area 1	189.0077	13.23
Recovery	12 Days	Dry Retention Area 1	189.2577	13.23
Recovery	12 Days	Dry Retention Area 1	189.5077	13.23
Recovery	12 Days	Dry Retention Area 1	189.7577	13.23
Recovery	12 Days	Dry Retention Area 1	190.0077	13.23
Recovery	12 Days	Dry Retention Area 1	190.2577	13.23
Recovery	12 Days	Dry Retention Area 1	190.5077	13.23
Recovery	12 Days	Dry Retention Area 1	190.7577	13.23
Recovery	12 Days	Dry Retention Area 1	191.0077	13.23
Recovery	12 Days	Dry Retention Area 1	191.2577	13.23
Recovery	12 Days	Dry Retention Area 1	191.5077	13.23
Recovery	12 Days	Dry Retention Area 1	191.7577	13.23

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	192.0077	13.23
Recovery	12 Days	Dry Retention Area 1	192.2577	13.22
Recovery	12 Days	Dry Retention Area 1	192.5077	13.22
Recovery	12 Days	Dry Retention Area 1	192.7577	13.22
Recovery	12 Days	Dry Retention Area 1	193.0077	13.22
Recovery	12 Days	Dry Retention Area 1	193.2577	13.22
Recovery	12 Days	Dry Retention Area 1	193.5077	13.22
Recovery	12 Days	Dry Retention Area 1	193.7577	13.22
Recovery	12 Days	Dry Retention Area 1	194.0077	13.22
Recovery	12 Days	Dry Retention Area 1	194.2577	13.22
Recovery	12 Days	Dry Retention Area 1	194.5077	13.22
Recovery	12 Days	Dry Retention Area 1	194.7577	13.22
Recovery	12 Days	Dry Retention Area 1	195.0077	13.22
Recovery	12 Days	Dry Retention Area 1	195.2577	13.22
Recovery	12 Days	Dry Retention Area 1	195.5077	13.22
Recovery	12 Days	Dry Retention Area 1	195.7577	13.21
Recovery	12 Days	Dry Retention Area 1	196.0077	13.21
Recovery	12 Days	Dry Retention Area 1	196.2577	13.21
Recovery	12 Days	Dry Retention Area 1	196.5077	13.21
Recovery	12 Days	Dry Retention Area 1	196.7577	13.21
Recovery	12 Days	Dry Retention Area 1	197.0077	13.21
Recovery	12 Days	Dry Retention Area 1	197.2577	13.21
Recovery	12 Days	Dry Retention Area 1	197.5077	13.21
Recovery	12 Days	Dry Retention Area 1	197.7577	13.21
Recovery	12 Days	Dry Retention Area 1	198.0077	13.21
Recovery	12 Days	Dry Retention Area 1	198.2577	13.21
Recovery	12 Days	Dry Retention Area 1	198.5077	13.21
Recovery	12 Days	Dry Retention Area 1	198.7577	13.21
Recovery	12 Days	Dry Retention Area 1	199.0077	13.21
Recovery	12 Days	Dry Retention Area 1	199.2577	13.20
Recovery	12 Days	Dry Retention Area 1	199.5077	13.20
Recovery	12 Days	Dry Retention Area 1	199.7577	13.20
Recovery	12 Days	Dry Retention Area 1	200.0077	13.20
Recovery	12 Days	Dry Retention Area 1	200.2577	13.20
Recovery	12 Days	Dry Retention Area 1	200.5077	13.20
Recovery	12 Days	Dry Retention Area 1	200.7577	13.20
Recovery	12 Days	Dry Retention Area 1	201.0077	13.20
Recovery	12 Days	Dry Retention Area 1	201.2577	13.20
Recovery	12 Days	Dry Retention Area 1	201.5077	13.20
Recovery	12 Days	Dry Retention Area 1	201.7577	13.20
Recovery	12 Days	Dry Retention Area 1	202.0077	13.20
Recovery	12 Days	Dry Retention Area 1	202.2577	13.20
Recovery	12 Days	Dry Retention Area 1	202.5077	13.20
Recovery	12 Days	Dry Retention Area 1	202.7577	13.19
Recovery	12 Days	Dry Retention Area 1	203.0077	13.19
Recovery	12 Days	Dry Retention Area 1	203.2577	13.19
Recovery	12 Days	Dry Retention Area 1	203.5077	13.19
Recovery	12 Days	Dry Retention Area 1	203.7577	13.19

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	204.0077	13.19
Recovery	12 Days	Dry Retention Area 1	204.2577	13.19
Recovery	12 Days	Dry Retention Area 1	204.5077	13.19
Recovery	12 Days	Dry Retention Area 1	204.7577	13.19
Recovery	12 Days	Dry Retention Area 1	205.0077	13.19
Recovery	12 Days	Dry Retention Area 1	205.2577	13.19
Recovery	12 Days	Dry Retention Area 1	205.5077	13.19
Recovery	12 Days	Dry Retention Area 1	205.7577	13.19
Recovery	12 Days	Dry Retention Area 1	206.0077	13.19
Recovery	12 Days	Dry Retention Area 1	206.2577	13.18
Recovery	12 Days	Dry Retention Area 1	206.5077	13.18
Recovery	12 Days	Dry Retention Area 1	206.7577	13.18
Recovery	12 Days	Dry Retention Area 1	207.0077	13.18
Recovery	12 Days	Dry Retention Area 1	207.2577	13.18
Recovery	12 Days	Dry Retention Area 1	207.5077	13.18
Recovery	12 Days	Dry Retention Area 1	207.7577	13.18
Recovery	12 Days	Dry Retention Area 1	208.0077	13.18
Recovery	12 Days	Dry Retention Area 1	208.2577	13.18
Recovery	12 Days	Dry Retention Area 1	208.5077	13.18
Recovery	12 Days	Dry Retention Area 1	208.7577	13.18
Recovery	12 Days	Dry Retention Area 1	209.0077	13.18
Recovery	12 Days	Dry Retention Area 1	209.2577	13.18
Recovery	12 Days	Dry Retention Area 1	209.5077	13.18
Recovery	12 Days	Dry Retention Area 1	209.7577	13.17
Recovery	12 Days	Dry Retention Area 1	210.0077	13.17
Recovery	12 Days	Dry Retention Area 1	210.2577	13.17
Recovery	12 Days	Dry Retention Area 1	210.5077	13.17
Recovery	12 Days	Dry Retention Area 1	210.7577	13.17
Recovery	12 Days	Dry Retention Area 1	211.0077	13.17
Recovery	12 Days	Dry Retention Area 1	211.2577	13.17
Recovery	12 Days	Dry Retention Area 1	211.5077	13.17
Recovery	12 Days	Dry Retention Area 1	211.7577	13.17
Recovery	12 Days	Dry Retention Area 1	212.0077	13.17
Recovery	12 Days	Dry Retention Area 1	212.2577	13.17
Recovery	12 Days	Dry Retention Area 1	212.5077	13.17
Recovery	12 Days	Dry Retention Area 1	212.7577	13.17
Recovery	12 Days	Dry Retention Area 1	213.0077	13.17
Recovery	12 Days	Dry Retention Area 1	213.2577	13.17
Recovery	12 Days	Dry Retention Area 1	213.5077	13.16
Recovery	12 Days	Dry Retention Area 1	213.7577	13.16
Recovery	12 Days	Dry Retention Area 1	214.0077	13.16
Recovery	12 Days	Dry Retention Area 1	214.2577	13.16
Recovery	12 Days	Dry Retention Area 1	214.5077	13.16
Recovery	12 Days	Dry Retention Area 1	214.7577	13.16
Recovery	12 Days	Dry Retention Area 1	215.0077	13.16
Recovery	12 Days	Dry Retention Area 1	215.2577	13.16
Recovery	12 Days	Dry Retention Area 1	215.5077	13.16
Recovery	12 Days	Dry Retention Area 1	215.7577	13.16

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	216.0077	13.16
Recovery	12 Days	Dry Retention Area 1	216.2577	13.16
Recovery	12 Days	Dry Retention Area 1	216.5077	13.16
Recovery	12 Days	Dry Retention Area 1	216.7577	13.16
Recovery	12 Days	Dry Retention Area 1	217.0027	13.15
Recovery	12 Days	Dry Retention Area 1	217.2543	13.15
Recovery	12 Days	Dry Retention Area 1	217.5010	13.15
Recovery	12 Days	Dry Retention Area 1	217.7518	13.15
Recovery	12 Days	Dry Retention Area 1	218.0027	13.15
Recovery	12 Days	Dry Retention Area 1	218.2577	13.15
Recovery	12 Days	Dry Retention Area 1	218.5060	13.15
Recovery	12 Days	Dry Retention Area 1	218.7577	13.15
Recovery	12 Days	Dry Retention Area 1	219.0043	13.15
Recovery	12 Days	Dry Retention Area 1	219.2568	13.15
Recovery	12 Days	Dry Retention Area 1	219.5043	13.15
Recovery	12 Days	Dry Retention Area 1	219.7518	13.15
Recovery	12 Days	Dry Retention Area 1	220.0077	13.15
Recovery	12 Days	Dry Retention Area 1	220.2577	13.15
Recovery	12 Days	Dry Retention Area 1	220.5077	13.15
Recovery	12 Days	Dry Retention Area 1	220.7577	13.14
Recovery	12 Days	Dry Retention Area 1	221.0077	13.14
Recovery	12 Days	Dry Retention Area 1	221.2577	13.14
Recovery	12 Days	Dry Retention Area 1	221.5077	13.14
Recovery	12 Days	Dry Retention Area 1	221.7577	13.14
Recovery	12 Days	Dry Retention Area 1	222.0077	13.14
Recovery	12 Days	Dry Retention Area 1	222.2577	13.14
Recovery	12 Days	Dry Retention Area 1	222.5077	13.14
Recovery	12 Days	Dry Retention Area 1	222.7560	13.14
Recovery	12 Days	Dry Retention Area 1	223.0077	13.14
Recovery	12 Days	Dry Retention Area 1	223.2577	13.14
Recovery	12 Days	Dry Retention Area 1	223.5027	13.14
Recovery	12 Days	Dry Retention Area 1	223.7577	13.14
Recovery	12 Days	Dry Retention Area 1	224.0077	13.14
Recovery	12 Days	Dry Retention Area 1	224.2527	13.14
Recovery	12 Days	Dry Retention Area 1	224.5010	13.13
Recovery	12 Days	Dry Retention Area 1	224.7560	13.13
Recovery	12 Days	Dry Retention Area 1	225.0077	13.13
Recovery	12 Days	Dry Retention Area 1	225.2577	13.13
Recovery	12 Days	Dry Retention Area 1	225.5077	13.13
Recovery	12 Days	Dry Retention Area 1	225.7543	13.13
Recovery	12 Days	Dry Retention Area 1	226.0060	13.13
Recovery	12 Days	Dry Retention Area 1	226.2510	13.13
Recovery	12 Days	Dry Retention Area 1	226.5046	13.13
Recovery	12 Days	Dry Retention Area 1	226.7524	13.13
Recovery	12 Days	Dry Retention Area 1	227.0003	13.13
Recovery	12 Days	Dry Retention Area 1	227.2557	13.13
Recovery	12 Days	Dry Retention Area 1	227.5046	13.13
Recovery	12 Days	Dry Retention Area 1	227.7505	13.13

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	228.0041	13.13
Recovery	12 Days	Dry Retention Area 1	228.2532	13.12
Recovery	12 Days	Dry Retention Area 1	228.5046	13.12
Recovery	12 Days	Dry Retention Area 1	228.7551	13.12
Recovery	12 Days	Dry Retention Area 1	229.0026	13.12
Recovery	12 Days	Dry Retention Area 1	229.2534	13.12
Recovery	12 Days	Dry Retention Area 1	229.5017	13.12
Recovery	12 Days	Dry Retention Area 1	229.7519	13.12
Recovery	12 Days	Dry Retention Area 1	230.0038	13.12
Recovery	12 Days	Dry Retention Area 1	230.2506	13.12
Recovery	12 Days	Dry Retention Area 1	230.5020	13.12
Recovery	12 Days	Dry Retention Area 1	230.7534	13.12
Recovery	12 Days	Dry Retention Area 1	231.0012	13.12
Recovery	12 Days	Dry Retention Area 1	231.2565	13.12
Recovery	12 Days	Dry Retention Area 1	231.5026	13.12
Recovery	12 Days	Dry Retention Area 1	231.7514	13.12
Recovery	12 Days	Dry Retention Area 1	232.0022	13.11
Recovery	12 Days	Dry Retention Area 1	232.2506	13.11
Recovery	12 Days	Dry Retention Area 1	232.5027	13.11
Recovery	12 Days	Dry Retention Area 1	232.7541	13.11
Recovery	12 Days	Dry Retention Area 1	233.0044	13.11
Recovery	12 Days	Dry Retention Area 1	233.2526	13.11
Recovery	12 Days	Dry Retention Area 1	233.5046	13.11
Recovery	12 Days	Dry Retention Area 1	233.7522	13.11
Recovery	12 Days	Dry Retention Area 1	234.0032	13.11
Recovery	12 Days	Dry Retention Area 1	234.2537	13.11
Recovery	12 Days	Dry Retention Area 1	234.5038	13.11
Recovery	12 Days	Dry Retention Area 1	234.7528	13.11
Recovery	12 Days	Dry Retention Area 1	235.0004	13.11
Recovery	12 Days	Dry Retention Area 1	235.2542	13.11
Recovery	12 Days	Dry Retention Area 1	235.5022	13.11
Recovery	12 Days	Dry Retention Area 1	235.7502	13.10
Recovery	12 Days	Dry Retention Area 1	236.0041	13.10
Recovery	12 Days	Dry Retention Area 1	236.2536	13.10
Recovery	12 Days	Dry Retention Area 1	236.5035	13.10
Recovery	12 Days	Dry Retention Area 1	236.7523	13.10
Recovery	12 Days	Dry Retention Area 1	237.0017	13.10
Recovery	12 Days	Dry Retention Area 1	237.2549	13.10
Recovery	12 Days	Dry Retention Area 1	237.5058	13.10
Recovery	12 Days	Dry Retention Area 1	237.7513	13.10
Recovery	12 Days	Dry Retention Area 1	238.0017	13.10
Recovery	12 Days	Dry Retention Area 1	238.2525	13.10
Recovery	12 Days	Dry Retention Area 1	238.5004	13.10
Recovery	12 Days	Dry Retention Area 1	238.7520	13.10
Recovery	12 Days	Dry Retention Area 1	239.0031	13.10
Recovery	12 Days	Dry Retention Area 1	239.2552	13.10
Recovery	12 Days	Dry Retention Area 1	239.5060	13.09
Recovery	12 Days	Dry Retention Area 1	239.7557	13.09

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	240.0005	13.09
Recovery	12 Days	Dry Retention Area 1	240.2513	13.09
Recovery	12 Days	Dry Retention Area 1	240.5002	13.09
Recovery	12 Days	Dry Retention Area 1	240.7539	13.09
Recovery	12 Days	Dry Retention Area 1	241.0001	13.09
Recovery	12 Days	Dry Retention Area 1	241.2509	13.09
Recovery	12 Days	Dry Retention Area 1	241.5002	13.09
Recovery	12 Days	Dry Retention Area 1	241.7517	13.09
Recovery	12 Days	Dry Retention Area 1	242.0006	13.09
Recovery	12 Days	Dry Retention Area 1	242.2550	13.09
Recovery	12 Days	Dry Retention Area 1	242.5023	13.09
Recovery	12 Days	Dry Retention Area 1	242.7544	13.09
Recovery	12 Days	Dry Retention Area 1	243.0017	13.09
Recovery	12 Days	Dry Retention Area 1	243.2506	13.08
Recovery	12 Days	Dry Retention Area 1	243.5003	13.08
Recovery	12 Days	Dry Retention Area 1	243.7503	13.08
Recovery	12 Days	Dry Retention Area 1	244.0003	13.08
Recovery	12 Days	Dry Retention Area 1	244.2503	13.08
Recovery	12 Days	Dry Retention Area 1	244.5003	13.08
Recovery	12 Days	Dry Retention Area 1	244.7503	13.08
Recovery	12 Days	Dry Retention Area 1	245.0003	13.08
Recovery	12 Days	Dry Retention Area 1	245.2503	13.08
Recovery	12 Days	Dry Retention Area 1	245.5003	13.08
Recovery	12 Days	Dry Retention Area 1	245.7503	13.08
Recovery	12 Days	Dry Retention Area 1	246.0003	13.08
Recovery	12 Days	Dry Retention Area 1	246.2503	13.08
Recovery	12 Days	Dry Retention Area 1	246.5003	13.08
Recovery	12 Days	Dry Retention Area 1	246.7503	13.08
Recovery	12 Days	Dry Retention Area 1	247.0003	13.07
Recovery	12 Days	Dry Retention Area 1	247.2503	13.07
Recovery	12 Days	Dry Retention Area 1	247.5003	13.07
Recovery	12 Days	Dry Retention Area 1	247.7503	13.07
Recovery	12 Days	Dry Retention Area 1	248.0003	13.07
Recovery	12 Days	Dry Retention Area 1	248.2503	13.07
Recovery	12 Days	Dry Retention Area 1	248.5003	13.07
Recovery	12 Days	Dry Retention Area 1	248.7503	13.07
Recovery	12 Days	Dry Retention Area 1	249.0003	13.07
Recovery	12 Days	Dry Retention Area 1	249.2503	13.07
Recovery	12 Days	Dry Retention Area 1	249.5003	13.07
Recovery	12 Days	Dry Retention Area 1	249.7503	13.07
Recovery	12 Days	Dry Retention Area 1	250.0003	13.07
Recovery	12 Days	Dry Retention Area 1	250.2503	13.07
Recovery	12 Days	Dry Retention Area 1	250.5003	13.07
Recovery	12 Days	Dry Retention Area 1	250.7503	13.07
Recovery	12 Days	Dry Retention Area 1	251.0003	13.06
Recovery	12 Days	Dry Retention Area 1	251.2503	13.06
Recovery	12 Days	Dry Retention Area 1	251.5003	13.06
Recovery	12 Days	Dry Retention Area 1	251.7503	13.06

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	252.0003	13.06
Recovery	12 Days	Dry Retention Area 1	252.2503	13.06
Recovery	12 Days	Dry Retention Area 1	252.5003	13.06
Recovery	12 Days	Dry Retention Area 1	252.7503	13.06
Recovery	12 Days	Dry Retention Area 1	253.0003	13.06
Recovery	12 Days	Dry Retention Area 1	253.2503	13.06
Recovery	12 Days	Dry Retention Area 1	253.5003	13.06
Recovery	12 Days	Dry Retention Area 1	253.7503	13.06
Recovery	12 Days	Dry Retention Area 1	254.0003	13.06
Recovery	12 Days	Dry Retention Area 1	254.2503	13.06
Recovery	12 Days	Dry Retention Area 1	254.5003	13.06
Recovery	12 Days	Dry Retention Area 1	254.7503	13.06
Recovery	12 Days	Dry Retention Area 1	255.0003	13.05
Recovery	12 Days	Dry Retention Area 1	255.2503	13.05
Recovery	12 Days	Dry Retention Area 1	255.5003	13.05
Recovery	12 Days	Dry Retention Area 1	255.7503	13.05
Recovery	12 Days	Dry Retention Area 1	256.0003	13.05
Recovery	12 Days	Dry Retention Area 1	256.2503	13.05
Recovery	12 Days	Dry Retention Area 1	256.5003	13.05
Recovery	12 Days	Dry Retention Area 1	256.7503	13.05
Recovery	12 Days	Dry Retention Area 1	257.0003	13.05
Recovery	12 Days	Dry Retention Area 1	257.2503	13.05
Recovery	12 Days	Dry Retention Area 1	257.5003	13.05
Recovery	12 Days	Dry Retention Area 1	257.7503	13.05
Recovery	12 Days	Dry Retention Area 1	258.0003	13.05
Recovery	12 Days	Dry Retention Area 1	258.2503	13.05
Recovery	12 Days	Dry Retention Area 1	258.5003	13.05
Recovery	12 Days	Dry Retention Area 1	258.7503	13.04
Recovery	12 Days	Dry Retention Area 1	259.0003	13.04
Recovery	12 Days	Dry Retention Area 1	259.2503	13.04
Recovery	12 Days	Dry Retention Area 1	259.5003	13.04
Recovery	12 Days	Dry Retention Area 1	259.7503	13.04
Recovery	12 Days	Dry Retention Area 1	260.0003	13.04
Recovery	12 Days	Dry Retention Area 1	260.2503	13.04
Recovery	12 Days	Dry Retention Area 1	260.5003	13.04
Recovery	12 Days	Dry Retention Area 1	260.7503	13.04
Recovery	12 Days	Dry Retention Area 1	261.0003	13.04
Recovery	12 Days	Dry Retention Area 1	261.2503	13.04
Recovery	12 Days	Dry Retention Area 1	261.5003	13.04
Recovery	12 Days	Dry Retention Area 1	261.7503	13.04
Recovery	12 Days	Dry Retention Area 1	262.0003	13.04
Recovery	12 Days	Dry Retention Area 1	262.2503	13.04
Recovery	12 Days	Dry Retention Area 1	262.5003	13.04
Recovery	12 Days	Dry Retention Area 1	262.7503	13.03
Recovery	12 Days	Dry Retention Area 1	263.0003	13.03
Recovery	12 Days	Dry Retention Area 1	263.2503	13.03
Recovery	12 Days	Dry Retention Area 1	263.5003	13.03
Recovery	12 Days	Dry Retention Area 1	263.7503	13.03

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	264.0003	13.03
Recovery	12 Days	Dry Retention Area 1	264.2503	13.03
Recovery	12 Days	Dry Retention Area 1	264.5003	13.03
Recovery	12 Days	Dry Retention Area 1	264.7503	13.03
Recovery	12 Days	Dry Retention Area 1	265.0003	13.03
Recovery	12 Days	Dry Retention Area 1	265.2503	13.03
Recovery	12 Days	Dry Retention Area 1	265.5003	13.03
Recovery	12 Days	Dry Retention Area 1	265.7503	13.03
Recovery	12 Days	Dry Retention Area 1	266.0003	13.03
Recovery	12 Days	Dry Retention Area 1	266.2503	13.03
Recovery	12 Days	Dry Retention Area 1	266.5003	13.03
Recovery	12 Days	Dry Retention Area 1	266.7503	13.02
Recovery	12 Days	Dry Retention Area 1	267.0003	13.02
Recovery	12 Days	Dry Retention Area 1	267.2503	13.02
Recovery	12 Days	Dry Retention Area 1	267.5003	13.02
Recovery	12 Days	Dry Retention Area 1	267.7503	13.02
Recovery	12 Days	Dry Retention Area 1	268.0003	13.02
Recovery	12 Days	Dry Retention Area 1	268.2561	13.02
Recovery	12 Days	Dry Retention Area 1	268.5053	13.02
Recovery	12 Days	Dry Retention Area 1	268.7503	13.02
Recovery	12 Days	Dry Retention Area 1	269.0003	13.02
Recovery	12 Days	Dry Retention Area 1	269.2503	13.02
Recovery	12 Days	Dry Retention Area 1	269.5036	13.02
Recovery	12 Days	Dry Retention Area 1	269.7503	13.02
Recovery	12 Days	Dry Retention Area 1	270.0036	13.02
Recovery	12 Days	Dry Retention Area 1	270.2503	13.02
Recovery	12 Days	Dry Retention Area 1	270.5003	13.02
Recovery	12 Days	Dry Retention Area 1	270.7503	13.02
Recovery	12 Days	Dry Retention Area 1	271.0003	13.01
Recovery	12 Days	Dry Retention Area 1	271.2503	13.01
Recovery	12 Days	Dry Retention Area 1	271.5003	13.01
Recovery	12 Days	Dry Retention Area 1	271.7503	13.01
Recovery	12 Days	Dry Retention Area 1	272.0003	13.01
Recovery	12 Days	Dry Retention Area 1	272.2503	13.01
Recovery	12 Days	Dry Retention Area 1	272.5003	13.01
Recovery	12 Days	Dry Retention Area 1	272.7503	13.01
Recovery	12 Days	Dry Retention Area 1	273.0003	13.01
Recovery	12 Days	Dry Retention Area 1	273.2503	13.01
Recovery	12 Days	Dry Retention Area 1	273.5003	13.01
Recovery	12 Days	Dry Retention Area 1	273.7511	13.01
Recovery	12 Days	Dry Retention Area 1	274.0003	13.01
Recovery	12 Days	Dry Retention Area 1	274.2503	13.01
Recovery	12 Days	Dry Retention Area 1	274.5003	13.01
Recovery	12 Days	Dry Retention Area 1	274.7503	13.01
Recovery	12 Days	Dry Retention Area 1	275.0003	13.00
Recovery	12 Days	Dry Retention Area 1	275.2520	13.00
Recovery	12 Days	Dry Retention Area 1	275.5003	13.00
Recovery	12 Days	Dry Retention Area 1	275.7503	13.00

← Full recovery
approximately 11.5
days after end of
design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	276.0003	13.00
Recovery	12 Days	Dry Retention Area 1	276.2503	13.00
Recovery	12 Days	Dry Retention Area 1	276.5053	13.00
Recovery	12 Days	Dry Retention Area 1	276.7561	13.00
Recovery	12 Days	Dry Retention Area 1	277.0020	13.00
Recovery	12 Days	Dry Retention Area 1	277.2503	13.00
Recovery	12 Days	Dry Retention Area 1	277.5003	13.00
Recovery	12 Days	Dry Retention Area 1	277.7503	13.00
Recovery	12 Days	Dry Retention Area 1	278.0003	13.00
Recovery	12 Days	Dry Retention Area 1	278.2503	13.00
Recovery	12 Days	Dry Retention Area 1	278.5003	13.00
Recovery	12 Days	Dry Retention Area 1	278.7536	13.00
Recovery	12 Days	Dry Retention Area 1	279.0003	13.00
Recovery	12 Days	Dry Retention Area 1	279.2503	13.00
Recovery	12 Days	Dry Retention Area 1	279.5003	13.00
Recovery	12 Days	Dry Retention Area 1	279.7503	13.00
Recovery	12 Days	Dry Retention Area 1	280.0003	13.00
Recovery	12 Days	Dry Retention Area 1	280.2503	13.00
Recovery	12 Days	Dry Retention Area 1	280.5003	13.00
Recovery	12 Days	Dry Retention Area 1	280.7545	13.00
Recovery	12 Days	Dry Retention Area 1	281.0003	13.00
Recovery	12 Days	Dry Retention Area 1	281.2503	13.00
Recovery	12 Days	Dry Retention Area 1	281.5003	13.00
Recovery	12 Days	Dry Retention Area 1	281.7503	13.00
Recovery	12 Days	Dry Retention Area 1	282.0003	13.00
Recovery	12 Days	Dry Retention Area 1	282.2503	13.00
Recovery	12 Days	Dry Retention Area 1	282.5003	13.00
Recovery	12 Days	Dry Retention Area 1	282.7503	13.00
Recovery	12 Days	Dry Retention Area 1	283.0003	13.00
Recovery	12 Days	Dry Retention Area 1	283.2503	13.00
Recovery	12 Days	Dry Retention Area 1	283.5003	13.00
Recovery	12 Days	Dry Retention Area 1	283.7503	13.00
Recovery	12 Days	Dry Retention Area 1	284.0003	13.00
Recovery	12 Days	Dry Retention Area 1	284.2503	13.00
Recovery	12 Days	Dry Retention Area 1	284.5003	13.00
Recovery	12 Days	Dry Retention Area 1	284.7503	13.00
Recovery	12 Days	Dry Retention Area 1	285.0003	13.00
Recovery	12 Days	Dry Retention Area 1	285.2503	13.00
Recovery	12 Days	Dry Retention Area 1	285.5003	13.00
Recovery	12 Days	Dry Retention Area 1	285.7503	13.00
Recovery	12 Days	Dry Retention Area 1	286.0003	13.00
Recovery	12 Days	Dry Retention Area 1	286.2503	13.00
Recovery	12 Days	Dry Retention Area 1	286.5003	13.00
Recovery	12 Days	Dry Retention Area 1	286.7503	13.00
Recovery	12 Days	Dry Retention Area 1	287.0003	13.00
Recovery	12 Days	Dry Retention Area 1	287.2503	13.00
Recovery	12 Days	Dry Retention Area 1	287.5003	13.00
Recovery	12 Days	Dry Retention Area 1	287.7503	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 1	288.0003	13.00
Recovery	12 Days	Dry Retention Area 2	0.0001	15.55
Recovery	12 Days	Dry Retention Area 2	0.2503	15.48
Recovery	12 Days	Dry Retention Area 2	0.5002	15.44
Recovery	12 Days	Dry Retention Area 2	0.7500	15.41
Recovery	12 Days	Dry Retention Area 2	1.0002	15.38
Recovery	12 Days	Dry Retention Area 2	1.2501	15.35
Recovery	12 Days	Dry Retention Area 2	1.5002	15.33
Recovery	12 Days	Dry Retention Area 2	1.7507	15.30
Recovery	12 Days	Dry Retention Area 2	2.0000	15.27
Recovery	12 Days	Dry Retention Area 2	2.2501	15.25
Recovery	12 Days	Dry Retention Area 2	2.5000	15.22
Recovery	12 Days	Dry Retention Area 2	2.7500	15.19
Recovery	12 Days	Dry Retention Area 2	3.0002	15.17
Recovery	12 Days	Dry Retention Area 2	3.2503	15.14
Recovery	12 Days	Dry Retention Area 2	3.5004	15.12
Recovery	12 Days	Dry Retention Area 2	3.7502	15.09
Recovery	12 Days	Dry Retention Area 2	4.0002	15.07
Recovery	12 Days	Dry Retention Area 2	4.2501	15.04
Recovery	12 Days	Dry Retention Area 2	4.5002	15.02
Recovery	12 Days	Dry Retention Area 2	4.7502	14.99
Recovery	12 Days	Dry Retention Area 2	5.0002	14.97
Recovery	12 Days	Dry Retention Area 2	5.2506	14.95
Recovery	12 Days	Dry Retention Area 2	5.5005	14.92
Recovery	12 Days	Dry Retention Area 2	5.7501	14.90
Recovery	12 Days	Dry Retention Area 2	6.0009	14.88
Recovery	12 Days	Dry Retention Area 2	6.2508	14.85
Recovery	12 Days	Dry Retention Area 2	6.5007	14.83
Recovery	12 Days	Dry Retention Area 2	6.7502	14.81
Recovery	12 Days	Dry Retention Area 2	7.0001	14.78
Recovery	12 Days	Dry Retention Area 2	7.2509	14.76
Recovery	12 Days	Dry Retention Area 2	7.5000	14.74
Recovery	12 Days	Dry Retention Area 2	7.7503	14.72
Recovery	12 Days	Dry Retention Area 2	8.0008	14.69
Recovery	12 Days	Dry Retention Area 2	8.2503	14.67
Recovery	12 Days	Dry Retention Area 2	8.5001	14.65
Recovery	12 Days	Dry Retention Area 2	8.7505	14.63
Recovery	12 Days	Dry Retention Area 2	9.0002	14.61
Recovery	12 Days	Dry Retention Area 2	9.2505	14.59
Recovery	12 Days	Dry Retention Area 2	9.5004	14.57
Recovery	12 Days	Dry Retention Area 2	9.7503	14.55
Recovery	12 Days	Dry Retention Area 2	10.0003	14.54
Recovery	12 Days	Dry Retention Area 2	10.2501	14.52
Recovery	12 Days	Dry Retention Area 2	10.5002	14.51
Recovery	12 Days	Dry Retention Area 2	10.7501	14.50
Recovery	12 Days	Dry Retention Area 2	11.0004	14.49
Recovery	12 Days	Dry Retention Area 2	11.2506	14.49
Recovery	12 Days	Dry Retention Area 2	11.5001	14.48

← Peak stage during design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	11.7501	14.47
Recovery	12 Days	Dry Retention Area 2	12.0000	14.47
Recovery	12 Days	Dry Retention Area 2	12.2501	14.46
Recovery	12 Days	Dry Retention Area 2	12.5003	14.46
Recovery	12 Days	Dry Retention Area 2	12.7503	14.45
Recovery	12 Days	Dry Retention Area 2	13.0003	14.45
Recovery	12 Days	Dry Retention Area 2	13.2501	14.44
Recovery	12 Days	Dry Retention Area 2	13.5002	14.44
Recovery	12 Days	Dry Retention Area 2	13.7503	14.44
Recovery	12 Days	Dry Retention Area 2	14.0001	14.43
Recovery	12 Days	Dry Retention Area 2	14.2502	14.43
Recovery	12 Days	Dry Retention Area 2	14.5003	14.42
Recovery	12 Days	Dry Retention Area 2	14.7504	14.42
Recovery	12 Days	Dry Retention Area 2	15.0000	14.41
Recovery	12 Days	Dry Retention Area 2	15.2503	14.41
Recovery	12 Days	Dry Retention Area 2	15.5001	14.40
Recovery	12 Days	Dry Retention Area 2	15.7500	14.40
Recovery	12 Days	Dry Retention Area 2	16.0003	14.40
Recovery	12 Days	Dry Retention Area 2	16.2500	14.39
Recovery	12 Days	Dry Retention Area 2	16.5002	14.39
Recovery	12 Days	Dry Retention Area 2	16.7503	14.38
Recovery	12 Days	Dry Retention Area 2	17.0007	14.38
Recovery	12 Days	Dry Retention Area 2	17.2504	14.37
Recovery	12 Days	Dry Retention Area 2	17.5003	14.37
Recovery	12 Days	Dry Retention Area 2	17.7501	14.36
Recovery	12 Days	Dry Retention Area 2	18.0006	14.36
Recovery	12 Days	Dry Retention Area 2	18.2512	14.35
Recovery	12 Days	Dry Retention Area 2	18.5031	14.35
Recovery	12 Days	Dry Retention Area 2	18.7505	14.34
Recovery	12 Days	Dry Retention Area 2	19.0016	14.34
Recovery	12 Days	Dry Retention Area 2	19.2550	14.33
Recovery	12 Days	Dry Retention Area 2	19.5081	14.33
Recovery	12 Days	Dry Retention Area 2	19.7581	14.32
Recovery	12 Days	Dry Retention Area 2	20.0081	14.32
Recovery	12 Days	Dry Retention Area 2	20.2581	14.31
Recovery	12 Days	Dry Retention Area 2	20.5081	14.31
Recovery	12 Days	Dry Retention Area 2	20.7581	14.30
Recovery	12 Days	Dry Retention Area 2	21.0072	14.30
Recovery	12 Days	Dry Retention Area 2	21.2521	14.29
Recovery	12 Days	Dry Retention Area 2	21.5037	14.29
Recovery	12 Days	Dry Retention Area 2	21.7508	14.28
Recovery	12 Days	Dry Retention Area 2	22.0016	14.28
Recovery	12 Days	Dry Retention Area 2	22.2522	14.27
Recovery	12 Days	Dry Retention Area 2	22.5005	14.27
Recovery	12 Days	Dry Retention Area 2	22.7515	14.26
Recovery	12 Days	Dry Retention Area 2	23.0002	14.26
Recovery	12 Days	Dry Retention Area 2	23.2508	14.25
Recovery	12 Days	Dry Retention Area 2	23.5026	14.25

← Approximately 50% recovery
approximately 1 day after end
of design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	23.7509	14.24
Recovery	12 Days	Dry Retention Area 2	24.0022	14.24
Recovery	12 Days	Dry Retention Area 2	24.2539	14.23
Recovery	12 Days	Dry Retention Area 2	24.5015	14.22
Recovery	12 Days	Dry Retention Area 2	24.7524	14.22
Recovery	12 Days	Dry Retention Area 2	25.0018	14.21
Recovery	12 Days	Dry Retention Area 2	25.2503	14.21
Recovery	12 Days	Dry Retention Area 2	25.5010	14.20
Recovery	12 Days	Dry Retention Area 2	25.7509	14.20
Recovery	12 Days	Dry Retention Area 2	26.0027	14.19
Recovery	12 Days	Dry Retention Area 2	26.2511	14.19
Recovery	12 Days	Dry Retention Area 2	26.5027	14.18
Recovery	12 Days	Dry Retention Area 2	26.7509	14.17
Recovery	12 Days	Dry Retention Area 2	27.0008	14.17
Recovery	12 Days	Dry Retention Area 2	27.2500	14.16
Recovery	12 Days	Dry Retention Area 2	27.5005	14.16
Recovery	12 Days	Dry Retention Area 2	27.7513	14.15
Recovery	12 Days	Dry Retention Area 2	28.0001	14.15
Recovery	12 Days	Dry Retention Area 2	28.2526	14.14
Recovery	12 Days	Dry Retention Area 2	28.5003	14.14
Recovery	12 Days	Dry Retention Area 2	28.7503	14.13
Recovery	12 Days	Dry Retention Area 2	29.0007	14.13
Recovery	12 Days	Dry Retention Area 2	29.2521	14.12
Recovery	12 Days	Dry Retention Area 2	29.5001	14.12
Recovery	12 Days	Dry Retention Area 2	29.7507	14.11
Recovery	12 Days	Dry Retention Area 2	30.0002	14.11
Recovery	12 Days	Dry Retention Area 2	30.2504	14.10
Recovery	12 Days	Dry Retention Area 2	30.5022	14.10
Recovery	12 Days	Dry Retention Area 2	30.7509	14.09
Recovery	12 Days	Dry Retention Area 2	31.0008	14.09
Recovery	12 Days	Dry Retention Area 2	31.2524	14.08
Recovery	12 Days	Dry Retention Area 2	31.5013	14.08
Recovery	12 Days	Dry Retention Area 2	31.7512	14.07
Recovery	12 Days	Dry Retention Area 2	32.0003	14.07
Recovery	12 Days	Dry Retention Area 2	32.2508	14.06
Recovery	12 Days	Dry Retention Area 2	32.5020	14.06
Recovery	12 Days	Dry Retention Area 2	32.7514	14.05
Recovery	12 Days	Dry Retention Area 2	33.0012	14.05
Recovery	12 Days	Dry Retention Area 2	33.2512	14.04
Recovery	12 Days	Dry Retention Area 2	33.5002	14.04
Recovery	12 Days	Dry Retention Area 2	33.7519	14.03
Recovery	12 Days	Dry Retention Area 2	34.0022	14.03
Recovery	12 Days	Dry Retention Area 2	34.2513	14.03
Recovery	12 Days	Dry Retention Area 2	34.5011	14.02
Recovery	12 Days	Dry Retention Area 2	34.7501	14.02
Recovery	12 Days	Dry Retention Area 2	35.0022	14.01
Recovery	12 Days	Dry Retention Area 2	35.2518	14.01
Recovery	12 Days	Dry Retention Area 2	35.5001	14.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	35.7511	14.00
Recovery	12 Days	Dry Retention Area 2	36.0001	13.99
Recovery	12 Days	Dry Retention Area 2	36.2514	13.99
Recovery	12 Days	Dry Retention Area 2	36.5011	13.99
Recovery	12 Days	Dry Retention Area 2	36.7507	13.98
Recovery	12 Days	Dry Retention Area 2	37.0009	13.98
Recovery	12 Days	Dry Retention Area 2	37.2505	13.97
Recovery	12 Days	Dry Retention Area 2	37.5008	13.97
Recovery	12 Days	Dry Retention Area 2	37.7503	13.96
Recovery	12 Days	Dry Retention Area 2	38.0003	13.96
Recovery	12 Days	Dry Retention Area 2	38.2516	13.96
Recovery	12 Days	Dry Retention Area 2	38.5008	13.95
Recovery	12 Days	Dry Retention Area 2	38.7505	13.95
Recovery	12 Days	Dry Retention Area 2	39.0006	13.94
Recovery	12 Days	Dry Retention Area 2	39.2500	13.94
Recovery	12 Days	Dry Retention Area 2	39.5006	13.93
Recovery	12 Days	Dry Retention Area 2	39.7504	13.93
Recovery	12 Days	Dry Retention Area 2	40.0008	13.93
Recovery	12 Days	Dry Retention Area 2	40.2511	13.92
Recovery	12 Days	Dry Retention Area 2	40.5007	13.92
Recovery	12 Days	Dry Retention Area 2	40.7510	13.91
Recovery	12 Days	Dry Retention Area 2	41.0002	13.91
Recovery	12 Days	Dry Retention Area 2	41.2503	13.91
Recovery	12 Days	Dry Retention Area 2	41.5000	13.90
Recovery	12 Days	Dry Retention Area 2	41.7509	13.90
Recovery	12 Days	Dry Retention Area 2	42.0002	13.90
Recovery	12 Days	Dry Retention Area 2	42.2503	13.89
Recovery	12 Days	Dry Retention Area 2	42.5020	13.89
Recovery	12 Days	Dry Retention Area 2	42.7501	13.88
Recovery	12 Days	Dry Retention Area 2	43.0005	13.88
Recovery	12 Days	Dry Retention Area 2	43.2510	13.88
Recovery	12 Days	Dry Retention Area 2	43.5003	13.87
Recovery	12 Days	Dry Retention Area 2	43.7510	13.87
Recovery	12 Days	Dry Retention Area 2	44.0002	13.87
Recovery	12 Days	Dry Retention Area 2	44.2509	13.86
Recovery	12 Days	Dry Retention Area 2	44.5003	13.86
Recovery	12 Days	Dry Retention Area 2	44.7508	13.85
Recovery	12 Days	Dry Retention Area 2	45.0012	13.85
Recovery	12 Days	Dry Retention Area 2	45.2501	13.85
Recovery	12 Days	Dry Retention Area 2	45.5009	13.84
Recovery	12 Days	Dry Retention Area 2	45.7507	13.84
Recovery	12 Days	Dry Retention Area 2	46.0010	13.84
Recovery	12 Days	Dry Retention Area 2	46.2503	13.83
Recovery	12 Days	Dry Retention Area 2	46.5007	13.83
Recovery	12 Days	Dry Retention Area 2	46.7506	13.83
Recovery	12 Days	Dry Retention Area 2	47.0003	13.82
Recovery	12 Days	Dry Retention Area 2	47.2505	13.82
Recovery	12 Days	Dry Retention Area 2	47.5005	13.82

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	47.7504	13.81
Recovery	12 Days	Dry Retention Area 2	48.0005	13.81
Recovery	12 Days	Dry Retention Area 2	48.2501	13.81
Recovery	12 Days	Dry Retention Area 2	48.5009	13.80
Recovery	12 Days	Dry Retention Area 2	48.7501	13.80
Recovery	12 Days	Dry Retention Area 2	49.0005	13.80
Recovery	12 Days	Dry Retention Area 2	49.2502	13.79
Recovery	12 Days	Dry Retention Area 2	49.5000	13.79
Recovery	12 Days	Dry Retention Area 2	49.7501	13.79
Recovery	12 Days	Dry Retention Area 2	50.0013	13.78
Recovery	12 Days	Dry Retention Area 2	50.2510	13.78
Recovery	12 Days	Dry Retention Area 2	50.5005	13.78
Recovery	12 Days	Dry Retention Area 2	50.7511	13.77
Recovery	12 Days	Dry Retention Area 2	51.0008	13.77
Recovery	12 Days	Dry Retention Area 2	51.2502	13.77
Recovery	12 Days	Dry Retention Area 2	51.5005	13.77
Recovery	12 Days	Dry Retention Area 2	51.7512	13.76
Recovery	12 Days	Dry Retention Area 2	52.0006	13.76
Recovery	12 Days	Dry Retention Area 2	52.2502	13.76
Recovery	12 Days	Dry Retention Area 2	52.5001	13.75
Recovery	12 Days	Dry Retention Area 2	52.7504	13.75
Recovery	12 Days	Dry Retention Area 2	53.0003	13.75
Recovery	12 Days	Dry Retention Area 2	53.2505	13.74
Recovery	12 Days	Dry Retention Area 2	53.5005	13.74
Recovery	12 Days	Dry Retention Area 2	53.7503	13.74
Recovery	12 Days	Dry Retention Area 2	54.0010	13.73
Recovery	12 Days	Dry Retention Area 2	54.2500	13.73
Recovery	12 Days	Dry Retention Area 2	54.5001	13.73
Recovery	12 Days	Dry Retention Area 2	54.7502	13.72
Recovery	12 Days	Dry Retention Area 2	55.0001	13.72
Recovery	12 Days	Dry Retention Area 2	55.2505	13.72
Recovery	12 Days	Dry Retention Area 2	55.5007	13.71
Recovery	12 Days	Dry Retention Area 2	55.7506	13.71
Recovery	12 Days	Dry Retention Area 2	56.0004	13.71
Recovery	12 Days	Dry Retention Area 2	56.2513	13.71
Recovery	12 Days	Dry Retention Area 2	56.5008	13.70
Recovery	12 Days	Dry Retention Area 2	56.7505	13.70
Recovery	12 Days	Dry Retention Area 2	57.0002	13.70
Recovery	12 Days	Dry Retention Area 2	57.2508	13.70
Recovery	12 Days	Dry Retention Area 2	57.5002	13.69
Recovery	12 Days	Dry Retention Area 2	57.7502	13.69
Recovery	12 Days	Dry Retention Area 2	58.0008	13.69
Recovery	12 Days	Dry Retention Area 2	58.2506	13.68
Recovery	12 Days	Dry Retention Area 2	58.5006	13.68
Recovery	12 Days	Dry Retention Area 2	58.7503	13.68
Recovery	12 Days	Dry Retention Area 2	59.0007	13.68
Recovery	12 Days	Dry Retention Area 2	59.2502	13.67
Recovery	12 Days	Dry Retention Area 2	59.5005	13.67

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	59.7504	13.67
Recovery	12 Days	Dry Retention Area 2	60.0008	13.67
Recovery	12 Days	Dry Retention Area 2	60.2507	13.66
Recovery	12 Days	Dry Retention Area 2	60.5002	13.66
Recovery	12 Days	Dry Retention Area 2	60.7501	13.66
Recovery	12 Days	Dry Retention Area 2	61.0006	13.66
Recovery	12 Days	Dry Retention Area 2	61.2500	13.65
Recovery	12 Days	Dry Retention Area 2	61.5008	13.65
Recovery	12 Days	Dry Retention Area 2	61.7502	13.65
Recovery	12 Days	Dry Retention Area 2	62.0006	13.65
Recovery	12 Days	Dry Retention Area 2	62.2504	13.64
Recovery	12 Days	Dry Retention Area 2	62.5007	13.64
Recovery	12 Days	Dry Retention Area 2	62.7500	13.64
Recovery	12 Days	Dry Retention Area 2	63.0005	13.64
Recovery	12 Days	Dry Retention Area 2	63.2500	13.63
Recovery	12 Days	Dry Retention Area 2	63.5004	13.63
Recovery	12 Days	Dry Retention Area 2	63.7500	13.63
Recovery	12 Days	Dry Retention Area 2	64.0001	13.63
Recovery	12 Days	Dry Retention Area 2	64.2502	13.62
Recovery	12 Days	Dry Retention Area 2	64.5003	13.62
Recovery	12 Days	Dry Retention Area 2	64.7501	13.62
Recovery	12 Days	Dry Retention Area 2	65.0008	13.62
Recovery	12 Days	Dry Retention Area 2	65.2510	13.62
Recovery	12 Days	Dry Retention Area 2	65.5004	13.61
Recovery	12 Days	Dry Retention Area 2	65.7501	13.61
Recovery	12 Days	Dry Retention Area 2	66.0006	13.61
Recovery	12 Days	Dry Retention Area 2	66.2503	13.61
Recovery	12 Days	Dry Retention Area 2	66.5001	13.60
Recovery	12 Days	Dry Retention Area 2	66.7505	13.60
Recovery	12 Days	Dry Retention Area 2	67.0002	13.60
Recovery	12 Days	Dry Retention Area 2	67.2507	13.60
Recovery	12 Days	Dry Retention Area 2	67.5001	13.59
Recovery	12 Days	Dry Retention Area 2	67.7506	13.59
Recovery	12 Days	Dry Retention Area 2	68.0005	13.59
Recovery	12 Days	Dry Retention Area 2	68.2503	13.59
Recovery	12 Days	Dry Retention Area 2	68.5005	13.58
Recovery	12 Days	Dry Retention Area 2	68.7502	13.58
Recovery	12 Days	Dry Retention Area 2	69.0003	13.58
Recovery	12 Days	Dry Retention Area 2	69.2503	13.58
Recovery	12 Days	Dry Retention Area 2	69.5006	13.57
Recovery	12 Days	Dry Retention Area 2	69.7501	13.57
Recovery	12 Days	Dry Retention Area 2	70.0002	13.57
Recovery	12 Days	Dry Retention Area 2	70.2501	13.57
Recovery	12 Days	Dry Retention Area 2	70.5005	13.56
Recovery	12 Days	Dry Retention Area 2	70.7503	13.56
Recovery	12 Days	Dry Retention Area 2	71.0001	13.56
Recovery	12 Days	Dry Retention Area 2	71.2501	13.56
Recovery	12 Days	Dry Retention Area 2	71.5006	13.55

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	71.7500	13.55
Recovery	12 Days	Dry Retention Area 2	72.0004	13.55
Recovery	12 Days	Dry Retention Area 2	72.2500	13.55
Recovery	12 Days	Dry Retention Area 2	72.5003	13.54
Recovery	12 Days	Dry Retention Area 2	72.7503	13.54
Recovery	12 Days	Dry Retention Area 2	73.0000	13.54
Recovery	12 Days	Dry Retention Area 2	73.2502	13.54
Recovery	12 Days	Dry Retention Area 2	73.5003	13.53
Recovery	12 Days	Dry Retention Area 2	73.7504	13.53
Recovery	12 Days	Dry Retention Area 2	74.0005	13.53
Recovery	12 Days	Dry Retention Area 2	74.2504	13.53
Recovery	12 Days	Dry Retention Area 2	74.5005	13.52
Recovery	12 Days	Dry Retention Area 2	74.7503	13.52
Recovery	12 Days	Dry Retention Area 2	75.0002	13.52
Recovery	12 Days	Dry Retention Area 2	75.2502	13.51
Recovery	12 Days	Dry Retention Area 2	75.5003	13.51
Recovery	12 Days	Dry Retention Area 2	75.7505	13.51
Recovery	12 Days	Dry Retention Area 2	76.0002	13.51
Recovery	12 Days	Dry Retention Area 2	76.2504	13.50
Recovery	12 Days	Dry Retention Area 2	76.5002	13.50
Recovery	12 Days	Dry Retention Area 2	76.7500	13.50
Recovery	12 Days	Dry Retention Area 2	77.0001	13.49
Recovery	12 Days	Dry Retention Area 2	77.2504	13.49
Recovery	12 Days	Dry Retention Area 2	77.5001	13.49
Recovery	12 Days	Dry Retention Area 2	77.7502	13.48
Recovery	12 Days	Dry Retention Area 2	78.0001	13.48
Recovery	12 Days	Dry Retention Area 2	78.2504	13.48
Recovery	12 Days	Dry Retention Area 2	78.5004	13.47
Recovery	12 Days	Dry Retention Area 2	78.7502	13.47
Recovery	12 Days	Dry Retention Area 2	79.0005	13.47
Recovery	12 Days	Dry Retention Area 2	79.2500	13.47
Recovery	12 Days	Dry Retention Area 2	79.5002	13.46
Recovery	12 Days	Dry Retention Area 2	79.7503	13.46
Recovery	12 Days	Dry Retention Area 2	80.0004	13.46
Recovery	12 Days	Dry Retention Area 2	80.2506	13.45
Recovery	12 Days	Dry Retention Area 2	80.5001	13.45
Recovery	12 Days	Dry Retention Area 2	80.7506	13.44
Recovery	12 Days	Dry Retention Area 2	81.0004	13.44
Recovery	12 Days	Dry Retention Area 2	81.2503	13.44
Recovery	12 Days	Dry Retention Area 2	81.5005	13.43
Recovery	12 Days	Dry Retention Area 2	81.7502	13.43
Recovery	12 Days	Dry Retention Area 2	82.0003	13.43
Recovery	12 Days	Dry Retention Area 2	82.2501	13.42
Recovery	12 Days	Dry Retention Area 2	82.5002	13.42
Recovery	12 Days	Dry Retention Area 2	82.7506	13.42
Recovery	12 Days	Dry Retention Area 2	83.0006	13.41
Recovery	12 Days	Dry Retention Area 2	83.2506	13.41
Recovery	12 Days	Dry Retention Area 2	83.5005	13.41

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	83.7503	13.40
Recovery	12 Days	Dry Retention Area 2	84.0005	13.40
Recovery	12 Days	Dry Retention Area 2	84.2505	13.40
Recovery	12 Days	Dry Retention Area 2	84.5004	13.39
Recovery	12 Days	Dry Retention Area 2	84.7504	13.39
Recovery	12 Days	Dry Retention Area 2	85.0006	13.39
Recovery	12 Days	Dry Retention Area 2	85.2505	13.38
Recovery	12 Days	Dry Retention Area 2	85.5003	13.38
Recovery	12 Days	Dry Retention Area 2	85.7502	13.38
Recovery	12 Days	Dry Retention Area 2	86.0004	13.37
Recovery	12 Days	Dry Retention Area 2	86.2503	13.37
Recovery	12 Days	Dry Retention Area 2	86.5003	13.37
Recovery	12 Days	Dry Retention Area 2	86.7507	13.36
Recovery	12 Days	Dry Retention Area 2	87.0004	13.36
Recovery	12 Days	Dry Retention Area 2	87.2504	13.35
Recovery	12 Days	Dry Retention Area 2	87.5006	13.35
Recovery	12 Days	Dry Retention Area 2	87.7507	13.35
Recovery	12 Days	Dry Retention Area 2	88.0008	13.34
Recovery	12 Days	Dry Retention Area 2	88.2511	13.34
Recovery	12 Days	Dry Retention Area 2	88.5009	13.34
Recovery	12 Days	Dry Retention Area 2	88.7504	13.33
Recovery	12 Days	Dry Retention Area 2	89.0008	13.33
Recovery	12 Days	Dry Retention Area 2	89.2501	13.33
Recovery	12 Days	Dry Retention Area 2	89.5002	13.32
Recovery	12 Days	Dry Retention Area 2	89.7506	13.32
Recovery	12 Days	Dry Retention Area 2	90.0004	13.32
Recovery	12 Days	Dry Retention Area 2	90.2512	13.31
Recovery	12 Days	Dry Retention Area 2	90.5003	13.31
Recovery	12 Days	Dry Retention Area 2	90.7501	13.31
Recovery	12 Days	Dry Retention Area 2	91.0007	13.30
Recovery	12 Days	Dry Retention Area 2	91.2511	13.30
Recovery	12 Days	Dry Retention Area 2	91.5005	13.30
Recovery	12 Days	Dry Retention Area 2	91.7504	13.29
Recovery	12 Days	Dry Retention Area 2	92.0005	13.29
Recovery	12 Days	Dry Retention Area 2	92.2503	13.29
Recovery	12 Days	Dry Retention Area 2	92.5002	13.28
Recovery	12 Days	Dry Retention Area 2	92.7509	13.28
Recovery	12 Days	Dry Retention Area 2	93.0007	13.28
Recovery	12 Days	Dry Retention Area 2	93.2508	13.27
Recovery	12 Days	Dry Retention Area 2	93.5001	13.27
Recovery	12 Days	Dry Retention Area 2	93.7504	13.27
Recovery	12 Days	Dry Retention Area 2	94.0010	13.26
Recovery	12 Days	Dry Retention Area 2	94.2501	13.26
Recovery	12 Days	Dry Retention Area 2	94.5001	13.26
Recovery	12 Days	Dry Retention Area 2	94.7503	13.25
Recovery	12 Days	Dry Retention Area 2	95.0004	13.25
Recovery	12 Days	Dry Retention Area 2	95.2507	13.25
Recovery	12 Days	Dry Retention Area 2	95.5002	13.24

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	95.7505	13.24
Recovery	12 Days	Dry Retention Area 2	96.0003	13.24
Recovery	12 Days	Dry Retention Area 2	96.2503	13.24
Recovery	12 Days	Dry Retention Area 2	96.5007	13.23
Recovery	12 Days	Dry Retention Area 2	96.7503	13.23
Recovery	12 Days	Dry Retention Area 2	97.0003	13.23
Recovery	12 Days	Dry Retention Area 2	97.2509	13.22
Recovery	12 Days	Dry Retention Area 2	97.5000	13.22
Recovery	12 Days	Dry Retention Area 2	97.7504	13.22
Recovery	12 Days	Dry Retention Area 2	98.0010	13.21
Recovery	12 Days	Dry Retention Area 2	98.2507	13.21
Recovery	12 Days	Dry Retention Area 2	98.5003	13.21
Recovery	12 Days	Dry Retention Area 2	98.7501	13.20
Recovery	12 Days	Dry Retention Area 2	99.0003	13.20
Recovery	12 Days	Dry Retention Area 2	99.2508	13.20
Recovery	12 Days	Dry Retention Area 2	99.5004	13.19
Recovery	12 Days	Dry Retention Area 2	99.7504	13.19
Recovery	12 Days	Dry Retention Area 2	100.0011	13.19
Recovery	12 Days	Dry Retention Area 2	100.2505	13.18
Recovery	12 Days	Dry Retention Area 2	100.5004	13.18
Recovery	12 Days	Dry Retention Area 2	100.7506	13.18
Recovery	12 Days	Dry Retention Area 2	101.0008	13.18
Recovery	12 Days	Dry Retention Area 2	101.2503	13.17
Recovery	12 Days	Dry Retention Area 2	101.5001	13.17
Recovery	12 Days	Dry Retention Area 2	101.7501	13.17
Recovery	12 Days	Dry Retention Area 2	102.0006	13.16
Recovery	12 Days	Dry Retention Area 2	102.2505	13.16
Recovery	12 Days	Dry Retention Area 2	102.5007	13.16
Recovery	12 Days	Dry Retention Area 2	102.7505	13.15
Recovery	12 Days	Dry Retention Area 2	103.0010	13.15
Recovery	12 Days	Dry Retention Area 2	103.2506	13.15
Recovery	12 Days	Dry Retention Area 2	103.5008	13.15
Recovery	12 Days	Dry Retention Area 2	103.7506	13.14
Recovery	12 Days	Dry Retention Area 2	104.0005	13.14
Recovery	12 Days	Dry Retention Area 2	104.2507	13.14
Recovery	12 Days	Dry Retention Area 2	104.5009	13.13
Recovery	12 Days	Dry Retention Area 2	104.7500	13.13
Recovery	12 Days	Dry Retention Area 2	105.0005	13.13
Recovery	12 Days	Dry Retention Area 2	105.2506	13.12
Recovery	12 Days	Dry Retention Area 2	105.5010	13.12
Recovery	12 Days	Dry Retention Area 2	105.7509	13.12
Recovery	12 Days	Dry Retention Area 2	106.0003	13.12
Recovery	12 Days	Dry Retention Area 2	106.2502	13.11
Recovery	12 Days	Dry Retention Area 2	106.5006	13.11
Recovery	12 Days	Dry Retention Area 2	106.7508	13.11
Recovery	12 Days	Dry Retention Area 2	107.0007	13.10
Recovery	12 Days	Dry Retention Area 2	107.2504	13.10
Recovery	12 Days	Dry Retention Area 2	107.5009	13.10

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	107.7509	13.10
Recovery	12 Days	Dry Retention Area 2	108.0000	13.09
Recovery	12 Days	Dry Retention Area 2	108.2504	13.09
Recovery	12 Days	Dry Retention Area 2	108.5010	13.09
Recovery	12 Days	Dry Retention Area 2	108.7501	13.08
Recovery	12 Days	Dry Retention Area 2	109.0003	13.08
Recovery	12 Days	Dry Retention Area 2	109.2510	13.08
Recovery	12 Days	Dry Retention Area 2	109.5012	13.08
Recovery	12 Days	Dry Retention Area 2	109.7504	13.07
Recovery	12 Days	Dry Retention Area 2	110.0007	13.07
Recovery	12 Days	Dry Retention Area 2	110.2502	13.07
Recovery	12 Days	Dry Retention Area 2	110.5011	13.06
Recovery	12 Days	Dry Retention Area 2	110.7502	13.06
Recovery	12 Days	Dry Retention Area 2	111.0010	13.06
Recovery	12 Days	Dry Retention Area 2	111.2504	13.06
Recovery	12 Days	Dry Retention Area 2	111.5005	13.05
Recovery	12 Days	Dry Retention Area 2	111.7502	13.05
Recovery	12 Days	Dry Retention Area 2	112.0002	13.05
Recovery	12 Days	Dry Retention Area 2	112.2501	13.04
Recovery	12 Days	Dry Retention Area 2	112.5011	13.04
Recovery	12 Days	Dry Retention Area 2	112.7501	13.04
Recovery	12 Days	Dry Retention Area 2	113.0004	13.04
Recovery	12 Days	Dry Retention Area 2	113.2504	13.03
Recovery	12 Days	Dry Retention Area 2	113.5008	13.03
Recovery	12 Days	Dry Retention Area 2	113.7504	13.03
Recovery	12 Days	Dry Retention Area 2	114.0000	13.03
Recovery	12 Days	Dry Retention Area 2	114.2500	13.02
Recovery	12 Days	Dry Retention Area 2	114.5001	13.02
Recovery	12 Days	Dry Retention Area 2	114.7501	13.02
Recovery	12 Days	Dry Retention Area 2	115.0005	13.01
Recovery	12 Days	Dry Retention Area 2	115.2504	13.01
Recovery	12 Days	Dry Retention Area 2	115.5010	13.01
Recovery	12 Days	Dry Retention Area 2	115.7504	13.01
Recovery	12 Days	Dry Retention Area 2	116.0008	13.00
Recovery	12 Days	Dry Retention Area 2	116.2501	13.00
Recovery	12 Days	Dry Retention Area 2	116.5011	13.00
Recovery	12 Days	Dry Retention Area 2	116.7505	13.00
Recovery	12 Days	Dry Retention Area 2	117.0006	13.00
Recovery	12 Days	Dry Retention Area 2	117.2501	13.00
Recovery	12 Days	Dry Retention Area 2	117.5012	13.00
Recovery	12 Days	Dry Retention Area 2	117.7501	13.00
Recovery	12 Days	Dry Retention Area 2	118.0012	13.00
Recovery	12 Days	Dry Retention Area 2	118.2502	13.00
Recovery	12 Days	Dry Retention Area 2	118.5001	13.00
Recovery	12 Days	Dry Retention Area 2	118.7503	13.00
Recovery	12 Days	Dry Retention Area 2	119.0006	13.00
Recovery	12 Days	Dry Retention Area 2	119.2509	13.00
Recovery	12 Days	Dry Retention Area 2	119.5006	13.00

← Full Recovery
approximately 4.8
days after end of
design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	119.7508	13.00
Recovery	12 Days	Dry Retention Area 2	120.0001	13.00
Recovery	12 Days	Dry Retention Area 2	120.2513	13.00
Recovery	12 Days	Dry Retention Area 2	120.5004	13.00
Recovery	12 Days	Dry Retention Area 2	120.7504	13.00
Recovery	12 Days	Dry Retention Area 2	121.0006	13.00
Recovery	12 Days	Dry Retention Area 2	121.2505	13.00
Recovery	12 Days	Dry Retention Area 2	121.5005	13.00
Recovery	12 Days	Dry Retention Area 2	121.7517	13.00
Recovery	12 Days	Dry Retention Area 2	122.0003	13.00
Recovery	12 Days	Dry Retention Area 2	122.2501	13.00
Recovery	12 Days	Dry Retention Area 2	122.5004	13.00
Recovery	12 Days	Dry Retention Area 2	122.7513	13.00
Recovery	12 Days	Dry Retention Area 2	123.0017	13.00
Recovery	12 Days	Dry Retention Area 2	123.2503	13.00
Recovery	12 Days	Dry Retention Area 2	123.5008	13.00
Recovery	12 Days	Dry Retention Area 2	123.7505	13.00
Recovery	12 Days	Dry Retention Area 2	124.0007	13.00
Recovery	12 Days	Dry Retention Area 2	124.2516	13.00
Recovery	12 Days	Dry Retention Area 2	124.5011	13.00
Recovery	12 Days	Dry Retention Area 2	124.7502	13.00
Recovery	12 Days	Dry Retention Area 2	125.0004	13.00
Recovery	12 Days	Dry Retention Area 2	125.2506	13.00
Recovery	12 Days	Dry Retention Area 2	125.5006	13.00
Recovery	12 Days	Dry Retention Area 2	125.7504	13.00
Recovery	12 Days	Dry Retention Area 2	126.0008	13.00
Recovery	12 Days	Dry Retention Area 2	126.2511	13.00
Recovery	12 Days	Dry Retention Area 2	126.5006	13.00
Recovery	12 Days	Dry Retention Area 2	126.7507	13.00
Recovery	12 Days	Dry Retention Area 2	127.0007	13.00
Recovery	12 Days	Dry Retention Area 2	127.2501	13.00
Recovery	12 Days	Dry Retention Area 2	127.5008	13.00
Recovery	12 Days	Dry Retention Area 2	127.7504	13.00
Recovery	12 Days	Dry Retention Area 2	128.0010	13.00
Recovery	12 Days	Dry Retention Area 2	128.2507	13.00
Recovery	12 Days	Dry Retention Area 2	128.5007	13.00
Recovery	12 Days	Dry Retention Area 2	128.7509	13.00
Recovery	12 Days	Dry Retention Area 2	129.0006	13.00
Recovery	12 Days	Dry Retention Area 2	129.2511	13.00
Recovery	12 Days	Dry Retention Area 2	129.5015	13.00
Recovery	12 Days	Dry Retention Area 2	129.7502	13.00
Recovery	12 Days	Dry Retention Area 2	130.0002	13.00
Recovery	12 Days	Dry Retention Area 2	130.2500	13.00
Recovery	12 Days	Dry Retention Area 2	130.5023	13.00
Recovery	12 Days	Dry Retention Area 2	130.7513	13.00
Recovery	12 Days	Dry Retention Area 2	131.0018	13.00
Recovery	12 Days	Dry Retention Area 2	131.2518	13.00
Recovery	12 Days	Dry Retention Area 2	131.5024	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	131.7511	13.00
Recovery	12 Days	Dry Retention Area 2	132.0008	13.00
Recovery	12 Days	Dry Retention Area 2	132.2510	13.00
Recovery	12 Days	Dry Retention Area 2	132.5009	13.00
Recovery	12 Days	Dry Retention Area 2	132.7505	13.00
Recovery	12 Days	Dry Retention Area 2	133.0010	13.00
Recovery	12 Days	Dry Retention Area 2	133.2518	13.00
Recovery	12 Days	Dry Retention Area 2	133.5019	13.00
Recovery	12 Days	Dry Retention Area 2	133.7518	13.00
Recovery	12 Days	Dry Retention Area 2	134.0027	13.00
Recovery	12 Days	Dry Retention Area 2	134.2510	13.00
Recovery	12 Days	Dry Retention Area 2	134.5007	13.00
Recovery	12 Days	Dry Retention Area 2	134.7513	13.00
Recovery	12 Days	Dry Retention Area 2	135.0004	13.00
Recovery	12 Days	Dry Retention Area 2	135.2510	13.00
Recovery	12 Days	Dry Retention Area 2	135.5001	13.00
Recovery	12 Days	Dry Retention Area 2	135.7515	13.00
Recovery	12 Days	Dry Retention Area 2	136.0012	13.00
Recovery	12 Days	Dry Retention Area 2	136.2510	13.00
Recovery	12 Days	Dry Retention Area 2	136.5010	13.00
Recovery	12 Days	Dry Retention Area 2	136.7501	13.00
Recovery	12 Days	Dry Retention Area 2	137.0001	13.00
Recovery	12 Days	Dry Retention Area 2	137.2527	13.00
Recovery	12 Days	Dry Retention Area 2	137.5015	13.00
Recovery	12 Days	Dry Retention Area 2	137.7512	13.00
Recovery	12 Days	Dry Retention Area 2	138.0010	13.00
Recovery	12 Days	Dry Retention Area 2	138.2508	13.00
Recovery	12 Days	Dry Retention Area 2	138.5006	13.00
Recovery	12 Days	Dry Retention Area 2	138.7525	13.00
Recovery	12 Days	Dry Retention Area 2	139.0002	13.00
Recovery	12 Days	Dry Retention Area 2	139.2511	13.00
Recovery	12 Days	Dry Retention Area 2	139.5001	13.00
Recovery	12 Days	Dry Retention Area 2	139.7515	13.00
Recovery	12 Days	Dry Retention Area 2	140.0018	13.00
Recovery	12 Days	Dry Retention Area 2	140.2523	13.00
Recovery	12 Days	Dry Retention Area 2	140.5000	13.00
Recovery	12 Days	Dry Retention Area 2	140.7504	13.00
Recovery	12 Days	Dry Retention Area 2	141.0012	13.00
Recovery	12 Days	Dry Retention Area 2	141.2508	13.00
Recovery	12 Days	Dry Retention Area 2	141.5005	13.00
Recovery	12 Days	Dry Retention Area 2	141.7503	13.00
Recovery	12 Days	Dry Retention Area 2	142.0012	13.00
Recovery	12 Days	Dry Retention Area 2	142.2504	13.00
Recovery	12 Days	Dry Retention Area 2	142.5017	13.00
Recovery	12 Days	Dry Retention Area 2	142.7524	13.00
Recovery	12 Days	Dry Retention Area 2	143.0025	13.00
Recovery	12 Days	Dry Retention Area 2	143.2523	13.00
Recovery	12 Days	Dry Retention Area 2	143.5001	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	143.7507	13.00
Recovery	12 Days	Dry Retention Area 2	144.0010	13.00
Recovery	12 Days	Dry Retention Area 2	144.2513	13.00
Recovery	12 Days	Dry Retention Area 2	144.5020	13.00
Recovery	12 Days	Dry Retention Area 2	144.7525	13.00
Recovery	12 Days	Dry Retention Area 2	145.0016	13.00
Recovery	12 Days	Dry Retention Area 2	145.2527	13.00
Recovery	12 Days	Dry Retention Area 2	145.5012	13.00
Recovery	12 Days	Dry Retention Area 2	145.7508	13.00
Recovery	12 Days	Dry Retention Area 2	146.0039	13.00
Recovery	12 Days	Dry Retention Area 2	146.2527	13.00
Recovery	12 Days	Dry Retention Area 2	146.5027	13.00
Recovery	12 Days	Dry Retention Area 2	146.7509	13.00
Recovery	12 Days	Dry Retention Area 2	147.0005	13.00
Recovery	12 Days	Dry Retention Area 2	147.2531	13.00
Recovery	12 Days	Dry Retention Area 2	147.5031	13.00
Recovery	12 Days	Dry Retention Area 2	147.7517	13.00
Recovery	12 Days	Dry Retention Area 2	148.0008	13.00
Recovery	12 Days	Dry Retention Area 2	148.2533	13.00
Recovery	12 Days	Dry Retention Area 2	148.5026	13.00
Recovery	12 Days	Dry Retention Area 2	148.7538	13.00
Recovery	12 Days	Dry Retention Area 2	149.0018	13.00
Recovery	12 Days	Dry Retention Area 2	149.2535	13.00
Recovery	12 Days	Dry Retention Area 2	149.5020	13.00
Recovery	12 Days	Dry Retention Area 2	149.7518	13.00
Recovery	12 Days	Dry Retention Area 2	150.0000	13.00
Recovery	12 Days	Dry Retention Area 2	150.2538	13.00
Recovery	12 Days	Dry Retention Area 2	150.5038	13.00
Recovery	12 Days	Dry Retention Area 2	150.7526	13.00
Recovery	12 Days	Dry Retention Area 2	151.0013	13.00
Recovery	12 Days	Dry Retention Area 2	151.2514	13.00
Recovery	12 Days	Dry Retention Area 2	151.5014	13.00
Recovery	12 Days	Dry Retention Area 2	151.7532	13.00
Recovery	12 Days	Dry Retention Area 2	152.0026	13.00
Recovery	12 Days	Dry Retention Area 2	152.2529	13.00
Recovery	12 Days	Dry Retention Area 2	152.5005	13.00
Recovery	12 Days	Dry Retention Area 2	152.7524	13.00
Recovery	12 Days	Dry Retention Area 2	153.0013	13.00
Recovery	12 Days	Dry Retention Area 2	153.2500	13.00
Recovery	12 Days	Dry Retention Area 2	153.5033	13.00
Recovery	12 Days	Dry Retention Area 2	153.7542	13.00
Recovery	12 Days	Dry Retention Area 2	154.0036	13.00
Recovery	12 Days	Dry Retention Area 2	154.2516	13.00
Recovery	12 Days	Dry Retention Area 2	154.5011	13.00
Recovery	12 Days	Dry Retention Area 2	154.7508	13.00
Recovery	12 Days	Dry Retention Area 2	155.0001	13.00
Recovery	12 Days	Dry Retention Area 2	155.2510	13.00
Recovery	12 Days	Dry Retention Area 2	155.5002	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	155.7513	13.00
Recovery	12 Days	Dry Retention Area 2	156.0004	13.00
Recovery	12 Days	Dry Retention Area 2	156.2507	13.00
Recovery	12 Days	Dry Retention Area 2	156.5001	13.00
Recovery	12 Days	Dry Retention Area 2	156.7509	13.00
Recovery	12 Days	Dry Retention Area 2	157.0007	13.00
Recovery	12 Days	Dry Retention Area 2	157.2509	13.00
Recovery	12 Days	Dry Retention Area 2	157.5007	13.00
Recovery	12 Days	Dry Retention Area 2	157.7531	13.00
Recovery	12 Days	Dry Retention Area 2	158.0026	13.00
Recovery	12 Days	Dry Retention Area 2	158.2516	13.00
Recovery	12 Days	Dry Retention Area 2	158.5021	13.00
Recovery	12 Days	Dry Retention Area 2	158.7506	13.00
Recovery	12 Days	Dry Retention Area 2	159.0010	13.00
Recovery	12 Days	Dry Retention Area 2	159.2535	13.00
Recovery	12 Days	Dry Retention Area 2	159.5020	13.00
Recovery	12 Days	Dry Retention Area 2	159.7524	13.00
Recovery	12 Days	Dry Retention Area 2	160.0033	13.00
Recovery	12 Days	Dry Retention Area 2	160.2533	13.00
Recovery	12 Days	Dry Retention Area 2	160.5025	13.00
Recovery	12 Days	Dry Retention Area 2	160.7528	13.00
Recovery	12 Days	Dry Retention Area 2	161.0022	13.00
Recovery	12 Days	Dry Retention Area 2	161.2511	13.00
Recovery	12 Days	Dry Retention Area 2	161.5054	13.00
Recovery	12 Days	Dry Retention Area 2	161.7526	13.00
Recovery	12 Days	Dry Retention Area 2	162.0048	13.00
Recovery	12 Days	Dry Retention Area 2	162.2535	13.00
Recovery	12 Days	Dry Retention Area 2	162.5008	13.00
Recovery	12 Days	Dry Retention Area 2	162.7520	13.00
Recovery	12 Days	Dry Retention Area 2	163.0018	13.00
Recovery	12 Days	Dry Retention Area 2	163.2513	13.00
Recovery	12 Days	Dry Retention Area 2	163.5021	13.00
Recovery	12 Days	Dry Retention Area 2	163.7512	13.00
Recovery	12 Days	Dry Retention Area 2	164.0020	13.00
Recovery	12 Days	Dry Retention Area 2	164.2501	13.00
Recovery	12 Days	Dry Retention Area 2	164.5024	13.00
Recovery	12 Days	Dry Retention Area 2	164.7529	13.00
Recovery	12 Days	Dry Retention Area 2	165.0038	13.00
Recovery	12 Days	Dry Retention Area 2	165.2539	13.00
Recovery	12 Days	Dry Retention Area 2	165.5014	13.00
Recovery	12 Days	Dry Retention Area 2	165.7515	13.00
Recovery	12 Days	Dry Retention Area 2	166.0023	13.00
Recovery	12 Days	Dry Retention Area 2	166.2515	13.00
Recovery	12 Days	Dry Retention Area 2	166.5004	13.00
Recovery	12 Days	Dry Retention Area 2	166.7513	13.00
Recovery	12 Days	Dry Retention Area 2	167.0011	13.00
Recovery	12 Days	Dry Retention Area 2	167.2515	13.00
Recovery	12 Days	Dry Retention Area 2	167.5028	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	167.7503	13.00
Recovery	12 Days	Dry Retention Area 2	168.0006	13.00
Recovery	12 Days	Dry Retention Area 2	168.2511	13.00
Recovery	12 Days	Dry Retention Area 2	168.5013	13.00
Recovery	12 Days	Dry Retention Area 2	168.7506	13.00
Recovery	12 Days	Dry Retention Area 2	169.0016	13.00
Recovery	12 Days	Dry Retention Area 2	169.2506	13.00
Recovery	12 Days	Dry Retention Area 2	169.5005	13.00
Recovery	12 Days	Dry Retention Area 2	169.7522	13.00
Recovery	12 Days	Dry Retention Area 2	170.0008	13.00
Recovery	12 Days	Dry Retention Area 2	170.2522	13.00
Recovery	12 Days	Dry Retention Area 2	170.5004	13.00
Recovery	12 Days	Dry Retention Area 2	170.7514	13.00
Recovery	12 Days	Dry Retention Area 2	171.0029	13.00
Recovery	12 Days	Dry Retention Area 2	171.2509	13.00
Recovery	12 Days	Dry Retention Area 2	171.5008	13.00
Recovery	12 Days	Dry Retention Area 2	171.7520	13.00
Recovery	12 Days	Dry Retention Area 2	172.0021	13.00
Recovery	12 Days	Dry Retention Area 2	172.2518	13.00
Recovery	12 Days	Dry Retention Area 2	172.5013	13.00
Recovery	12 Days	Dry Retention Area 2	172.7502	13.00
Recovery	12 Days	Dry Retention Area 2	173.0001	13.00
Recovery	12 Days	Dry Retention Area 2	173.2503	13.00
Recovery	12 Days	Dry Retention Area 2	173.5006	13.00
Recovery	12 Days	Dry Retention Area 2	173.7523	13.00
Recovery	12 Days	Dry Retention Area 2	174.0012	13.00
Recovery	12 Days	Dry Retention Area 2	174.2505	13.00
Recovery	12 Days	Dry Retention Area 2	174.5012	13.00
Recovery	12 Days	Dry Retention Area 2	174.7510	13.00
Recovery	12 Days	Dry Retention Area 2	175.0002	13.00
Recovery	12 Days	Dry Retention Area 2	175.2516	13.00
Recovery	12 Days	Dry Retention Area 2	175.5006	13.00
Recovery	12 Days	Dry Retention Area 2	175.7517	13.00
Recovery	12 Days	Dry Retention Area 2	176.0006	13.00
Recovery	12 Days	Dry Retention Area 2	176.2510	13.00
Recovery	12 Days	Dry Retention Area 2	176.5024	13.00
Recovery	12 Days	Dry Retention Area 2	176.7505	13.00
Recovery	12 Days	Dry Retention Area 2	177.0008	13.00
Recovery	12 Days	Dry Retention Area 2	177.2523	13.00
Recovery	12 Days	Dry Retention Area 2	177.5022	13.00
Recovery	12 Days	Dry Retention Area 2	177.7515	13.00
Recovery	12 Days	Dry Retention Area 2	178.0008	13.00
Recovery	12 Days	Dry Retention Area 2	178.2518	13.00
Recovery	12 Days	Dry Retention Area 2	178.5029	13.00
Recovery	12 Days	Dry Retention Area 2	178.7513	13.00
Recovery	12 Days	Dry Retention Area 2	179.0009	13.00
Recovery	12 Days	Dry Retention Area 2	179.2512	13.00
Recovery	12 Days	Dry Retention Area 2	179.5007	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	179.7518	13.00
Recovery	12 Days	Dry Retention Area 2	180.0011	13.00
Recovery	12 Days	Dry Retention Area 2	180.2504	13.00
Recovery	12 Days	Dry Retention Area 2	180.5023	13.00
Recovery	12 Days	Dry Retention Area 2	180.7506	13.00
Recovery	12 Days	Dry Retention Area 2	181.0024	13.00
Recovery	12 Days	Dry Retention Area 2	181.2508	13.00
Recovery	12 Days	Dry Retention Area 2	181.5016	13.00
Recovery	12 Days	Dry Retention Area 2	181.7505	13.00
Recovery	12 Days	Dry Retention Area 2	182.0078	13.00
Recovery	12 Days	Dry Retention Area 2	182.2577	13.00
Recovery	12 Days	Dry Retention Area 2	182.5077	13.00
Recovery	12 Days	Dry Retention Area 2	182.7577	13.00
Recovery	12 Days	Dry Retention Area 2	183.0077	13.00
Recovery	12 Days	Dry Retention Area 2	183.2577	13.00
Recovery	12 Days	Dry Retention Area 2	183.5077	13.00
Recovery	12 Days	Dry Retention Area 2	183.7577	13.00
Recovery	12 Days	Dry Retention Area 2	184.0077	13.00
Recovery	12 Days	Dry Retention Area 2	184.2577	13.00
Recovery	12 Days	Dry Retention Area 2	184.5077	13.00
Recovery	12 Days	Dry Retention Area 2	184.7577	13.00
Recovery	12 Days	Dry Retention Area 2	185.0077	13.00
Recovery	12 Days	Dry Retention Area 2	185.2577	13.00
Recovery	12 Days	Dry Retention Area 2	185.5077	13.00
Recovery	12 Days	Dry Retention Area 2	185.7577	13.00
Recovery	12 Days	Dry Retention Area 2	186.0077	13.00
Recovery	12 Days	Dry Retention Area 2	186.2577	13.00
Recovery	12 Days	Dry Retention Area 2	186.5077	13.00
Recovery	12 Days	Dry Retention Area 2	186.7577	13.00
Recovery	12 Days	Dry Retention Area 2	187.0077	13.00
Recovery	12 Days	Dry Retention Area 2	187.2577	13.00
Recovery	12 Days	Dry Retention Area 2	187.5077	13.00
Recovery	12 Days	Dry Retention Area 2	187.7577	13.00
Recovery	12 Days	Dry Retention Area 2	188.0077	13.00
Recovery	12 Days	Dry Retention Area 2	188.2577	13.00
Recovery	12 Days	Dry Retention Area 2	188.5077	13.00
Recovery	12 Days	Dry Retention Area 2	188.7577	13.00
Recovery	12 Days	Dry Retention Area 2	189.0077	13.00
Recovery	12 Days	Dry Retention Area 2	189.2577	13.00
Recovery	12 Days	Dry Retention Area 2	189.5077	13.00
Recovery	12 Days	Dry Retention Area 2	189.7577	13.00
Recovery	12 Days	Dry Retention Area 2	190.0077	13.00
Recovery	12 Days	Dry Retention Area 2	190.2577	13.00
Recovery	12 Days	Dry Retention Area 2	190.5077	13.00
Recovery	12 Days	Dry Retention Area 2	190.7577	13.00
Recovery	12 Days	Dry Retention Area 2	191.0077	13.00
Recovery	12 Days	Dry Retention Area 2	191.2577	13.00
Recovery	12 Days	Dry Retention Area 2	191.5077	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	191.7577	13.00
Recovery	12 Days	Dry Retention Area 2	192.0077	13.00
Recovery	12 Days	Dry Retention Area 2	192.2577	13.00
Recovery	12 Days	Dry Retention Area 2	192.5077	13.00
Recovery	12 Days	Dry Retention Area 2	192.7577	13.00
Recovery	12 Days	Dry Retention Area 2	193.0077	13.00
Recovery	12 Days	Dry Retention Area 2	193.2577	13.00
Recovery	12 Days	Dry Retention Area 2	193.5077	13.00
Recovery	12 Days	Dry Retention Area 2	193.7577	13.00
Recovery	12 Days	Dry Retention Area 2	194.0077	13.00
Recovery	12 Days	Dry Retention Area 2	194.2577	13.00
Recovery	12 Days	Dry Retention Area 2	194.5077	13.00
Recovery	12 Days	Dry Retention Area 2	194.7577	13.00
Recovery	12 Days	Dry Retention Area 2	195.0077	13.00
Recovery	12 Days	Dry Retention Area 2	195.2577	13.00
Recovery	12 Days	Dry Retention Area 2	195.5077	13.00
Recovery	12 Days	Dry Retention Area 2	195.7577	13.00
Recovery	12 Days	Dry Retention Area 2	196.0077	13.00
Recovery	12 Days	Dry Retention Area 2	196.2577	13.00
Recovery	12 Days	Dry Retention Area 2	196.5077	13.00
Recovery	12 Days	Dry Retention Area 2	196.7577	13.00
Recovery	12 Days	Dry Retention Area 2	197.0077	13.00
Recovery	12 Days	Dry Retention Area 2	197.2577	13.00
Recovery	12 Days	Dry Retention Area 2	197.5077	13.00
Recovery	12 Days	Dry Retention Area 2	197.7577	13.00
Recovery	12 Days	Dry Retention Area 2	198.0077	13.00
Recovery	12 Days	Dry Retention Area 2	198.2577	13.00
Recovery	12 Days	Dry Retention Area 2	198.5077	13.00
Recovery	12 Days	Dry Retention Area 2	198.7577	13.00
Recovery	12 Days	Dry Retention Area 2	199.0077	13.00
Recovery	12 Days	Dry Retention Area 2	199.2577	13.00
Recovery	12 Days	Dry Retention Area 2	199.5077	13.00
Recovery	12 Days	Dry Retention Area 2	199.7577	13.00
Recovery	12 Days	Dry Retention Area 2	200.0077	13.00
Recovery	12 Days	Dry Retention Area 2	200.2577	13.00
Recovery	12 Days	Dry Retention Area 2	200.5077	13.00
Recovery	12 Days	Dry Retention Area 2	200.7577	13.00
Recovery	12 Days	Dry Retention Area 2	201.0077	13.00
Recovery	12 Days	Dry Retention Area 2	201.2577	13.00
Recovery	12 Days	Dry Retention Area 2	201.5077	13.00
Recovery	12 Days	Dry Retention Area 2	201.7577	13.00
Recovery	12 Days	Dry Retention Area 2	202.0077	13.00
Recovery	12 Days	Dry Retention Area 2	202.2577	13.00
Recovery	12 Days	Dry Retention Area 2	202.5077	13.00
Recovery	12 Days	Dry Retention Area 2	202.7577	13.00
Recovery	12 Days	Dry Retention Area 2	203.0077	13.00
Recovery	12 Days	Dry Retention Area 2	203.2577	13.00
Recovery	12 Days	Dry Retention Area 2	203.5077	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	203.7577	13.00
Recovery	12 Days	Dry Retention Area 2	204.0077	13.00
Recovery	12 Days	Dry Retention Area 2	204.2577	13.00
Recovery	12 Days	Dry Retention Area 2	204.5077	13.00
Recovery	12 Days	Dry Retention Area 2	204.7577	13.00
Recovery	12 Days	Dry Retention Area 2	205.0077	13.00
Recovery	12 Days	Dry Retention Area 2	205.2577	13.00
Recovery	12 Days	Dry Retention Area 2	205.5077	13.00
Recovery	12 Days	Dry Retention Area 2	205.7577	13.00
Recovery	12 Days	Dry Retention Area 2	206.0077	13.00
Recovery	12 Days	Dry Retention Area 2	206.2577	13.00
Recovery	12 Days	Dry Retention Area 2	206.5077	13.00
Recovery	12 Days	Dry Retention Area 2	206.7577	13.00
Recovery	12 Days	Dry Retention Area 2	207.0077	13.00
Recovery	12 Days	Dry Retention Area 2	207.2577	13.00
Recovery	12 Days	Dry Retention Area 2	207.5077	13.00
Recovery	12 Days	Dry Retention Area 2	207.7577	13.00
Recovery	12 Days	Dry Retention Area 2	208.0077	13.00
Recovery	12 Days	Dry Retention Area 2	208.2577	13.00
Recovery	12 Days	Dry Retention Area 2	208.5077	13.00
Recovery	12 Days	Dry Retention Area 2	208.7577	13.00
Recovery	12 Days	Dry Retention Area 2	209.0077	13.00
Recovery	12 Days	Dry Retention Area 2	209.2577	13.00
Recovery	12 Days	Dry Retention Area 2	209.5077	13.00
Recovery	12 Days	Dry Retention Area 2	209.7577	13.00
Recovery	12 Days	Dry Retention Area 2	210.0077	13.00
Recovery	12 Days	Dry Retention Area 2	210.2577	13.00
Recovery	12 Days	Dry Retention Area 2	210.5077	13.00
Recovery	12 Days	Dry Retention Area 2	210.7577	13.00
Recovery	12 Days	Dry Retention Area 2	211.0077	13.00
Recovery	12 Days	Dry Retention Area 2	211.2577	13.00
Recovery	12 Days	Dry Retention Area 2	211.5077	13.00
Recovery	12 Days	Dry Retention Area 2	211.7577	13.00
Recovery	12 Days	Dry Retention Area 2	212.0077	13.00
Recovery	12 Days	Dry Retention Area 2	212.2577	13.00
Recovery	12 Days	Dry Retention Area 2	212.5077	13.00
Recovery	12 Days	Dry Retention Area 2	212.7577	13.00
Recovery	12 Days	Dry Retention Area 2	213.0077	13.00
Recovery	12 Days	Dry Retention Area 2	213.2577	13.00
Recovery	12 Days	Dry Retention Area 2	213.5077	13.00
Recovery	12 Days	Dry Retention Area 2	213.7577	13.00
Recovery	12 Days	Dry Retention Area 2	214.0077	13.00
Recovery	12 Days	Dry Retention Area 2	214.2577	13.00
Recovery	12 Days	Dry Retention Area 2	214.5077	13.00
Recovery	12 Days	Dry Retention Area 2	214.7577	13.00
Recovery	12 Days	Dry Retention Area 2	215.0077	13.00
Recovery	12 Days	Dry Retention Area 2	215.2577	13.00
Recovery	12 Days	Dry Retention Area 2	215.5077	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	215.7577	13.00
Recovery	12 Days	Dry Retention Area 2	216.0077	13.00
Recovery	12 Days	Dry Retention Area 2	216.2577	13.00
Recovery	12 Days	Dry Retention Area 2	216.5077	13.00
Recovery	12 Days	Dry Retention Area 2	216.7577	13.00
Recovery	12 Days	Dry Retention Area 2	217.0027	13.00
Recovery	12 Days	Dry Retention Area 2	217.2543	13.00
Recovery	12 Days	Dry Retention Area 2	217.5010	13.00
Recovery	12 Days	Dry Retention Area 2	217.7518	13.00
Recovery	12 Days	Dry Retention Area 2	218.0027	13.00
Recovery	12 Days	Dry Retention Area 2	218.2577	13.00
Recovery	12 Days	Dry Retention Area 2	218.5060	13.00
Recovery	12 Days	Dry Retention Area 2	218.7577	13.00
Recovery	12 Days	Dry Retention Area 2	219.0043	13.00
Recovery	12 Days	Dry Retention Area 2	219.2568	13.00
Recovery	12 Days	Dry Retention Area 2	219.5043	13.00
Recovery	12 Days	Dry Retention Area 2	219.7518	13.00
Recovery	12 Days	Dry Retention Area 2	220.0077	13.00
Recovery	12 Days	Dry Retention Area 2	220.2577	13.00
Recovery	12 Days	Dry Retention Area 2	220.5077	13.00
Recovery	12 Days	Dry Retention Area 2	220.7577	13.00
Recovery	12 Days	Dry Retention Area 2	221.0077	13.00
Recovery	12 Days	Dry Retention Area 2	221.2577	13.00
Recovery	12 Days	Dry Retention Area 2	221.5077	13.00
Recovery	12 Days	Dry Retention Area 2	221.7577	13.00
Recovery	12 Days	Dry Retention Area 2	222.0077	13.00
Recovery	12 Days	Dry Retention Area 2	222.2577	13.00
Recovery	12 Days	Dry Retention Area 2	222.5077	13.00
Recovery	12 Days	Dry Retention Area 2	222.7560	13.00
Recovery	12 Days	Dry Retention Area 2	223.0077	13.00
Recovery	12 Days	Dry Retention Area 2	223.2577	13.00
Recovery	12 Days	Dry Retention Area 2	223.5027	13.00
Recovery	12 Days	Dry Retention Area 2	223.7577	13.00
Recovery	12 Days	Dry Retention Area 2	224.0077	13.00
Recovery	12 Days	Dry Retention Area 2	224.2527	13.00
Recovery	12 Days	Dry Retention Area 2	224.5010	13.00
Recovery	12 Days	Dry Retention Area 2	224.7560	13.00
Recovery	12 Days	Dry Retention Area 2	225.0077	13.00
Recovery	12 Days	Dry Retention Area 2	225.2577	13.00
Recovery	12 Days	Dry Retention Area 2	225.5077	13.00
Recovery	12 Days	Dry Retention Area 2	225.7543	13.00
Recovery	12 Days	Dry Retention Area 2	226.0060	13.00
Recovery	12 Days	Dry Retention Area 2	226.2510	13.00
Recovery	12 Days	Dry Retention Area 2	226.5046	13.00
Recovery	12 Days	Dry Retention Area 2	226.7524	13.00
Recovery	12 Days	Dry Retention Area 2	227.0003	13.00
Recovery	12 Days	Dry Retention Area 2	227.2557	13.00
Recovery	12 Days	Dry Retention Area 2	227.5046	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	227.7505	13.00
Recovery	12 Days	Dry Retention Area 2	228.0041	13.00
Recovery	12 Days	Dry Retention Area 2	228.2532	13.00
Recovery	12 Days	Dry Retention Area 2	228.5046	13.00
Recovery	12 Days	Dry Retention Area 2	228.7551	13.00
Recovery	12 Days	Dry Retention Area 2	229.0026	13.00
Recovery	12 Days	Dry Retention Area 2	229.2534	13.00
Recovery	12 Days	Dry Retention Area 2	229.5017	13.00
Recovery	12 Days	Dry Retention Area 2	229.7519	13.00
Recovery	12 Days	Dry Retention Area 2	230.0038	13.00
Recovery	12 Days	Dry Retention Area 2	230.2506	13.00
Recovery	12 Days	Dry Retention Area 2	230.5020	13.00
Recovery	12 Days	Dry Retention Area 2	230.7534	13.00
Recovery	12 Days	Dry Retention Area 2	231.0012	13.00
Recovery	12 Days	Dry Retention Area 2	231.2565	13.00
Recovery	12 Days	Dry Retention Area 2	231.5026	13.00
Recovery	12 Days	Dry Retention Area 2	231.7514	13.00
Recovery	12 Days	Dry Retention Area 2	232.0022	13.00
Recovery	12 Days	Dry Retention Area 2	232.2506	13.00
Recovery	12 Days	Dry Retention Area 2	232.5027	13.00
Recovery	12 Days	Dry Retention Area 2	232.7541	13.00
Recovery	12 Days	Dry Retention Area 2	233.0044	13.00
Recovery	12 Days	Dry Retention Area 2	233.2526	13.00
Recovery	12 Days	Dry Retention Area 2	233.5046	13.00
Recovery	12 Days	Dry Retention Area 2	233.7522	13.00
Recovery	12 Days	Dry Retention Area 2	234.0032	13.00
Recovery	12 Days	Dry Retention Area 2	234.2537	13.00
Recovery	12 Days	Dry Retention Area 2	234.5038	13.00
Recovery	12 Days	Dry Retention Area 2	234.7528	13.00
Recovery	12 Days	Dry Retention Area 2	235.0004	13.00
Recovery	12 Days	Dry Retention Area 2	235.2542	13.00
Recovery	12 Days	Dry Retention Area 2	235.5022	13.00
Recovery	12 Days	Dry Retention Area 2	235.7502	13.00
Recovery	12 Days	Dry Retention Area 2	236.0041	13.00
Recovery	12 Days	Dry Retention Area 2	236.2536	13.00
Recovery	12 Days	Dry Retention Area 2	236.5035	13.00
Recovery	12 Days	Dry Retention Area 2	236.7523	13.00
Recovery	12 Days	Dry Retention Area 2	237.0017	13.00
Recovery	12 Days	Dry Retention Area 2	237.2549	13.00
Recovery	12 Days	Dry Retention Area 2	237.5058	13.00
Recovery	12 Days	Dry Retention Area 2	237.7513	13.00
Recovery	12 Days	Dry Retention Area 2	238.0017	13.00
Recovery	12 Days	Dry Retention Area 2	238.2525	13.00
Recovery	12 Days	Dry Retention Area 2	238.5004	13.00
Recovery	12 Days	Dry Retention Area 2	238.7520	13.00
Recovery	12 Days	Dry Retention Area 2	239.0031	13.00
Recovery	12 Days	Dry Retention Area 2	239.2552	13.00
Recovery	12 Days	Dry Retention Area 2	239.5060	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	239.7557	13.00
Recovery	12 Days	Dry Retention Area 2	240.0005	13.00
Recovery	12 Days	Dry Retention Area 2	240.2513	13.00
Recovery	12 Days	Dry Retention Area 2	240.5002	13.00
Recovery	12 Days	Dry Retention Area 2	240.7539	13.00
Recovery	12 Days	Dry Retention Area 2	241.0001	13.00
Recovery	12 Days	Dry Retention Area 2	241.2509	13.00
Recovery	12 Days	Dry Retention Area 2	241.5002	13.00
Recovery	12 Days	Dry Retention Area 2	241.7517	13.00
Recovery	12 Days	Dry Retention Area 2	242.0006	13.00
Recovery	12 Days	Dry Retention Area 2	242.2550	13.00
Recovery	12 Days	Dry Retention Area 2	242.5023	13.00
Recovery	12 Days	Dry Retention Area 2	242.7544	13.00
Recovery	12 Days	Dry Retention Area 2	243.0017	13.00
Recovery	12 Days	Dry Retention Area 2	243.2506	13.00
Recovery	12 Days	Dry Retention Area 2	243.5003	13.00
Recovery	12 Days	Dry Retention Area 2	243.7503	13.00
Recovery	12 Days	Dry Retention Area 2	244.0003	13.00
Recovery	12 Days	Dry Retention Area 2	244.2503	13.00
Recovery	12 Days	Dry Retention Area 2	244.5003	13.00
Recovery	12 Days	Dry Retention Area 2	244.7503	13.00
Recovery	12 Days	Dry Retention Area 2	245.0003	13.00
Recovery	12 Days	Dry Retention Area 2	245.2503	13.00
Recovery	12 Days	Dry Retention Area 2	245.5003	13.00
Recovery	12 Days	Dry Retention Area 2	245.7503	13.00
Recovery	12 Days	Dry Retention Area 2	246.0003	13.00
Recovery	12 Days	Dry Retention Area 2	246.2503	13.00
Recovery	12 Days	Dry Retention Area 2	246.5003	13.00
Recovery	12 Days	Dry Retention Area 2	246.7503	13.00
Recovery	12 Days	Dry Retention Area 2	247.0003	13.00
Recovery	12 Days	Dry Retention Area 2	247.2503	13.00
Recovery	12 Days	Dry Retention Area 2	247.5003	13.00
Recovery	12 Days	Dry Retention Area 2	247.7503	13.00
Recovery	12 Days	Dry Retention Area 2	248.0003	13.00
Recovery	12 Days	Dry Retention Area 2	248.2503	13.00
Recovery	12 Days	Dry Retention Area 2	248.5003	13.00
Recovery	12 Days	Dry Retention Area 2	248.7503	13.00
Recovery	12 Days	Dry Retention Area 2	249.0003	13.00
Recovery	12 Days	Dry Retention Area 2	249.2503	13.00
Recovery	12 Days	Dry Retention Area 2	249.5003	13.00
Recovery	12 Days	Dry Retention Area 2	249.7503	13.00
Recovery	12 Days	Dry Retention Area 2	250.0003	13.00
Recovery	12 Days	Dry Retention Area 2	250.2503	13.00
Recovery	12 Days	Dry Retention Area 2	250.5003	13.00
Recovery	12 Days	Dry Retention Area 2	250.7503	13.00
Recovery	12 Days	Dry Retention Area 2	251.0003	13.00
Recovery	12 Days	Dry Retention Area 2	251.2503	13.00
Recovery	12 Days	Dry Retention Area 2	251.5003	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	251.7503	13.00
Recovery	12 Days	Dry Retention Area 2	252.0003	13.00
Recovery	12 Days	Dry Retention Area 2	252.2503	13.00
Recovery	12 Days	Dry Retention Area 2	252.5003	13.00
Recovery	12 Days	Dry Retention Area 2	252.7503	13.00
Recovery	12 Days	Dry Retention Area 2	253.0003	13.00
Recovery	12 Days	Dry Retention Area 2	253.2503	13.00
Recovery	12 Days	Dry Retention Area 2	253.5003	13.00
Recovery	12 Days	Dry Retention Area 2	253.7503	13.00
Recovery	12 Days	Dry Retention Area 2	254.0003	13.00
Recovery	12 Days	Dry Retention Area 2	254.2503	13.00
Recovery	12 Days	Dry Retention Area 2	254.5003	13.00
Recovery	12 Days	Dry Retention Area 2	254.7503	13.00
Recovery	12 Days	Dry Retention Area 2	255.0003	13.00
Recovery	12 Days	Dry Retention Area 2	255.2503	13.00
Recovery	12 Days	Dry Retention Area 2	255.5003	13.00
Recovery	12 Days	Dry Retention Area 2	255.7503	13.00
Recovery	12 Days	Dry Retention Area 2	256.0003	13.00
Recovery	12 Days	Dry Retention Area 2	256.2503	13.00
Recovery	12 Days	Dry Retention Area 2	256.5003	13.00
Recovery	12 Days	Dry Retention Area 2	256.7503	13.00
Recovery	12 Days	Dry Retention Area 2	257.0003	13.00
Recovery	12 Days	Dry Retention Area 2	257.2503	13.00
Recovery	12 Days	Dry Retention Area 2	257.5003	13.00
Recovery	12 Days	Dry Retention Area 2	257.7503	13.00
Recovery	12 Days	Dry Retention Area 2	258.0003	13.00
Recovery	12 Days	Dry Retention Area 2	258.2503	13.00
Recovery	12 Days	Dry Retention Area 2	258.5003	13.00
Recovery	12 Days	Dry Retention Area 2	258.7503	13.00
Recovery	12 Days	Dry Retention Area 2	259.0003	13.00
Recovery	12 Days	Dry Retention Area 2	259.2503	13.00
Recovery	12 Days	Dry Retention Area 2	259.5003	13.00
Recovery	12 Days	Dry Retention Area 2	259.7503	13.00
Recovery	12 Days	Dry Retention Area 2	260.0003	13.00
Recovery	12 Days	Dry Retention Area 2	260.2503	13.00
Recovery	12 Days	Dry Retention Area 2	260.5003	13.00
Recovery	12 Days	Dry Retention Area 2	260.7503	13.00
Recovery	12 Days	Dry Retention Area 2	261.0003	13.00
Recovery	12 Days	Dry Retention Area 2	261.2503	13.00
Recovery	12 Days	Dry Retention Area 2	261.5003	13.00
Recovery	12 Days	Dry Retention Area 2	261.7503	13.00
Recovery	12 Days	Dry Retention Area 2	262.0003	13.00
Recovery	12 Days	Dry Retention Area 2	262.2503	13.00
Recovery	12 Days	Dry Retention Area 2	262.5003	13.00
Recovery	12 Days	Dry Retention Area 2	262.7503	13.00
Recovery	12 Days	Dry Retention Area 2	263.0003	13.00
Recovery	12 Days	Dry Retention Area 2	263.2503	13.00
Recovery	12 Days	Dry Retention Area 2	263.5003	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	263.7503	13.00
Recovery	12 Days	Dry Retention Area 2	264.0003	13.00
Recovery	12 Days	Dry Retention Area 2	264.2503	13.00
Recovery	12 Days	Dry Retention Area 2	264.5003	13.00
Recovery	12 Days	Dry Retention Area 2	264.7503	13.00
Recovery	12 Days	Dry Retention Area 2	265.0003	13.00
Recovery	12 Days	Dry Retention Area 2	265.2503	13.00
Recovery	12 Days	Dry Retention Area 2	265.5003	13.00
Recovery	12 Days	Dry Retention Area 2	265.7503	13.00
Recovery	12 Days	Dry Retention Area 2	266.0003	13.00
Recovery	12 Days	Dry Retention Area 2	266.2503	13.00
Recovery	12 Days	Dry Retention Area 2	266.5003	13.00
Recovery	12 Days	Dry Retention Area 2	266.7503	13.00
Recovery	12 Days	Dry Retention Area 2	267.0003	13.00
Recovery	12 Days	Dry Retention Area 2	267.2503	13.00
Recovery	12 Days	Dry Retention Area 2	267.5003	13.00
Recovery	12 Days	Dry Retention Area 2	267.7503	13.00
Recovery	12 Days	Dry Retention Area 2	268.0003	13.00
Recovery	12 Days	Dry Retention Area 2	268.2561	13.00
Recovery	12 Days	Dry Retention Area 2	268.5053	13.00
Recovery	12 Days	Dry Retention Area 2	268.7503	13.00
Recovery	12 Days	Dry Retention Area 2	269.0003	13.00
Recovery	12 Days	Dry Retention Area 2	269.2503	13.00
Recovery	12 Days	Dry Retention Area 2	269.5036	13.00
Recovery	12 Days	Dry Retention Area 2	269.7503	13.00
Recovery	12 Days	Dry Retention Area 2	270.0036	13.00
Recovery	12 Days	Dry Retention Area 2	270.2503	13.00
Recovery	12 Days	Dry Retention Area 2	270.5003	13.00
Recovery	12 Days	Dry Retention Area 2	270.7503	13.00
Recovery	12 Days	Dry Retention Area 2	271.0003	13.00
Recovery	12 Days	Dry Retention Area 2	271.2503	13.00
Recovery	12 Days	Dry Retention Area 2	271.5003	13.00
Recovery	12 Days	Dry Retention Area 2	271.7503	13.00
Recovery	12 Days	Dry Retention Area 2	272.0003	13.00
Recovery	12 Days	Dry Retention Area 2	272.2503	13.00
Recovery	12 Days	Dry Retention Area 2	272.5003	13.00
Recovery	12 Days	Dry Retention Area 2	272.7503	13.00
Recovery	12 Days	Dry Retention Area 2	273.0003	13.00
Recovery	12 Days	Dry Retention Area 2	273.2503	13.00
Recovery	12 Days	Dry Retention Area 2	273.5003	13.00
Recovery	12 Days	Dry Retention Area 2	273.7511	13.00
Recovery	12 Days	Dry Retention Area 2	274.0003	13.00
Recovery	12 Days	Dry Retention Area 2	274.2503	13.00
Recovery	12 Days	Dry Retention Area 2	274.5003	13.00
Recovery	12 Days	Dry Retention Area 2	274.7503	13.00
Recovery	12 Days	Dry Retention Area 2	275.0003	13.00
Recovery	12 Days	Dry Retention Area 2	275.2520	13.00
Recovery	12 Days	Dry Retention Area 2	275.5003	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	275.7503	13.00
Recovery	12 Days	Dry Retention Area 2	276.0003	13.00
Recovery	12 Days	Dry Retention Area 2	276.2503	13.00
Recovery	12 Days	Dry Retention Area 2	276.5053	13.00
Recovery	12 Days	Dry Retention Area 2	276.7561	13.00
Recovery	12 Days	Dry Retention Area 2	277.0020	13.00
Recovery	12 Days	Dry Retention Area 2	277.2503	13.00
Recovery	12 Days	Dry Retention Area 2	277.5003	13.00
Recovery	12 Days	Dry Retention Area 2	277.7503	13.00
Recovery	12 Days	Dry Retention Area 2	278.0003	13.00
Recovery	12 Days	Dry Retention Area 2	278.2503	13.00
Recovery	12 Days	Dry Retention Area 2	278.5003	13.00
Recovery	12 Days	Dry Retention Area 2	278.7536	13.00
Recovery	12 Days	Dry Retention Area 2	279.0003	13.00
Recovery	12 Days	Dry Retention Area 2	279.2503	13.00
Recovery	12 Days	Dry Retention Area 2	279.5003	13.00
Recovery	12 Days	Dry Retention Area 2	279.7503	13.00
Recovery	12 Days	Dry Retention Area 2	280.0003	13.00
Recovery	12 Days	Dry Retention Area 2	280.2503	13.00
Recovery	12 Days	Dry Retention Area 2	280.5003	13.00
Recovery	12 Days	Dry Retention Area 2	280.7545	13.00
Recovery	12 Days	Dry Retention Area 2	281.0003	13.00
Recovery	12 Days	Dry Retention Area 2	281.2503	13.00
Recovery	12 Days	Dry Retention Area 2	281.5003	13.00
Recovery	12 Days	Dry Retention Area 2	281.7503	13.00
Recovery	12 Days	Dry Retention Area 2	282.0003	13.00
Recovery	12 Days	Dry Retention Area 2	282.2503	13.00
Recovery	12 Days	Dry Retention Area 2	282.5003	13.00
Recovery	12 Days	Dry Retention Area 2	282.7503	13.00
Recovery	12 Days	Dry Retention Area 2	283.0003	13.00
Recovery	12 Days	Dry Retention Area 2	283.2503	13.00
Recovery	12 Days	Dry Retention Area 2	283.5003	13.00
Recovery	12 Days	Dry Retention Area 2	283.7503	13.00
Recovery	12 Days	Dry Retention Area 2	284.0003	13.00
Recovery	12 Days	Dry Retention Area 2	284.2503	13.00
Recovery	12 Days	Dry Retention Area 2	284.5003	13.00
Recovery	12 Days	Dry Retention Area 2	284.7503	13.00
Recovery	12 Days	Dry Retention Area 2	285.0003	13.00
Recovery	12 Days	Dry Retention Area 2	285.2503	13.00
Recovery	12 Days	Dry Retention Area 2	285.5003	13.00
Recovery	12 Days	Dry Retention Area 2	285.7503	13.00
Recovery	12 Days	Dry Retention Area 2	286.0003	13.00
Recovery	12 Days	Dry Retention Area 2	286.2503	13.00
Recovery	12 Days	Dry Retention Area 2	286.5003	13.00
Recovery	12 Days	Dry Retention Area 2	286.7503	13.00
Recovery	12 Days	Dry Retention Area 2	287.0003	13.00
Recovery	12 Days	Dry Retention Area 2	287.2503	13.00
Recovery	12 Days	Dry Retention Area 2	287.5003	13.00

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Dry Retention Area 2	287.7503	13.00
Recovery	12 Days	Dry Retention Area 2	288.0003	13.00
Recovery	12 Days	Existing Lake	0.0001	15.52
Recovery	12 Days	Existing Lake	0.2503	15.48
Recovery	12 Days	Existing Lake	0.5002	15.44
Recovery	12 Days	Existing Lake	0.7500	15.41
Recovery	12 Days	Existing Lake	1.0002	15.38
Recovery	12 Days	Existing Lake	1.2501	15.35
Recovery	12 Days	Existing Lake	1.5002	15.33
Recovery	12 Days	Existing Lake	1.7507	15.30
Recovery	12 Days	Existing Lake	2.0000	15.27
Recovery	12 Days	Existing Lake	2.2501	15.25
Recovery	12 Days	Existing Lake	2.5000	15.22
Recovery	12 Days	Existing Lake	2.7500	15.19
Recovery	12 Days	Existing Lake	3.0002	15.17
Recovery	12 Days	Existing Lake	3.2503	15.14
Recovery	12 Days	Existing Lake	3.5004	15.12
Recovery	12 Days	Existing Lake	3.7502	15.09
Recovery	12 Days	Existing Lake	4.0002	15.07
Recovery	12 Days	Existing Lake	4.2501	15.04
Recovery	12 Days	Existing Lake	4.5002	15.02
Recovery	12 Days	Existing Lake	4.7502	14.99
Recovery	12 Days	Existing Lake	5.0002	14.97
Recovery	12 Days	Existing Lake	5.2506	14.95
Recovery	12 Days	Existing Lake	5.5005	14.92
Recovery	12 Days	Existing Lake	5.7501	14.90
Recovery	12 Days	Existing Lake	6.0009	14.88
Recovery	12 Days	Existing Lake	6.2508	14.85
Recovery	12 Days	Existing Lake	6.5007	14.83
Recovery	12 Days	Existing Lake	6.7502	14.81
Recovery	12 Days	Existing Lake	7.0001	14.78
Recovery	12 Days	Existing Lake	7.2509	14.76
Recovery	12 Days	Existing Lake	7.5000	14.74
Recovery	12 Days	Existing Lake	7.7503	14.72
Recovery	12 Days	Existing Lake	8.0008	14.69
Recovery	12 Days	Existing Lake	8.2503	14.67
Recovery	12 Days	Existing Lake	8.5001	14.65
Recovery	12 Days	Existing Lake	8.7505	14.63
Recovery	12 Days	Existing Lake	9.0002	14.61
Recovery	12 Days	Existing Lake	9.2505	14.58
Recovery	12 Days	Existing Lake	9.5004	14.57
Recovery	12 Days	Existing Lake	9.7503	14.55
Recovery	12 Days	Existing Lake	10.0003	14.53
Recovery	12 Days	Existing Lake	10.2501	14.52
Recovery	12 Days	Existing Lake	10.5002	14.51
Recovery	12 Days	Existing Lake	10.7501	14.50
Recovery	12 Days	Existing Lake	11.0004	14.49
Recovery	12 Days	Existing Lake	11.2506	14.49

← Peak stage during design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	11.5001	14.48
Recovery	12 Days	Existing Lake	11.7501	14.47
Recovery	12 Days	Existing Lake	12.0000	14.47
Recovery	12 Days	Existing Lake	12.2501	14.46
Recovery	12 Days	Existing Lake	12.5003	14.46
Recovery	12 Days	Existing Lake	12.7503	14.45
Recovery	12 Days	Existing Lake	13.0003	14.45
Recovery	12 Days	Existing Lake	13.2501	14.44
Recovery	12 Days	Existing Lake	13.5002	14.44
Recovery	12 Days	Existing Lake	13.7503	14.44
Recovery	12 Days	Existing Lake	14.0001	14.43
Recovery	12 Days	Existing Lake	14.2502	14.43
Recovery	12 Days	Existing Lake	14.5003	14.42
Recovery	12 Days	Existing Lake	14.7504	14.42
Recovery	12 Days	Existing Lake	15.0000	14.41
Recovery	12 Days	Existing Lake	15.2503	14.41
Recovery	12 Days	Existing Lake	15.5001	14.41
Recovery	12 Days	Existing Lake	15.7500	14.40
Recovery	12 Days	Existing Lake	16.0003	14.40
Recovery	12 Days	Existing Lake	16.2500	14.39
Recovery	12 Days	Existing Lake	16.5002	14.39
Recovery	12 Days	Existing Lake	16.7503	14.38
Recovery	12 Days	Existing Lake	17.0007	14.38
Recovery	12 Days	Existing Lake	17.2504	14.37
Recovery	12 Days	Existing Lake	17.5003	14.37
Recovery	12 Days	Existing Lake	17.7501	14.36
Recovery	12 Days	Existing Lake	18.0006	14.36
Recovery	12 Days	Existing Lake	18.2512	14.35
Recovery	12 Days	Existing Lake	18.5031	14.35
Recovery	12 Days	Existing Lake	18.7505	14.34
Recovery	12 Days	Existing Lake	19.0016	14.34
Recovery	12 Days	Existing Lake	19.2550	14.33
Recovery	12 Days	Existing Lake	19.5081	14.33
Recovery	12 Days	Existing Lake	19.7581	14.32
Recovery	12 Days	Existing Lake	20.0081	14.32
Recovery	12 Days	Existing Lake	20.2581	14.31
Recovery	12 Days	Existing Lake	20.5081	14.31
Recovery	12 Days	Existing Lake	20.7581	14.30
Recovery	12 Days	Existing Lake	21.0072	14.30
Recovery	12 Days	Existing Lake	21.2521	14.29
Recovery	12 Days	Existing Lake	21.5037	14.29
Recovery	12 Days	Existing Lake	21.7508	14.28
Recovery	12 Days	Existing Lake	22.0016	14.28
Recovery	12 Days	Existing Lake	22.2522	14.27
Recovery	12 Days	Existing Lake	22.5005	14.27
Recovery	12 Days	Existing Lake	22.7515	14.26
Recovery	12 Days	Existing Lake	23.0002	14.26
Recovery	12 Days	Existing Lake	23.2508	14.25

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	23.5026	14.25
Recovery	12 Days	Existing Lake	23.7509	14.24
Recovery	12 Days	Existing Lake	24.0022	14.24
Recovery	12 Days	Existing Lake	24.2539	14.23
Recovery	12 Days	Existing Lake	24.5015	14.22
Recovery	12 Days	Existing Lake	24.7524	14.22
Recovery	12 Days	Existing Lake	25.0018	14.21
Recovery	12 Days	Existing Lake	25.2503	14.21
Recovery	12 Days	Existing Lake	25.5010	14.20
Recovery	12 Days	Existing Lake	25.7509	14.20
Recovery	12 Days	Existing Lake	26.0027	14.19
Recovery	12 Days	Existing Lake	26.2511	14.19
Recovery	12 Days	Existing Lake	26.5027	14.18
Recovery	12 Days	Existing Lake	26.7509	14.17
Recovery	12 Days	Existing Lake	27.0008	14.17
Recovery	12 Days	Existing Lake	27.2500	14.16
Recovery	12 Days	Existing Lake	27.5005	14.16
Recovery	12 Days	Existing Lake	27.7513	14.15
Recovery	12 Days	Existing Lake	28.0001	14.15
Recovery	12 Days	Existing Lake	28.2526	14.14
Recovery	12 Days	Existing Lake	28.5003	14.14
Recovery	12 Days	Existing Lake	28.7503	14.13
Recovery	12 Days	Existing Lake	29.0007	14.13
Recovery	12 Days	Existing Lake	29.2521	14.12
Recovery	12 Days	Existing Lake	29.5001	14.12
Recovery	12 Days	Existing Lake	29.7507	14.11
Recovery	12 Days	Existing Lake	30.0002	14.11
Recovery	12 Days	Existing Lake	30.2504	14.10
Recovery	12 Days	Existing Lake	30.5022	14.10
Recovery	12 Days	Existing Lake	30.7509	14.09
Recovery	12 Days	Existing Lake	31.0008	14.09
Recovery	12 Days	Existing Lake	31.2524	14.08
Recovery	12 Days	Existing Lake	31.5013	14.08
Recovery	12 Days	Existing Lake	31.7512	14.07
Recovery	12 Days	Existing Lake	32.0003	14.07
Recovery	12 Days	Existing Lake	32.2508	14.06
Recovery	12 Days	Existing Lake	32.5020	14.06
Recovery	12 Days	Existing Lake	32.7514	14.05
Recovery	12 Days	Existing Lake	33.0012	14.05
Recovery	12 Days	Existing Lake	33.2512	14.04
Recovery	12 Days	Existing Lake	33.5002	14.04
Recovery	12 Days	Existing Lake	33.7519	14.03
Recovery	12 Days	Existing Lake	34.0022	14.03
Recovery	12 Days	Existing Lake	34.2513	14.03
Recovery	12 Days	Existing Lake	34.5011	14.02
Recovery	12 Days	Existing Lake	34.7501	14.02
Recovery	12 Days	Existing Lake	35.0022	14.01
Recovery	12 Days	Existing Lake	35.2518	14.01

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	35.5001	14.00
Recovery	12 Days	Existing Lake	35.7511	14.00
Recovery	12 Days	Existing Lake	36.0001	13.99
Recovery	12 Days	Existing Lake	36.2514	13.99
Recovery	12 Days	Existing Lake	36.5011	13.99
Recovery	12 Days	Existing Lake	36.7507	13.98
Recovery	12 Days	Existing Lake	37.0009	13.98
Recovery	12 Days	Existing Lake	37.2505	13.97
Recovery	12 Days	Existing Lake	37.5008	13.97
Recovery	12 Days	Existing Lake	37.7503	13.96
Recovery	12 Days	Existing Lake	38.0003	13.96
Recovery	12 Days	Existing Lake	38.2516	13.96
Recovery	12 Days	Existing Lake	38.5008	13.95
Recovery	12 Days	Existing Lake	38.7505	13.95
Recovery	12 Days	Existing Lake	39.0006	13.94
Recovery	12 Days	Existing Lake	39.2500	13.94
Recovery	12 Days	Existing Lake	39.5006	13.94
Recovery	12 Days	Existing Lake	39.7504	13.93
Recovery	12 Days	Existing Lake	40.0008	13.93
Recovery	12 Days	Existing Lake	40.2511	13.92
Recovery	12 Days	Existing Lake	40.5007	13.92
Recovery	12 Days	Existing Lake	40.7510	13.92
Recovery	12 Days	Existing Lake	41.0002	13.91
Recovery	12 Days	Existing Lake	41.2503	13.91
Recovery	12 Days	Existing Lake	41.5000	13.90
Recovery	12 Days	Existing Lake	41.7509	13.90
Recovery	12 Days	Existing Lake	42.0002	13.90
Recovery	12 Days	Existing Lake	42.2503	13.89
Recovery	12 Days	Existing Lake	42.5020	13.89
Recovery	12 Days	Existing Lake	42.7501	13.88
Recovery	12 Days	Existing Lake	43.0005	13.88
Recovery	12 Days	Existing Lake	43.2510	13.88
Recovery	12 Days	Existing Lake	43.5003	13.87
Recovery	12 Days	Existing Lake	43.7510	13.87
Recovery	12 Days	Existing Lake	44.0002	13.87
Recovery	12 Days	Existing Lake	44.2509	13.86
Recovery	12 Days	Existing Lake	44.5003	13.86
Recovery	12 Days	Existing Lake	44.7508	13.86
Recovery	12 Days	Existing Lake	45.0012	13.85
Recovery	12 Days	Existing Lake	45.2501	13.85
Recovery	12 Days	Existing Lake	45.5009	13.84
Recovery	12 Days	Existing Lake	45.7507	13.84
Recovery	12 Days	Existing Lake	46.0010	13.84
Recovery	12 Days	Existing Lake	46.2503	13.83
Recovery	12 Days	Existing Lake	46.5007	13.83
Recovery	12 Days	Existing Lake	46.7506	13.83
Recovery	12 Days	Existing Lake	47.0003	13.82
Recovery	12 Days	Existing Lake	47.2505	13.82

← 50% recovery
approximately 1.6
days after end of
design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	47.5005	13.82
Recovery	12 Days	Existing Lake	47.7504	13.81
Recovery	12 Days	Existing Lake	48.0005	13.81
Recovery	12 Days	Existing Lake	48.2501	13.81
Recovery	12 Days	Existing Lake	48.5009	13.80
Recovery	12 Days	Existing Lake	48.7501	13.80
Recovery	12 Days	Existing Lake	49.0005	13.80
Recovery	12 Days	Existing Lake	49.2502	13.79
Recovery	12 Days	Existing Lake	49.5000	13.79
Recovery	12 Days	Existing Lake	49.7501	13.79
Recovery	12 Days	Existing Lake	50.0013	13.79
Recovery	12 Days	Existing Lake	50.2510	13.78
Recovery	12 Days	Existing Lake	50.5005	13.78
Recovery	12 Days	Existing Lake	50.7511	13.78
Recovery	12 Days	Existing Lake	51.0008	13.77
Recovery	12 Days	Existing Lake	51.2502	13.77
Recovery	12 Days	Existing Lake	51.5005	13.77
Recovery	12 Days	Existing Lake	51.7512	13.76
Recovery	12 Days	Existing Lake	52.0006	13.76
Recovery	12 Days	Existing Lake	52.2502	13.76
Recovery	12 Days	Existing Lake	52.5001	13.75
Recovery	12 Days	Existing Lake	52.7504	13.75
Recovery	12 Days	Existing Lake	53.0003	13.75
Recovery	12 Days	Existing Lake	53.2505	13.75
Recovery	12 Days	Existing Lake	53.5005	13.74
Recovery	12 Days	Existing Lake	53.7503	13.74
Recovery	12 Days	Existing Lake	54.0010	13.74
Recovery	12 Days	Existing Lake	54.2500	13.74
Recovery	12 Days	Existing Lake	54.5001	13.73
Recovery	12 Days	Existing Lake	54.7502	13.73
Recovery	12 Days	Existing Lake	55.0001	13.73
Recovery	12 Days	Existing Lake	55.2505	13.72
Recovery	12 Days	Existing Lake	55.5007	13.72
Recovery	12 Days	Existing Lake	55.7506	13.72
Recovery	12 Days	Existing Lake	56.0004	13.72
Recovery	12 Days	Existing Lake	56.2513	13.71
Recovery	12 Days	Existing Lake	56.5008	13.71
Recovery	12 Days	Existing Lake	56.7505	13.71
Recovery	12 Days	Existing Lake	57.0002	13.71
Recovery	12 Days	Existing Lake	57.2508	13.70
Recovery	12 Days	Existing Lake	57.5002	13.70
Recovery	12 Days	Existing Lake	57.7502	13.70
Recovery	12 Days	Existing Lake	58.0008	13.69
Recovery	12 Days	Existing Lake	58.2506	13.69
Recovery	12 Days	Existing Lake	58.5006	13.69
Recovery	12 Days	Existing Lake	58.7503	13.69
Recovery	12 Days	Existing Lake	59.0007	13.68
Recovery	12 Days	Existing Lake	59.2502	13.68

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	59.5005	13.68
Recovery	12 Days	Existing Lake	59.7504	13.68
Recovery	12 Days	Existing Lake	60.0008	13.67
Recovery	12 Days	Existing Lake	60.2507	13.67
Recovery	12 Days	Existing Lake	60.5002	13.67
Recovery	12 Days	Existing Lake	60.7501	13.67
Recovery	12 Days	Existing Lake	61.0006	13.67
Recovery	12 Days	Existing Lake	61.2500	13.66
Recovery	12 Days	Existing Lake	61.5008	13.66
Recovery	12 Days	Existing Lake	61.7502	13.66
Recovery	12 Days	Existing Lake	62.0006	13.66
Recovery	12 Days	Existing Lake	62.2504	13.65
Recovery	12 Days	Existing Lake	62.5007	13.65
Recovery	12 Days	Existing Lake	62.7500	13.65
Recovery	12 Days	Existing Lake	63.0005	13.65
Recovery	12 Days	Existing Lake	63.2500	13.64
Recovery	12 Days	Existing Lake	63.5004	13.64
Recovery	12 Days	Existing Lake	63.7500	13.64
Recovery	12 Days	Existing Lake	64.0001	13.64
Recovery	12 Days	Existing Lake	64.2502	13.64
Recovery	12 Days	Existing Lake	64.5003	13.63
Recovery	12 Days	Existing Lake	64.7501	13.63
Recovery	12 Days	Existing Lake	65.0008	13.63
Recovery	12 Days	Existing Lake	65.2510	13.63
Recovery	12 Days	Existing Lake	65.5004	13.63
Recovery	12 Days	Existing Lake	65.7501	13.62
Recovery	12 Days	Existing Lake	66.0006	13.62
Recovery	12 Days	Existing Lake	66.2503	13.62
Recovery	12 Days	Existing Lake	66.5001	13.62
Recovery	12 Days	Existing Lake	66.7505	13.62
Recovery	12 Days	Existing Lake	67.0002	13.62
Recovery	12 Days	Existing Lake	67.2507	13.61
Recovery	12 Days	Existing Lake	67.5001	13.61
Recovery	12 Days	Existing Lake	67.7506	13.61
Recovery	12 Days	Existing Lake	68.0005	13.61
Recovery	12 Days	Existing Lake	68.2503	13.61
Recovery	12 Days	Existing Lake	68.5005	13.61
Recovery	12 Days	Existing Lake	68.7502	13.60
Recovery	12 Days	Existing Lake	69.0003	13.60
Recovery	12 Days	Existing Lake	69.2503	13.60
Recovery	12 Days	Existing Lake	69.5006	13.60
Recovery	12 Days	Existing Lake	69.7501	13.60
Recovery	12 Days	Existing Lake	70.0002	13.60
Recovery	12 Days	Existing Lake	70.2501	13.59
Recovery	12 Days	Existing Lake	70.5005	13.59
Recovery	12 Days	Existing Lake	70.7503	13.59
Recovery	12 Days	Existing Lake	71.0001	13.59
Recovery	12 Days	Existing Lake	71.2501	13.59

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	71.5006	13.59
Recovery	12 Days	Existing Lake	71.7500	13.58
Recovery	12 Days	Existing Lake	72.0004	13.58
Recovery	12 Days	Existing Lake	72.2500	13.58
Recovery	12 Days	Existing Lake	72.5003	13.58
Recovery	12 Days	Existing Lake	72.7503	13.58
Recovery	12 Days	Existing Lake	73.0000	13.58
Recovery	12 Days	Existing Lake	73.2502	13.58
Recovery	12 Days	Existing Lake	73.5003	13.57
Recovery	12 Days	Existing Lake	73.7504	13.57
Recovery	12 Days	Existing Lake	74.0005	13.57
Recovery	12 Days	Existing Lake	74.2504	13.57
Recovery	12 Days	Existing Lake	74.5005	13.57
Recovery	12 Days	Existing Lake	74.7503	13.57
Recovery	12 Days	Existing Lake	75.0002	13.57
Recovery	12 Days	Existing Lake	75.2502	13.57
Recovery	12 Days	Existing Lake	75.5003	13.56
Recovery	12 Days	Existing Lake	75.7505	13.56
Recovery	12 Days	Existing Lake	76.0002	13.56
Recovery	12 Days	Existing Lake	76.2504	13.56
Recovery	12 Days	Existing Lake	76.5002	13.56
Recovery	12 Days	Existing Lake	76.7500	13.56
Recovery	12 Days	Existing Lake	77.0001	13.56
Recovery	12 Days	Existing Lake	77.2504	13.55
Recovery	12 Days	Existing Lake	77.5001	13.55
Recovery	12 Days	Existing Lake	77.7502	13.55
Recovery	12 Days	Existing Lake	78.0001	13.55
Recovery	12 Days	Existing Lake	78.2504	13.55
Recovery	12 Days	Existing Lake	78.5004	13.55
Recovery	12 Days	Existing Lake	78.7502	13.55
Recovery	12 Days	Existing Lake	79.0005	13.54
Recovery	12 Days	Existing Lake	79.2500	13.54
Recovery	12 Days	Existing Lake	79.5002	13.54
Recovery	12 Days	Existing Lake	79.7503	13.54
Recovery	12 Days	Existing Lake	80.0004	13.54
Recovery	12 Days	Existing Lake	80.2506	13.54
Recovery	12 Days	Existing Lake	80.5001	13.54
Recovery	12 Days	Existing Lake	80.7506	13.54
Recovery	12 Days	Existing Lake	81.0004	13.53
Recovery	12 Days	Existing Lake	81.2503	13.53
Recovery	12 Days	Existing Lake	81.5005	13.53
Recovery	12 Days	Existing Lake	81.7502	13.53
Recovery	12 Days	Existing Lake	82.0003	13.53
Recovery	12 Days	Existing Lake	82.2501	13.53
Recovery	12 Days	Existing Lake	82.5002	13.53
Recovery	12 Days	Existing Lake	82.7506	13.53
Recovery	12 Days	Existing Lake	83.0006	13.52
Recovery	12 Days	Existing Lake	83.2506	13.52

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	83.5005	13.52
Recovery	12 Days	Existing Lake	83.7503	13.52
Recovery	12 Days	Existing Lake	84.0005	13.52
Recovery	12 Days	Existing Lake	84.2505	13.52
Recovery	12 Days	Existing Lake	84.5004	13.52
Recovery	12 Days	Existing Lake	84.7504	13.52
Recovery	12 Days	Existing Lake	85.0006	13.51
Recovery	12 Days	Existing Lake	85.2505	13.51
Recovery	12 Days	Existing Lake	85.5003	13.51
Recovery	12 Days	Existing Lake	85.7502	13.51
Recovery	12 Days	Existing Lake	86.0004	13.51
Recovery	12 Days	Existing Lake	86.2503	13.51
Recovery	12 Days	Existing Lake	86.5003	13.51
Recovery	12 Days	Existing Lake	86.7507	13.51
Recovery	12 Days	Existing Lake	87.0004	13.51
Recovery	12 Days	Existing Lake	87.2504	13.50
Recovery	12 Days	Existing Lake	87.5006	13.50
Recovery	12 Days	Existing Lake	87.7507	13.50
Recovery	12 Days	Existing Lake	88.0008	13.50
Recovery	12 Days	Existing Lake	88.2511	13.50
Recovery	12 Days	Existing Lake	88.5009	13.50
Recovery	12 Days	Existing Lake	88.7504	13.50
Recovery	12 Days	Existing Lake	89.0008	13.50
Recovery	12 Days	Existing Lake	89.2501	13.50
Recovery	12 Days	Existing Lake	89.5002	13.49
Recovery	12 Days	Existing Lake	89.7506	13.49
Recovery	12 Days	Existing Lake	90.0004	13.49
Recovery	12 Days	Existing Lake	90.2512	13.49
Recovery	12 Days	Existing Lake	90.5003	13.49
Recovery	12 Days	Existing Lake	90.7501	13.49
Recovery	12 Days	Existing Lake	91.0007	13.49
Recovery	12 Days	Existing Lake	91.2511	13.49
Recovery	12 Days	Existing Lake	91.5005	13.49
Recovery	12 Days	Existing Lake	91.7504	13.48
Recovery	12 Days	Existing Lake	92.0005	13.48
Recovery	12 Days	Existing Lake	92.2503	13.48
Recovery	12 Days	Existing Lake	92.5002	13.48
Recovery	12 Days	Existing Lake	92.7509	13.48
Recovery	12 Days	Existing Lake	93.0007	13.48
Recovery	12 Days	Existing Lake	93.2508	13.48
Recovery	12 Days	Existing Lake	93.5001	13.48
Recovery	12 Days	Existing Lake	93.7504	13.48
Recovery	12 Days	Existing Lake	94.0010	13.48
Recovery	12 Days	Existing Lake	94.2501	13.47
Recovery	12 Days	Existing Lake	94.5001	13.47
Recovery	12 Days	Existing Lake	94.7503	13.47
Recovery	12 Days	Existing Lake	95.0004	13.47
Recovery	12 Days	Existing Lake	95.2507	13.47

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	95.5002	13.47
Recovery	12 Days	Existing Lake	95.7505	13.47
Recovery	12 Days	Existing Lake	96.0003	13.47
Recovery	12 Days	Existing Lake	96.2503	13.47
Recovery	12 Days	Existing Lake	96.5007	13.47
Recovery	12 Days	Existing Lake	96.7503	13.46
Recovery	12 Days	Existing Lake	97.0003	13.46
Recovery	12 Days	Existing Lake	97.2509	13.46
Recovery	12 Days	Existing Lake	97.5000	13.46
Recovery	12 Days	Existing Lake	97.7504	13.46
Recovery	12 Days	Existing Lake	98.0010	13.46
Recovery	12 Days	Existing Lake	98.2507	13.46
Recovery	12 Days	Existing Lake	98.5003	13.46
Recovery	12 Days	Existing Lake	98.7501	13.46
Recovery	12 Days	Existing Lake	99.0003	13.46
Recovery	12 Days	Existing Lake	99.2508	13.46
Recovery	12 Days	Existing Lake	99.5004	13.45
Recovery	12 Days	Existing Lake	99.7504	13.45
Recovery	12 Days	Existing Lake	100.0011	13.45
Recovery	12 Days	Existing Lake	100.2505	13.45
Recovery	12 Days	Existing Lake	100.5004	13.45
Recovery	12 Days	Existing Lake	100.7506	13.45
Recovery	12 Days	Existing Lake	101.0008	13.45
Recovery	12 Days	Existing Lake	101.2503	13.45
Recovery	12 Days	Existing Lake	101.5001	13.45
Recovery	12 Days	Existing Lake	101.7501	13.45
Recovery	12 Days	Existing Lake	102.0006	13.45
Recovery	12 Days	Existing Lake	102.2505	13.44
Recovery	12 Days	Existing Lake	102.5007	13.44
Recovery	12 Days	Existing Lake	102.7505	13.44
Recovery	12 Days	Existing Lake	103.0010	13.44
Recovery	12 Days	Existing Lake	103.2506	13.44
Recovery	12 Days	Existing Lake	103.5008	13.44
Recovery	12 Days	Existing Lake	103.7506	13.44
Recovery	12 Days	Existing Lake	104.0005	13.44
Recovery	12 Days	Existing Lake	104.2507	13.44
Recovery	12 Days	Existing Lake	104.5009	13.44
Recovery	12 Days	Existing Lake	104.7500	13.44
Recovery	12 Days	Existing Lake	105.0005	13.44
Recovery	12 Days	Existing Lake	105.2506	13.43
Recovery	12 Days	Existing Lake	105.5010	13.43
Recovery	12 Days	Existing Lake	105.7509	13.43
Recovery	12 Days	Existing Lake	106.0003	13.43
Recovery	12 Days	Existing Lake	106.2502	13.43
Recovery	12 Days	Existing Lake	106.5006	13.43
Recovery	12 Days	Existing Lake	106.7508	13.43
Recovery	12 Days	Existing Lake	107.0007	13.43
Recovery	12 Days	Existing Lake	107.2504	13.43

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	107.5009	13.43
Recovery	12 Days	Existing Lake	107.7509	13.43
Recovery	12 Days	Existing Lake	108.0000	13.43
Recovery	12 Days	Existing Lake	108.2504	13.42
Recovery	12 Days	Existing Lake	108.5010	13.42
Recovery	12 Days	Existing Lake	108.7501	13.42
Recovery	12 Days	Existing Lake	109.0003	13.42
Recovery	12 Days	Existing Lake	109.2510	13.42
Recovery	12 Days	Existing Lake	109.5012	13.42
Recovery	12 Days	Existing Lake	109.7504	13.42
Recovery	12 Days	Existing Lake	110.0007	13.42
Recovery	12 Days	Existing Lake	110.2502	13.42
Recovery	12 Days	Existing Lake	110.5011	13.42
Recovery	12 Days	Existing Lake	110.7502	13.42
Recovery	12 Days	Existing Lake	111.0010	13.42
Recovery	12 Days	Existing Lake	111.2504	13.42
Recovery	12 Days	Existing Lake	111.5005	13.41
Recovery	12 Days	Existing Lake	111.7502	13.41
Recovery	12 Days	Existing Lake	112.0002	13.41
Recovery	12 Days	Existing Lake	112.2501	13.41
Recovery	12 Days	Existing Lake	112.5011	13.41
Recovery	12 Days	Existing Lake	112.7501	13.41
Recovery	12 Days	Existing Lake	113.0004	13.41
Recovery	12 Days	Existing Lake	113.2504	13.41
Recovery	12 Days	Existing Lake	113.5008	13.41
Recovery	12 Days	Existing Lake	113.7504	13.41
Recovery	12 Days	Existing Lake	114.0000	13.41
Recovery	12 Days	Existing Lake	114.2500	13.41
Recovery	12 Days	Existing Lake	114.5001	13.41
Recovery	12 Days	Existing Lake	114.7501	13.41
Recovery	12 Days	Existing Lake	115.0005	13.41
Recovery	12 Days	Existing Lake	115.2504	13.40
Recovery	12 Days	Existing Lake	115.5010	13.40
Recovery	12 Days	Existing Lake	115.7504	13.40
Recovery	12 Days	Existing Lake	116.0008	13.40
Recovery	12 Days	Existing Lake	116.2501	13.40
Recovery	12 Days	Existing Lake	116.5011	13.40
Recovery	12 Days	Existing Lake	116.7505	13.40
Recovery	12 Days	Existing Lake	117.0006	13.40
Recovery	12 Days	Existing Lake	117.2501	13.40
Recovery	12 Days	Existing Lake	117.5012	13.40
Recovery	12 Days	Existing Lake	117.7501	13.40
Recovery	12 Days	Existing Lake	118.0012	13.40
Recovery	12 Days	Existing Lake	118.2502	13.40
Recovery	12 Days	Existing Lake	118.5001	13.40
Recovery	12 Days	Existing Lake	118.7503	13.40
Recovery	12 Days	Existing Lake	119.0006	13.39
Recovery	12 Days	Existing Lake	119.2509	13.39

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	119.5006	13.39
Recovery	12 Days	Existing Lake	119.7508	13.39
Recovery	12 Days	Existing Lake	120.0001	13.39
Recovery	12 Days	Existing Lake	120.2513	13.39
Recovery	12 Days	Existing Lake	120.5004	13.39
Recovery	12 Days	Existing Lake	120.7504	13.39
Recovery	12 Days	Existing Lake	121.0006	13.39
Recovery	12 Days	Existing Lake	121.2505	13.39
Recovery	12 Days	Existing Lake	121.5005	13.39
Recovery	12 Days	Existing Lake	121.7517	13.39
Recovery	12 Days	Existing Lake	122.0003	13.39
Recovery	12 Days	Existing Lake	122.2501	13.39
Recovery	12 Days	Existing Lake	122.5004	13.39
Recovery	12 Days	Existing Lake	122.7513	13.39
Recovery	12 Days	Existing Lake	123.0017	13.38
Recovery	12 Days	Existing Lake	123.2503	13.38
Recovery	12 Days	Existing Lake	123.5008	13.38
Recovery	12 Days	Existing Lake	123.7505	13.38
Recovery	12 Days	Existing Lake	124.0007	13.38
Recovery	12 Days	Existing Lake	124.2516	13.38
Recovery	12 Days	Existing Lake	124.5011	13.38
Recovery	12 Days	Existing Lake	124.7502	13.38
Recovery	12 Days	Existing Lake	125.0004	13.38
Recovery	12 Days	Existing Lake	125.2506	13.38
Recovery	12 Days	Existing Lake	125.5006	13.38
Recovery	12 Days	Existing Lake	125.7504	13.38
Recovery	12 Days	Existing Lake	126.0008	13.38
Recovery	12 Days	Existing Lake	126.2511	13.38
Recovery	12 Days	Existing Lake	126.5006	13.38
Recovery	12 Days	Existing Lake	126.7507	13.38
Recovery	12 Days	Existing Lake	127.0007	13.38
Recovery	12 Days	Existing Lake	127.2501	13.38
Recovery	12 Days	Existing Lake	127.5008	13.37
Recovery	12 Days	Existing Lake	127.7504	13.37
Recovery	12 Days	Existing Lake	128.0010	13.37
Recovery	12 Days	Existing Lake	128.2507	13.37
Recovery	12 Days	Existing Lake	128.5007	13.37
Recovery	12 Days	Existing Lake	128.7509	13.37
Recovery	12 Days	Existing Lake	129.0006	13.37
Recovery	12 Days	Existing Lake	129.2511	13.37
Recovery	12 Days	Existing Lake	129.5015	13.37
Recovery	12 Days	Existing Lake	129.7502	13.37
Recovery	12 Days	Existing Lake	130.0002	13.37
Recovery	12 Days	Existing Lake	130.2500	13.37
Recovery	12 Days	Existing Lake	130.5023	13.37
Recovery	12 Days	Existing Lake	130.7513	13.37
Recovery	12 Days	Existing Lake	131.0018	13.37
Recovery	12 Days	Existing Lake	131.2518	13.37

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	131.5024	13.37
Recovery	12 Days	Existing Lake	131.7511	13.37
Recovery	12 Days	Existing Lake	132.0008	13.37
Recovery	12 Days	Existing Lake	132.2510	13.37
Recovery	12 Days	Existing Lake	132.5009	13.37
Recovery	12 Days	Existing Lake	132.7505	13.36
Recovery	12 Days	Existing Lake	133.0010	13.36
Recovery	12 Days	Existing Lake	133.2518	13.36
Recovery	12 Days	Existing Lake	133.5019	13.36
Recovery	12 Days	Existing Lake	133.7518	13.36
Recovery	12 Days	Existing Lake	134.0027	13.36
Recovery	12 Days	Existing Lake	134.2510	13.36
Recovery	12 Days	Existing Lake	134.5007	13.36
Recovery	12 Days	Existing Lake	134.7513	13.36
Recovery	12 Days	Existing Lake	135.0004	13.36
Recovery	12 Days	Existing Lake	135.2510	13.36
Recovery	12 Days	Existing Lake	135.5001	13.36
Recovery	12 Days	Existing Lake	135.7515	13.36
Recovery	12 Days	Existing Lake	136.0012	13.36
Recovery	12 Days	Existing Lake	136.2510	13.36
Recovery	12 Days	Existing Lake	136.5010	13.36
Recovery	12 Days	Existing Lake	136.7501	13.36
Recovery	12 Days	Existing Lake	137.0001	13.36
Recovery	12 Days	Existing Lake	137.2527	13.36
Recovery	12 Days	Existing Lake	137.5015	13.36
Recovery	12 Days	Existing Lake	137.7512	13.36
Recovery	12 Days	Existing Lake	138.0010	13.36
Recovery	12 Days	Existing Lake	138.2508	13.36
Recovery	12 Days	Existing Lake	138.5006	13.36
Recovery	12 Days	Existing Lake	138.7525	13.35
Recovery	12 Days	Existing Lake	139.0002	13.35
Recovery	12 Days	Existing Lake	139.2511	13.35
Recovery	12 Days	Existing Lake	139.5001	13.35
Recovery	12 Days	Existing Lake	139.7515	13.35
Recovery	12 Days	Existing Lake	140.0018	13.35
Recovery	12 Days	Existing Lake	140.2523	13.35
Recovery	12 Days	Existing Lake	140.5000	13.35
Recovery	12 Days	Existing Lake	140.7504	13.35
Recovery	12 Days	Existing Lake	141.0012	13.35
Recovery	12 Days	Existing Lake	141.2508	13.35
Recovery	12 Days	Existing Lake	141.5005	13.35
Recovery	12 Days	Existing Lake	141.7503	13.35
Recovery	12 Days	Existing Lake	142.0012	13.35
Recovery	12 Days	Existing Lake	142.2504	13.35
Recovery	12 Days	Existing Lake	142.5017	13.35
Recovery	12 Days	Existing Lake	142.7524	13.35
Recovery	12 Days	Existing Lake	143.0025	13.35
Recovery	12 Days	Existing Lake	143.2523	13.35

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	143.5001	13.35
Recovery	12 Days	Existing Lake	143.7507	13.35
Recovery	12 Days	Existing Lake	144.0010	13.35
Recovery	12 Days	Existing Lake	144.2513	13.35
Recovery	12 Days	Existing Lake	144.5020	13.35
Recovery	12 Days	Existing Lake	144.7525	13.35
Recovery	12 Days	Existing Lake	145.0016	13.35
Recovery	12 Days	Existing Lake	145.2527	13.35
Recovery	12 Days	Existing Lake	145.5012	13.35
Recovery	12 Days	Existing Lake	145.7508	13.35
Recovery	12 Days	Existing Lake	146.0039	13.35
Recovery	12 Days	Existing Lake	146.2527	13.34
Recovery	12 Days	Existing Lake	146.5027	13.34
Recovery	12 Days	Existing Lake	146.7509	13.34
Recovery	12 Days	Existing Lake	147.0005	13.34
Recovery	12 Days	Existing Lake	147.2531	13.34
Recovery	12 Days	Existing Lake	147.5031	13.34
Recovery	12 Days	Existing Lake	147.7517	13.34
Recovery	12 Days	Existing Lake	148.0008	13.34
Recovery	12 Days	Existing Lake	148.2533	13.34
Recovery	12 Days	Existing Lake	148.5026	13.34
Recovery	12 Days	Existing Lake	148.7538	13.34
Recovery	12 Days	Existing Lake	149.0018	13.34
Recovery	12 Days	Existing Lake	149.2535	13.34
Recovery	12 Days	Existing Lake	149.5020	13.34
Recovery	12 Days	Existing Lake	149.7518	13.34
Recovery	12 Days	Existing Lake	150.0000	13.34
Recovery	12 Days	Existing Lake	150.2538	13.34
Recovery	12 Days	Existing Lake	150.5038	13.34
Recovery	12 Days	Existing Lake	150.7526	13.34
Recovery	12 Days	Existing Lake	151.0013	13.34
Recovery	12 Days	Existing Lake	151.2514	13.34
Recovery	12 Days	Existing Lake	151.5014	13.34
Recovery	12 Days	Existing Lake	151.7532	13.34
Recovery	12 Days	Existing Lake	152.0026	13.34
Recovery	12 Days	Existing Lake	152.2529	13.34
Recovery	12 Days	Existing Lake	152.5005	13.34
Recovery	12 Days	Existing Lake	152.7524	13.34
Recovery	12 Days	Existing Lake	153.0013	13.34
Recovery	12 Days	Existing Lake	153.2500	13.34
Recovery	12 Days	Existing Lake	153.5033	13.34
Recovery	12 Days	Existing Lake	153.7542	13.34
Recovery	12 Days	Existing Lake	154.0036	13.34
Recovery	12 Days	Existing Lake	154.2516	13.34
Recovery	12 Days	Existing Lake	154.5011	13.34
Recovery	12 Days	Existing Lake	154.7508	13.34
Recovery	12 Days	Existing Lake	155.0001	13.34
Recovery	12 Days	Existing Lake	155.2510	13.34

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	155.5002	13.34
Recovery	12 Days	Existing Lake	155.7513	13.33
Recovery	12 Days	Existing Lake	156.0004	13.33
Recovery	12 Days	Existing Lake	156.2507	13.33
Recovery	12 Days	Existing Lake	156.5001	13.33
Recovery	12 Days	Existing Lake	156.7509	13.33
Recovery	12 Days	Existing Lake	157.0007	13.33
Recovery	12 Days	Existing Lake	157.2509	13.33
Recovery	12 Days	Existing Lake	157.5007	13.33
Recovery	12 Days	Existing Lake	157.7531	13.33
Recovery	12 Days	Existing Lake	158.0026	13.33
Recovery	12 Days	Existing Lake	158.2516	13.33
Recovery	12 Days	Existing Lake	158.5021	13.33
Recovery	12 Days	Existing Lake	158.7506	13.33
Recovery	12 Days	Existing Lake	159.0010	13.33
Recovery	12 Days	Existing Lake	159.2535	13.33
Recovery	12 Days	Existing Lake	159.5020	13.33
Recovery	12 Days	Existing Lake	159.7524	13.33
Recovery	12 Days	Existing Lake	160.0033	13.33
Recovery	12 Days	Existing Lake	160.2533	13.33
Recovery	12 Days	Existing Lake	160.5025	13.33
Recovery	12 Days	Existing Lake	160.7528	13.33
Recovery	12 Days	Existing Lake	161.0022	13.33
Recovery	12 Days	Existing Lake	161.2511	13.33
Recovery	12 Days	Existing Lake	161.5054	13.33
Recovery	12 Days	Existing Lake	161.7526	13.33
Recovery	12 Days	Existing Lake	162.0048	13.33
Recovery	12 Days	Existing Lake	162.2535	13.33
Recovery	12 Days	Existing Lake	162.5008	13.33
Recovery	12 Days	Existing Lake	162.7520	13.33
Recovery	12 Days	Existing Lake	163.0018	13.33
Recovery	12 Days	Existing Lake	163.2513	13.33
Recovery	12 Days	Existing Lake	163.5021	13.33
Recovery	12 Days	Existing Lake	163.7512	13.33
Recovery	12 Days	Existing Lake	164.0020	13.33
Recovery	12 Days	Existing Lake	164.2501	13.33
Recovery	12 Days	Existing Lake	164.5024	13.33
Recovery	12 Days	Existing Lake	164.7529	13.33
Recovery	12 Days	Existing Lake	165.0038	13.33
Recovery	12 Days	Existing Lake	165.2539	13.33
Recovery	12 Days	Existing Lake	165.5014	13.33
Recovery	12 Days	Existing Lake	165.7515	13.33
Recovery	12 Days	Existing Lake	166.0023	13.33
Recovery	12 Days	Existing Lake	166.2515	13.33
Recovery	12 Days	Existing Lake	166.5004	13.33
Recovery	12 Days	Existing Lake	166.7513	13.33
Recovery	12 Days	Existing Lake	167.0011	13.33
Recovery	12 Days	Existing Lake	167.2515	13.33

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	167.5028	13.33
Recovery	12 Days	Existing Lake	167.7503	13.33
Recovery	12 Days	Existing Lake	168.0006	13.32
Recovery	12 Days	Existing Lake	168.2511	13.32
Recovery	12 Days	Existing Lake	168.5013	13.32
Recovery	12 Days	Existing Lake	168.7506	13.32
Recovery	12 Days	Existing Lake	169.0016	13.32
Recovery	12 Days	Existing Lake	169.2506	13.32
Recovery	12 Days	Existing Lake	169.5005	13.32
Recovery	12 Days	Existing Lake	169.7522	13.32
Recovery	12 Days	Existing Lake	170.0008	13.32
Recovery	12 Days	Existing Lake	170.2522	13.32
Recovery	12 Days	Existing Lake	170.5004	13.32
Recovery	12 Days	Existing Lake	170.7514	13.32
Recovery	12 Days	Existing Lake	171.0029	13.32
Recovery	12 Days	Existing Lake	171.2509	13.32
Recovery	12 Days	Existing Lake	171.5008	13.32
Recovery	12 Days	Existing Lake	171.7520	13.32
Recovery	12 Days	Existing Lake	172.0021	13.32
Recovery	12 Days	Existing Lake	172.2518	13.32
Recovery	12 Days	Existing Lake	172.5013	13.32
Recovery	12 Days	Existing Lake	172.7502	13.32
Recovery	12 Days	Existing Lake	173.0001	13.32
Recovery	12 Days	Existing Lake	173.2503	13.32
Recovery	12 Days	Existing Lake	173.5006	13.32
Recovery	12 Days	Existing Lake	173.7523	13.32
Recovery	12 Days	Existing Lake	174.0012	13.32
Recovery	12 Days	Existing Lake	174.2505	13.32
Recovery	12 Days	Existing Lake	174.5012	13.32
Recovery	12 Days	Existing Lake	174.7510	13.32
Recovery	12 Days	Existing Lake	175.0002	13.32
Recovery	12 Days	Existing Lake	175.2516	13.32
Recovery	12 Days	Existing Lake	175.5006	13.32
Recovery	12 Days	Existing Lake	175.7517	13.32
Recovery	12 Days	Existing Lake	176.0006	13.32
Recovery	12 Days	Existing Lake	176.2510	13.32
Recovery	12 Days	Existing Lake	176.5024	13.32
Recovery	12 Days	Existing Lake	176.7505	13.32
Recovery	12 Days	Existing Lake	177.0008	13.32
Recovery	12 Days	Existing Lake	177.2523	13.32
Recovery	12 Days	Existing Lake	177.5022	13.32
Recovery	12 Days	Existing Lake	177.7515	13.32
Recovery	12 Days	Existing Lake	178.0008	13.32
Recovery	12 Days	Existing Lake	178.2518	13.32
Recovery	12 Days	Existing Lake	178.5029	13.32
Recovery	12 Days	Existing Lake	178.7513	13.32
Recovery	12 Days	Existing Lake	179.0009	13.32
Recovery	12 Days	Existing Lake	179.2512	13.32

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	179.5007	13.32
Recovery	12 Days	Existing Lake	179.7518	13.32
Recovery	12 Days	Existing Lake	180.0011	13.32
Recovery	12 Days	Existing Lake	180.2504	13.32
Recovery	12 Days	Existing Lake	180.5023	13.32
Recovery	12 Days	Existing Lake	180.7506	13.32
Recovery	12 Days	Existing Lake	181.0024	13.32
Recovery	12 Days	Existing Lake	181.2508	13.32
Recovery	12 Days	Existing Lake	181.5016	13.32
Recovery	12 Days	Existing Lake	181.7505	13.32
Recovery	12 Days	Existing Lake	182.0078	13.32
Recovery	12 Days	Existing Lake	182.2577	13.32
Recovery	12 Days	Existing Lake	182.5077	13.32
Recovery	12 Days	Existing Lake	182.7577	13.32
Recovery	12 Days	Existing Lake	183.0077	13.32
Recovery	12 Days	Existing Lake	183.2577	13.32
Recovery	12 Days	Existing Lake	183.5077	13.32
Recovery	12 Days	Existing Lake	183.7577	13.32
Recovery	12 Days	Existing Lake	184.0077	13.32
Recovery	12 Days	Existing Lake	184.2577	13.32
Recovery	12 Days	Existing Lake	184.5077	13.31
Recovery	12 Days	Existing Lake	184.7577	13.31
Recovery	12 Days	Existing Lake	185.0077	13.31
Recovery	12 Days	Existing Lake	185.2577	13.31
Recovery	12 Days	Existing Lake	185.5077	13.31
Recovery	12 Days	Existing Lake	185.7577	13.31
Recovery	12 Days	Existing Lake	186.0077	13.31
Recovery	12 Days	Existing Lake	186.2577	13.31
Recovery	12 Days	Existing Lake	186.5077	13.31
Recovery	12 Days	Existing Lake	186.7577	13.31
Recovery	12 Days	Existing Lake	187.0077	13.31
Recovery	12 Days	Existing Lake	187.2577	13.31
Recovery	12 Days	Existing Lake	187.5077	13.31
Recovery	12 Days	Existing Lake	187.7577	13.31
Recovery	12 Days	Existing Lake	188.0077	13.31
Recovery	12 Days	Existing Lake	188.2577	13.31
Recovery	12 Days	Existing Lake	188.5077	13.31
Recovery	12 Days	Existing Lake	188.7577	13.31
Recovery	12 Days	Existing Lake	189.0077	13.31
Recovery	12 Days	Existing Lake	189.2577	13.31
Recovery	12 Days	Existing Lake	189.5077	13.31
Recovery	12 Days	Existing Lake	189.7577	13.31
Recovery	12 Days	Existing Lake	190.0077	13.31
Recovery	12 Days	Existing Lake	190.2577	13.31
Recovery	12 Days	Existing Lake	190.5077	13.31
Recovery	12 Days	Existing Lake	190.7577	13.31
Recovery	12 Days	Existing Lake	191.0077	13.31
Recovery	12 Days	Existing Lake	191.2577	13.31

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	191.5077	13.31
Recovery	12 Days	Existing Lake	191.7577	13.31
Recovery	12 Days	Existing Lake	192.0077	13.31
Recovery	12 Days	Existing Lake	192.2577	13.31
Recovery	12 Days	Existing Lake	192.5077	13.31
Recovery	12 Days	Existing Lake	192.7577	13.31
Recovery	12 Days	Existing Lake	193.0077	13.31
Recovery	12 Days	Existing Lake	193.2577	13.31
Recovery	12 Days	Existing Lake	193.5077	13.31
Recovery	12 Days	Existing Lake	193.7577	13.31
Recovery	12 Days	Existing Lake	194.0077	13.31
Recovery	12 Days	Existing Lake	194.2577	13.31
Recovery	12 Days	Existing Lake	194.5077	13.31
Recovery	12 Days	Existing Lake	194.7577	13.31
Recovery	12 Days	Existing Lake	195.0077	13.31
Recovery	12 Days	Existing Lake	195.2577	13.31
Recovery	12 Days	Existing Lake	195.5077	13.31
Recovery	12 Days	Existing Lake	195.7577	13.31
Recovery	12 Days	Existing Lake	196.0077	13.31
Recovery	12 Days	Existing Lake	196.2577	13.31
Recovery	12 Days	Existing Lake	196.5077	13.31
Recovery	12 Days	Existing Lake	196.7577	13.31
Recovery	12 Days	Existing Lake	197.0077	13.31
Recovery	12 Days	Existing Lake	197.2577	13.31
Recovery	12 Days	Existing Lake	197.5077	13.31
Recovery	12 Days	Existing Lake	197.7577	13.31
Recovery	12 Days	Existing Lake	198.0077	13.31
Recovery	12 Days	Existing Lake	198.2577	13.31
Recovery	12 Days	Existing Lake	198.5077	13.31
Recovery	12 Days	Existing Lake	198.7577	13.31
Recovery	12 Days	Existing Lake	199.0077	13.31
Recovery	12 Days	Existing Lake	199.2577	13.31
Recovery	12 Days	Existing Lake	199.5077	13.31
Recovery	12 Days	Existing Lake	199.7577	13.31
Recovery	12 Days	Existing Lake	200.0077	13.31
Recovery	12 Days	Existing Lake	200.2577	13.31
Recovery	12 Days	Existing Lake	200.5077	13.31
Recovery	12 Days	Existing Lake	200.7577	13.31
Recovery	12 Days	Existing Lake	201.0077	13.31
Recovery	12 Days	Existing Lake	201.2577	13.31
Recovery	12 Days	Existing Lake	201.5077	13.31
Recovery	12 Days	Existing Lake	201.7577	13.31
Recovery	12 Days	Existing Lake	202.0077	13.31
Recovery	12 Days	Existing Lake	202.2577	13.31
Recovery	12 Days	Existing Lake	202.5077	13.31
Recovery	12 Days	Existing Lake	202.7577	13.31
Recovery	12 Days	Existing Lake	203.0077	13.31
Recovery	12 Days	Existing Lake	203.2577	13.31

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	203.5077	13.31
Recovery	12 Days	Existing Lake	203.7577	13.31
Recovery	12 Days	Existing Lake	204.0077	13.31
Recovery	12 Days	Existing Lake	204.2577	13.31
Recovery	12 Days	Existing Lake	204.5077	13.31
Recovery	12 Days	Existing Lake	204.7577	13.31
Recovery	12 Days	Existing Lake	205.0077	13.31
Recovery	12 Days	Existing Lake	205.2577	13.31
Recovery	12 Days	Existing Lake	205.5077	13.31
Recovery	12 Days	Existing Lake	205.7577	13.31
Recovery	12 Days	Existing Lake	206.0077	13.31
Recovery	12 Days	Existing Lake	206.2577	13.31
Recovery	12 Days	Existing Lake	206.5077	13.31
Recovery	12 Days	Existing Lake	206.7577	13.31
Recovery	12 Days	Existing Lake	207.0077	13.31
Recovery	12 Days	Existing Lake	207.2577	13.31
Recovery	12 Days	Existing Lake	207.5077	13.31
Recovery	12 Days	Existing Lake	207.7577	13.31
Recovery	12 Days	Existing Lake	208.0077	13.31
Recovery	12 Days	Existing Lake	208.2577	13.30
Recovery	12 Days	Existing Lake	208.5077	13.30
Recovery	12 Days	Existing Lake	208.7577	13.30
Recovery	12 Days	Existing Lake	209.0077	13.30
Recovery	12 Days	Existing Lake	209.2577	13.30
Recovery	12 Days	Existing Lake	209.5077	13.30
Recovery	12 Days	Existing Lake	209.7577	13.30
Recovery	12 Days	Existing Lake	210.0077	13.30
Recovery	12 Days	Existing Lake	210.2577	13.30
Recovery	12 Days	Existing Lake	210.5077	13.30
Recovery	12 Days	Existing Lake	210.7577	13.30
Recovery	12 Days	Existing Lake	211.0077	13.30
Recovery	12 Days	Existing Lake	211.2577	13.30
Recovery	12 Days	Existing Lake	211.5077	13.30
Recovery	12 Days	Existing Lake	211.7577	13.30
Recovery	12 Days	Existing Lake	212.0077	13.30
Recovery	12 Days	Existing Lake	212.2577	13.30
Recovery	12 Days	Existing Lake	212.5077	13.30
Recovery	12 Days	Existing Lake	212.7577	13.30
Recovery	12 Days	Existing Lake	213.0077	13.30
Recovery	12 Days	Existing Lake	213.2577	13.30
Recovery	12 Days	Existing Lake	213.5077	13.30
Recovery	12 Days	Existing Lake	213.7577	13.30
Recovery	12 Days	Existing Lake	214.0077	13.30
Recovery	12 Days	Existing Lake	214.2577	13.30
Recovery	12 Days	Existing Lake	214.5077	13.30
Recovery	12 Days	Existing Lake	214.7577	13.30
Recovery	12 Days	Existing Lake	215.0077	13.30
Recovery	12 Days	Existing Lake	215.2577	13.30

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	215.5077	13.30
Recovery	12 Days	Existing Lake	215.7577	13.30
Recovery	12 Days	Existing Lake	216.0077	13.30
Recovery	12 Days	Existing Lake	216.2577	13.30
Recovery	12 Days	Existing Lake	216.5077	13.30
Recovery	12 Days	Existing Lake	216.7577	13.30
Recovery	12 Days	Existing Lake	217.0027	13.30
Recovery	12 Days	Existing Lake	217.2543	13.30
Recovery	12 Days	Existing Lake	217.5010	13.30
Recovery	12 Days	Existing Lake	217.7518	13.30
Recovery	12 Days	Existing Lake	218.0027	13.30
Recovery	12 Days	Existing Lake	218.2577	13.30
Recovery	12 Days	Existing Lake	218.5060	13.30
Recovery	12 Days	Existing Lake	218.7577	13.30
Recovery	12 Days	Existing Lake	219.0043	13.30
Recovery	12 Days	Existing Lake	219.2568	13.30
Recovery	12 Days	Existing Lake	219.5043	13.30
Recovery	12 Days	Existing Lake	219.7518	13.30
Recovery	12 Days	Existing Lake	220.0077	13.30
Recovery	12 Days	Existing Lake	220.2577	13.30
Recovery	12 Days	Existing Lake	220.5077	13.30
Recovery	12 Days	Existing Lake	220.7577	13.30
Recovery	12 Days	Existing Lake	221.0077	13.30
Recovery	12 Days	Existing Lake	221.2577	13.30
Recovery	12 Days	Existing Lake	221.5077	13.30
Recovery	12 Days	Existing Lake	221.7577	13.30
Recovery	12 Days	Existing Lake	222.0077	13.30
Recovery	12 Days	Existing Lake	222.2577	13.30
Recovery	12 Days	Existing Lake	222.5077	13.30
Recovery	12 Days	Existing Lake	222.7560	13.30
Recovery	12 Days	Existing Lake	223.0077	13.30
Recovery	12 Days	Existing Lake	223.2577	13.30
Recovery	12 Days	Existing Lake	223.5027	13.30
Recovery	12 Days	Existing Lake	223.7577	13.30
Recovery	12 Days	Existing Lake	224.0077	13.30
Recovery	12 Days	Existing Lake	224.2527	13.30
Recovery	12 Days	Existing Lake	224.5010	13.30
Recovery	12 Days	Existing Lake	224.7560	13.30
Recovery	12 Days	Existing Lake	225.0077	13.30
Recovery	12 Days	Existing Lake	225.2577	13.30
Recovery	12 Days	Existing Lake	225.5077	13.30
Recovery	12 Days	Existing Lake	225.7543	13.30
Recovery	12 Days	Existing Lake	226.0060	13.30
Recovery	12 Days	Existing Lake	226.2510	13.30
Recovery	12 Days	Existing Lake	226.5046	13.30
Recovery	12 Days	Existing Lake	226.7524	13.30
Recovery	12 Days	Existing Lake	227.0003	13.30
Recovery	12 Days	Existing Lake	227.2557	13.30

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	227.5046	13.30
Recovery	12 Days	Existing Lake	227.7505	13.30
Recovery	12 Days	Existing Lake	228.0041	13.30
Recovery	12 Days	Existing Lake	228.2532	13.30
Recovery	12 Days	Existing Lake	228.5046	13.30
Recovery	12 Days	Existing Lake	228.7551	13.30
Recovery	12 Days	Existing Lake	229.0026	13.30
Recovery	12 Days	Existing Lake	229.2534	13.30
Recovery	12 Days	Existing Lake	229.5017	13.30
Recovery	12 Days	Existing Lake	229.7519	13.30
Recovery	12 Days	Existing Lake	230.0038	13.30
Recovery	12 Days	Existing Lake	230.2506	13.30
Recovery	12 Days	Existing Lake	230.5020	13.30
Recovery	12 Days	Existing Lake	230.7534	13.30
Recovery	12 Days	Existing Lake	231.0012	13.30
Recovery	12 Days	Existing Lake	231.2565	13.30
Recovery	12 Days	Existing Lake	231.5026	13.30
Recovery	12 Days	Existing Lake	231.7514	13.30
Recovery	12 Days	Existing Lake	232.0022	13.30
Recovery	12 Days	Existing Lake	232.2506	13.30
Recovery	12 Days	Existing Lake	232.5027	13.30
Recovery	12 Days	Existing Lake	232.7541	13.30
Recovery	12 Days	Existing Lake	233.0044	13.30
Recovery	12 Days	Existing Lake	233.2526	13.30
Recovery	12 Days	Existing Lake	233.5046	13.30
Recovery	12 Days	Existing Lake	233.7522	13.30
Recovery	12 Days	Existing Lake	234.0032	13.30
Recovery	12 Days	Existing Lake	234.2537	13.30
Recovery	12 Days	Existing Lake	234.5038	13.30
Recovery	12 Days	Existing Lake	234.7528	13.30
Recovery	12 Days	Existing Lake	235.0004	13.30
Recovery	12 Days	Existing Lake	235.2542	13.30
Recovery	12 Days	Existing Lake	235.5022	13.30
Recovery	12 Days	Existing Lake	235.7502	13.30
Recovery	12 Days	Existing Lake	236.0041	13.30
Recovery	12 Days	Existing Lake	236.2536	13.30
Recovery	12 Days	Existing Lake	236.5035	13.30
Recovery	12 Days	Existing Lake	236.7523	13.30
Recovery	12 Days	Existing Lake	237.0017	13.30
Recovery	12 Days	Existing Lake	237.2549	13.30
Recovery	12 Days	Existing Lake	237.5058	13.30
Recovery	12 Days	Existing Lake	237.7513	13.30
Recovery	12 Days	Existing Lake	238.0017	13.30
Recovery	12 Days	Existing Lake	238.2525	13.30
Recovery	12 Days	Existing Lake	238.5004	13.30
Recovery	12 Days	Existing Lake	238.7520	13.30
Recovery	12 Days	Existing Lake	239.0031	13.30
Recovery	12 Days	Existing Lake	239.2552	13.30

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	239.5060	13.30
Recovery	12 Days	Existing Lake	239.7557	13.30
Recovery	12 Days	Existing Lake	240.0005	13.30
Recovery	12 Days	Existing Lake	240.2513	13.30
Recovery	12 Days	Existing Lake	240.5002	13.30
Recovery	12 Days	Existing Lake	240.7539	13.30
Recovery	12 Days	Existing Lake	241.0001	13.30
Recovery	12 Days	Existing Lake	241.2509	13.30
Recovery	12 Days	Existing Lake	241.5002	13.30
Recovery	12 Days	Existing Lake	241.7517	13.30
Recovery	12 Days	Existing Lake	242.0006	13.30
Recovery	12 Days	Existing Lake	242.2550	13.30
Recovery	12 Days	Existing Lake	242.5023	13.30
Recovery	12 Days	Existing Lake	242.7544	13.30
Recovery	12 Days	Existing Lake	243.0017	13.30
Recovery	12 Days	Existing Lake	243.2506	13.30
Recovery	12 Days	Existing Lake	243.5003	13.30
Recovery	12 Days	Existing Lake	243.7503	13.30
Recovery	12 Days	Existing Lake	244.0003	13.30
Recovery	12 Days	Existing Lake	244.2503	13.30
Recovery	12 Days	Existing Lake	244.5003	13.30
Recovery	12 Days	Existing Lake	244.7503	13.30
Recovery	12 Days	Existing Lake	245.0003	13.30
Recovery	12 Days	Existing Lake	245.2503	13.29
Recovery	12 Days	Existing Lake	245.5003	13.29
Recovery	12 Days	Existing Lake	245.7503	13.29
Recovery	12 Days	Existing Lake	246.0003	13.29
Recovery	12 Days	Existing Lake	246.2503	13.29
Recovery	12 Days	Existing Lake	246.5003	13.29
Recovery	12 Days	Existing Lake	246.7503	13.29
Recovery	12 Days	Existing Lake	247.0003	13.29
Recovery	12 Days	Existing Lake	247.2503	13.29
Recovery	12 Days	Existing Lake	247.5003	13.29
Recovery	12 Days	Existing Lake	247.7503	13.29
Recovery	12 Days	Existing Lake	248.0003	13.29
Recovery	12 Days	Existing Lake	248.2503	13.29
Recovery	12 Days	Existing Lake	248.5003	13.29
Recovery	12 Days	Existing Lake	248.7503	13.29
Recovery	12 Days	Existing Lake	249.0003	13.29
Recovery	12 Days	Existing Lake	249.2503	13.29
Recovery	12 Days	Existing Lake	249.5003	13.29
Recovery	12 Days	Existing Lake	249.7503	13.29
Recovery	12 Days	Existing Lake	250.0003	13.29
Recovery	12 Days	Existing Lake	250.2503	13.29
Recovery	12 Days	Existing Lake	250.5003	13.29
Recovery	12 Days	Existing Lake	250.7503	13.29
Recovery	12 Days	Existing Lake	251.0003	13.29
Recovery	12 Days	Existing Lake	251.2503	13.29

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	251.5003	13.29
Recovery	12 Days	Existing Lake	251.7503	13.29
Recovery	12 Days	Existing Lake	252.0003	13.29
Recovery	12 Days	Existing Lake	252.2503	13.29
Recovery	12 Days	Existing Lake	252.5003	13.29
Recovery	12 Days	Existing Lake	252.7503	13.29
Recovery	12 Days	Existing Lake	253.0003	13.29
Recovery	12 Days	Existing Lake	253.2503	13.29
Recovery	12 Days	Existing Lake	253.5003	13.29
Recovery	12 Days	Existing Lake	253.7503	13.29
Recovery	12 Days	Existing Lake	254.0003	13.29
Recovery	12 Days	Existing Lake	254.2503	13.29
Recovery	12 Days	Existing Lake	254.5003	13.29
Recovery	12 Days	Existing Lake	254.7503	13.29
Recovery	12 Days	Existing Lake	255.0003	13.29
Recovery	12 Days	Existing Lake	255.2503	13.29
Recovery	12 Days	Existing Lake	255.5003	13.29
Recovery	12 Days	Existing Lake	255.7503	13.29
Recovery	12 Days	Existing Lake	256.0003	13.29
Recovery	12 Days	Existing Lake	256.2503	13.29
Recovery	12 Days	Existing Lake	256.5003	13.29
Recovery	12 Days	Existing Lake	256.7503	13.29
Recovery	12 Days	Existing Lake	257.0003	13.29
Recovery	12 Days	Existing Lake	257.2503	13.29
Recovery	12 Days	Existing Lake	257.5003	13.29
Recovery	12 Days	Existing Lake	257.7503	13.29
Recovery	12 Days	Existing Lake	258.0003	13.29
Recovery	12 Days	Existing Lake	258.2503	13.29
Recovery	12 Days	Existing Lake	258.5003	13.29
Recovery	12 Days	Existing Lake	258.7503	13.29
Recovery	12 Days	Existing Lake	259.0003	13.29
Recovery	12 Days	Existing Lake	259.2503	13.29
Recovery	12 Days	Existing Lake	259.5003	13.29
Recovery	12 Days	Existing Lake	259.7503	13.29
Recovery	12 Days	Existing Lake	260.0003	13.29
Recovery	12 Days	Existing Lake	260.2503	13.29
Recovery	12 Days	Existing Lake	260.5003	13.29
Recovery	12 Days	Existing Lake	260.7503	13.29
Recovery	12 Days	Existing Lake	261.0003	13.29
Recovery	12 Days	Existing Lake	261.2503	13.29
Recovery	12 Days	Existing Lake	261.5003	13.29
Recovery	12 Days	Existing Lake	261.7503	13.29
Recovery	12 Days	Existing Lake	262.0003	13.29
Recovery	12 Days	Existing Lake	262.2503	13.29
Recovery	12 Days	Existing Lake	262.5003	13.29
Recovery	12 Days	Existing Lake	262.7503	13.29
Recovery	12 Days	Existing Lake	263.0003	13.29
Recovery	12 Days	Existing Lake	263.2503	13.29

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	263.5003	13.29
Recovery	12 Days	Existing Lake	263.7503	13.29
Recovery	12 Days	Existing Lake	264.0003	13.29
Recovery	12 Days	Existing Lake	264.2503	13.29
Recovery	12 Days	Existing Lake	264.5003	13.29
Recovery	12 Days	Existing Lake	264.7503	13.29
Recovery	12 Days	Existing Lake	265.0003	13.29
Recovery	12 Days	Existing Lake	265.2503	13.29
Recovery	12 Days	Existing Lake	265.5003	13.29
Recovery	12 Days	Existing Lake	265.7503	13.29
Recovery	12 Days	Existing Lake	266.0003	13.29
Recovery	12 Days	Existing Lake	266.2503	13.29
Recovery	12 Days	Existing Lake	266.5003	13.29
Recovery	12 Days	Existing Lake	266.7503	13.29
Recovery	12 Days	Existing Lake	267.0003	13.29
Recovery	12 Days	Existing Lake	267.2503	13.29
Recovery	12 Days	Existing Lake	267.5003	13.29
Recovery	12 Days	Existing Lake	267.7503	13.29
Recovery	12 Days	Existing Lake	268.0003	13.29
Recovery	12 Days	Existing Lake	268.2561	13.29
Recovery	12 Days	Existing Lake	268.5053	13.29
Recovery	12 Days	Existing Lake	268.7503	13.29
Recovery	12 Days	Existing Lake	269.0003	13.29
Recovery	12 Days	Existing Lake	269.2503	13.29
Recovery	12 Days	Existing Lake	269.5036	13.29
Recovery	12 Days	Existing Lake	269.7503	13.29
Recovery	12 Days	Existing Lake	270.0036	13.29
Recovery	12 Days	Existing Lake	270.2503	13.29
Recovery	12 Days	Existing Lake	270.5003	13.29
Recovery	12 Days	Existing Lake	270.7503	13.29
Recovery	12 Days	Existing Lake	271.0003	13.29
Recovery	12 Days	Existing Lake	271.2503	13.29
Recovery	12 Days	Existing Lake	271.5003	13.29
Recovery	12 Days	Existing Lake	271.7503	13.29
Recovery	12 Days	Existing Lake	272.0003	13.29
Recovery	12 Days	Existing Lake	272.2503	13.29
Recovery	12 Days	Existing Lake	272.5003	13.29
Recovery	12 Days	Existing Lake	272.7503	13.29
Recovery	12 Days	Existing Lake	273.0003	13.29
Recovery	12 Days	Existing Lake	273.2503	13.29
Recovery	12 Days	Existing Lake	273.5003	13.29
Recovery	12 Days	Existing Lake	273.7511	13.29
Recovery	12 Days	Existing Lake	274.0003	13.29
Recovery	12 Days	Existing Lake	274.2503	13.29
Recovery	12 Days	Existing Lake	274.5003	13.29
Recovery	12 Days	Existing Lake	274.7503	13.29
Recovery	12 Days	Existing Lake	275.0003	13.29
Recovery	12 Days	Existing Lake	275.2520	13.29

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	275.5003	13.29
Recovery	12 Days	Existing Lake	275.7503	13.29
Recovery	12 Days	Existing Lake	276.0003	13.29
Recovery	12 Days	Existing Lake	276.2503	13.29
Recovery	12 Days	Existing Lake	276.5053	13.29
Recovery	12 Days	Existing Lake	276.7561	13.29
Recovery	12 Days	Existing Lake	277.0020	13.29
Recovery	12 Days	Existing Lake	277.2503	13.29
Recovery	12 Days	Existing Lake	277.5003	13.29
Recovery	12 Days	Existing Lake	277.7503	13.29
Recovery	12 Days	Existing Lake	278.0003	13.29
Recovery	12 Days	Existing Lake	278.2503	13.29
Recovery	12 Days	Existing Lake	278.5003	13.29
Recovery	12 Days	Existing Lake	278.7536	13.29
Recovery	12 Days	Existing Lake	279.0003	13.29
Recovery	12 Days	Existing Lake	279.2503	13.29
Recovery	12 Days	Existing Lake	279.5003	13.29
Recovery	12 Days	Existing Lake	279.7503	13.29
Recovery	12 Days	Existing Lake	280.0003	13.29
Recovery	12 Days	Existing Lake	280.2503	13.29
Recovery	12 Days	Existing Lake	280.5003	13.29
Recovery	12 Days	Existing Lake	280.7545	13.29
Recovery	12 Days	Existing Lake	281.0003	13.29
Recovery	12 Days	Existing Lake	281.2503	13.29
Recovery	12 Days	Existing Lake	281.5003	13.29
Recovery	12 Days	Existing Lake	281.7503	13.29
Recovery	12 Days	Existing Lake	282.0003	13.29
Recovery	12 Days	Existing Lake	282.2503	13.29
Recovery	12 Days	Existing Lake	282.5003	13.29
Recovery	12 Days	Existing Lake	282.7503	13.29
Recovery	12 Days	Existing Lake	283.0003	13.29
Recovery	12 Days	Existing Lake	283.2503	13.29
Recovery	12 Days	Existing Lake	283.5003	13.29
Recovery	12 Days	Existing Lake	283.7503	13.29
Recovery	12 Days	Existing Lake	284.0003	13.29
Recovery	12 Days	Existing Lake	284.2503	13.29
Recovery	12 Days	Existing Lake	284.5003	13.29
Recovery	12 Days	Existing Lake	284.7503	13.29
Recovery	12 Days	Existing Lake	285.0003	13.29
Recovery	12 Days	Existing Lake	285.2503	13.29
Recovery	12 Days	Existing Lake	285.5003	13.29
Recovery	12 Days	Existing Lake	285.7503	13.29
Recovery	12 Days	Existing Lake	286.0003	13.29
Recovery	12 Days	Existing Lake	286.2503	13.29
Recovery	12 Days	Existing Lake	286.5003	13.29
Recovery	12 Days	Existing Lake	286.7503	13.29
Recovery	12 Days	Existing Lake	287.0003	13.29
Recovery	12 Days	Existing Lake	287.2503	13.29

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Existing Lake	287.5003	13.29
Recovery	12 Days	Existing Lake	287.7503	13.29
Recovery	12 Days	Existing Lake	288.0003	13.29
Recovery	12 Days	Wetland Preserve Tract	0.0001	15.46
Recovery	12 Days	Wetland Preserve Tract	0.2503	15.44
Recovery	12 Days	Wetland Preserve Tract	0.5002	15.41
Recovery	12 Days	Wetland Preserve Tract	0.7500	15.39
Recovery	12 Days	Wetland Preserve Tract	1.0002	15.36
Recovery	12 Days	Wetland Preserve Tract	1.2501	15.33
Recovery	12 Days	Wetland Preserve Tract	1.5002	15.30
Recovery	12 Days	Wetland Preserve Tract	1.7507	15.27
Recovery	12 Days	Wetland Preserve Tract	2.0000	15.24
Recovery	12 Days	Wetland Preserve Tract	2.2501	15.22
Recovery	12 Days	Wetland Preserve Tract	2.5000	15.19
Recovery	12 Days	Wetland Preserve Tract	2.7500	15.16
Recovery	12 Days	Wetland Preserve Tract	3.0002	15.14
Recovery	12 Days	Wetland Preserve Tract	3.2503	15.11
Recovery	12 Days	Wetland Preserve Tract	3.5004	15.09
Recovery	12 Days	Wetland Preserve Tract	3.7502	15.06
Recovery	12 Days	Wetland Preserve Tract	4.0002	15.04
Recovery	12 Days	Wetland Preserve Tract	4.2501	15.01
Recovery	12 Days	Wetland Preserve Tract	4.5002	14.99
Recovery	12 Days	Wetland Preserve Tract	4.7502	14.96
Recovery	12 Days	Wetland Preserve Tract	5.0002	14.94
Recovery	12 Days	Wetland Preserve Tract	5.2506	14.91
Recovery	12 Days	Wetland Preserve Tract	5.5005	14.89
Recovery	12 Days	Wetland Preserve Tract	5.7501	14.87
Recovery	12 Days	Wetland Preserve Tract	6.0009	14.84
Recovery	12 Days	Wetland Preserve Tract	6.2508	14.82
Recovery	12 Days	Wetland Preserve Tract	6.5007	14.79
Recovery	12 Days	Wetland Preserve Tract	6.7502	14.77
Recovery	12 Days	Wetland Preserve Tract	7.0001	14.75
Recovery	12 Days	Wetland Preserve Tract	7.2509	14.72
Recovery	12 Days	Wetland Preserve Tract	7.5000	14.70
Recovery	12 Days	Wetland Preserve Tract	7.7503	14.68
Recovery	12 Days	Wetland Preserve Tract	8.0008	14.65
Recovery	12 Days	Wetland Preserve Tract	8.2503	14.63
Recovery	12 Days	Wetland Preserve Tract	8.5001	14.60
Recovery	12 Days	Wetland Preserve Tract	8.7505	14.58
Recovery	12 Days	Wetland Preserve Tract	9.0002	14.55
Recovery	12 Days	Wetland Preserve Tract	9.2505	14.52
Recovery	12 Days	Wetland Preserve Tract	9.5004	14.50
Recovery	12 Days	Wetland Preserve Tract	9.7503	14.47
Recovery	12 Days	Wetland Preserve Tract	10.0003	14.44
Recovery	12 Days	Wetland Preserve Tract	10.2501	14.40
Recovery	12 Days	Wetland Preserve Tract	10.5002	14.37
Recovery	12 Days	Wetland Preserve Tract	10.7501	14.33
Recovery	12 Days	Wetland Preserve Tract	11.0004	14.30

12 days after end of design storm event. Lake stage is within 0.3' (Total evaporation allowed 0.3"/day x 12 days) of initial stage.

Peak stage during design storm event.

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Wetland Preserve Tract	11.2506	14.26
Recovery	12 Days	Wetland Preserve Tract	11.5001	14.22
Recovery	12 Days	Wetland Preserve Tract	11.7501	14.19
Recovery	12 Days	Wetland Preserve Tract	12.0000	14.15
Recovery	12 Days	Wetland Preserve Tract	12.2501	14.11
Recovery	12 Days	Wetland Preserve Tract	12.5003	14.07
Recovery	12 Days	Wetland Preserve Tract	12.7503	14.03
Recovery	12 Days	Wetland Preserve Tract	13.0003	13.99
Recovery	12 Days	Wetland Preserve Tract	13.2501	13.95
Recovery	12 Days	Wetland Preserve Tract	13.5002	13.91
Recovery	12 Days	Wetland Preserve Tract	13.7503	13.87
Recovery	12 Days	Wetland Preserve Tract	14.0001	13.83
Recovery	12 Days	Wetland Preserve Tract	14.2502	13.79
Recovery	12 Days	Wetland Preserve Tract	14.5003	13.75
Recovery	12 Days	Wetland Preserve Tract	14.7504	13.72
Recovery	12 Days	Wetland Preserve Tract	15.0000	13.68
Recovery	12 Days	Wetland Preserve Tract	15.2503	13.64
Recovery	12 Days	Wetland Preserve Tract	15.5001	13.61
Recovery	12 Days	Wetland Preserve Tract	15.7500	13.57
Recovery	12 Days	Wetland Preserve Tract	16.0003	13.53
Recovery	12 Days	Wetland Preserve Tract	16.2500	13.50
Recovery	12 Days	Wetland Preserve Tract	16.5002	13.47
Recovery	12 Days	Wetland Preserve Tract	16.7503	13.43
Recovery	12 Days	Wetland Preserve Tract	17.0007	13.40
Recovery	12 Days	Wetland Preserve Tract	17.2504	13.37
Recovery	12 Days	Wetland Preserve Tract	17.5003	13.34
Recovery	12 Days	Wetland Preserve Tract	17.7501	13.31
Recovery	12 Days	Wetland Preserve Tract	18.0006	13.29
Recovery	12 Days	Wetland Preserve Tract	18.2512	13.26
Recovery	12 Days	Wetland Preserve Tract	18.5031	13.23
Recovery	12 Days	Wetland Preserve Tract	18.7505	13.21
Recovery	12 Days	Wetland Preserve Tract	19.0016	13.19
Recovery	12 Days	Wetland Preserve Tract	19.2550	13.17
Recovery	12 Days	Wetland Preserve Tract	19.5081	13.16
Recovery	12 Days	Wetland Preserve Tract	19.7581	13.14
Recovery	12 Days	Wetland Preserve Tract	20.0081	13.13
Recovery	12 Days	Wetland Preserve Tract	20.2581	13.13
Recovery	12 Days	Wetland Preserve Tract	20.5081	13.12
Recovery	12 Days	Wetland Preserve Tract	20.7581	13.11
Recovery	12 Days	Wetland Preserve Tract	21.0072	13.11
Recovery	12 Days	Wetland Preserve Tract	21.2521	13.10
Recovery	12 Days	Wetland Preserve Tract	21.5037	13.10
Recovery	12 Days	Wetland Preserve Tract	21.7508	13.10
Recovery	12 Days	Wetland Preserve Tract	22.0016	13.10
Recovery	12 Days	Wetland Preserve Tract	22.2522	13.09
Recovery	12 Days	Wetland Preserve Tract	22.5005	13.09
Recovery	12 Days	Wetland Preserve Tract	22.7515	13.09
Recovery	12 Days	Wetland Preserve Tract	23.0002	13.09

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Wetland Preserve Tract	23.2508	13.09
Recovery	12 Days	Wetland Preserve Tract	23.5026	13.09
Recovery	12 Days	Wetland Preserve Tract	23.7509	13.08
Recovery	12 Days	Wetland Preserve Tract	24.0022	13.08
Recovery	12 Days	Wetland Preserve Tract	24.2539	13.08
Recovery	12 Days	Wetland Preserve Tract	24.5015	13.08
Recovery	12 Days	Wetland Preserve Tract	24.7524	13.08
Recovery	12 Days	Wetland Preserve Tract	25.0018	13.08
Recovery	12 Days	Wetland Preserve Tract	25.2503	13.08
Recovery	12 Days	Wetland Preserve Tract	25.5010	13.08
Recovery	12 Days	Wetland Preserve Tract	25.7509	13.08
Recovery	12 Days	Wetland Preserve Tract	26.0027	13.08
Recovery	12 Days	Wetland Preserve Tract	26.2511	13.08
Recovery	12 Days	Wetland Preserve Tract	26.5027	13.08
Recovery	12 Days	Wetland Preserve Tract	26.7509	13.08
Recovery	12 Days	Wetland Preserve Tract	27.0008	13.08
Recovery	12 Days	Wetland Preserve Tract	27.2500	13.08
Recovery	12 Days	Wetland Preserve Tract	27.5005	13.08
Recovery	12 Days	Wetland Preserve Tract	27.7513	13.08
Recovery	12 Days	Wetland Preserve Tract	28.0001	13.08
Recovery	12 Days	Wetland Preserve Tract	28.2526	13.08
Recovery	12 Days	Wetland Preserve Tract	28.5003	13.08
Recovery	12 Days	Wetland Preserve Tract	28.7503	13.08
Recovery	12 Days	Wetland Preserve Tract	29.0007	13.08
Recovery	12 Days	Wetland Preserve Tract	29.2521	13.08
Recovery	12 Days	Wetland Preserve Tract	29.5001	13.08
Recovery	12 Days	Wetland Preserve Tract	29.7507	13.08
Recovery	12 Days	Wetland Preserve Tract	30.0002	13.08
Recovery	12 Days	Wetland Preserve Tract	30.2504	13.07
Recovery	12 Days	Wetland Preserve Tract	30.5022	13.07
Recovery	12 Days	Wetland Preserve Tract	30.7509	13.07
Recovery	12 Days	Wetland Preserve Tract	31.0008	13.07
Recovery	12 Days	Wetland Preserve Tract	31.2524	13.07
Recovery	12 Days	Wetland Preserve Tract	31.5013	13.07
Recovery	12 Days	Wetland Preserve Tract	31.7512	13.07
Recovery	12 Days	Wetland Preserve Tract	32.0003	13.07
Recovery	12 Days	Wetland Preserve Tract	32.2508	13.07
Recovery	12 Days	Wetland Preserve Tract	32.5020	13.07
Recovery	12 Days	Wetland Preserve Tract	32.7514	13.07
Recovery	12 Days	Wetland Preserve Tract	33.0012	13.07
Recovery	12 Days	Wetland Preserve Tract	33.2512	13.07
Recovery	12 Days	Wetland Preserve Tract	33.5002	13.07
Recovery	12 Days	Wetland Preserve Tract	33.7519	13.07
Recovery	12 Days	Wetland Preserve Tract	34.0022	13.07
Recovery	12 Days	Wetland Preserve Tract	34.2513	13.07
Recovery	12 Days	Wetland Preserve Tract	34.5011	13.07
Recovery	12 Days	Wetland Preserve Tract	34.7501	13.07
Recovery	12 Days	Wetland Preserve Tract	35.0022	13.07

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Wetland Preserve Tract	35.2518	13.07
Recovery	12 Days	Wetland Preserve Tract	35.5001	13.07
Recovery	12 Days	Wetland Preserve Tract	35.7511	13.07
Recovery	12 Days	Wetland Preserve Tract	36.0001	13.07
Recovery	12 Days	Wetland Preserve Tract	36.2514	13.07
Recovery	12 Days	Wetland Preserve Tract	36.5011	13.07
Recovery	12 Days	Wetland Preserve Tract	36.7507	13.07
Recovery	12 Days	Wetland Preserve Tract	37.0009	13.07
Recovery	12 Days	Wetland Preserve Tract	37.2505	13.07
Recovery	12 Days	Wetland Preserve Tract	37.5008	13.07
Recovery	12 Days	Wetland Preserve Tract	37.7503	13.07
Recovery	12 Days	Wetland Preserve Tract	38.0003	13.07
Recovery	12 Days	Wetland Preserve Tract	38.2516	13.07
Recovery	12 Days	Wetland Preserve Tract	38.5008	13.07
Recovery	12 Days	Wetland Preserve Tract	38.7505	13.07
Recovery	12 Days	Wetland Preserve Tract	39.0006	13.07
Recovery	12 Days	Wetland Preserve Tract	39.2500	13.07
Recovery	12 Days	Wetland Preserve Tract	39.5006	13.07
Recovery	12 Days	Wetland Preserve Tract	39.7504	13.07
Recovery	12 Days	Wetland Preserve Tract	40.0008	13.07
Recovery	12 Days	Wetland Preserve Tract	40.2511	13.07
Recovery	12 Days	Wetland Preserve Tract	40.5007	13.07
Recovery	12 Days	Wetland Preserve Tract	40.7510	13.07
Recovery	12 Days	Wetland Preserve Tract	41.0002	13.07
Recovery	12 Days	Wetland Preserve Tract	41.2503	13.07
Recovery	12 Days	Wetland Preserve Tract	41.5000	13.07
Recovery	12 Days	Wetland Preserve Tract	41.7509	13.07
Recovery	12 Days	Wetland Preserve Tract	42.0002	13.07
Recovery	12 Days	Wetland Preserve Tract	42.2503	13.07
Recovery	12 Days	Wetland Preserve Tract	42.5020	13.07
Recovery	12 Days	Wetland Preserve Tract	42.7501	13.07
Recovery	12 Days	Wetland Preserve Tract	43.0005	13.07
Recovery	12 Days	Wetland Preserve Tract	43.2510	13.07
Recovery	12 Days	Wetland Preserve Tract	43.5003	13.07
Recovery	12 Days	Wetland Preserve Tract	43.7510	13.07
Recovery	12 Days	Wetland Preserve Tract	44.0002	13.07
Recovery	12 Days	Wetland Preserve Tract	44.2509	13.07
Recovery	12 Days	Wetland Preserve Tract	44.5003	13.07
Recovery	12 Days	Wetland Preserve Tract	44.7508	13.07
Recovery	12 Days	Wetland Preserve Tract	45.0012	13.07
Recovery	12 Days	Wetland Preserve Tract	45.2501	13.07
Recovery	12 Days	Wetland Preserve Tract	45.5009	13.07
Recovery	12 Days	Wetland Preserve Tract	45.7507	13.07
Recovery	12 Days	Wetland Preserve Tract	46.0010	13.07
Recovery	12 Days	Wetland Preserve Tract	46.2503	13.07
Recovery	12 Days	Wetland Preserve Tract	46.5007	13.07
Recovery	12 Days	Wetland Preserve Tract	46.7506	13.07
Recovery	12 Days	Wetland Preserve Tract	47.0003	13.07

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Wetland Preserve Tract	47.2505	13.07
Recovery	12 Days	Wetland Preserve Tract	47.5005	13.07
Recovery	12 Days	Wetland Preserve Tract	47.7504	13.07
Recovery	12 Days	Wetland Preserve Tract	48.0005	13.07
Recovery	12 Days	Wetland Preserve Tract	48.2501	13.07
Recovery	12 Days	Wetland Preserve Tract	48.5009	13.07
Recovery	12 Days	Wetland Preserve Tract	48.7501	13.07
Recovery	12 Days	Wetland Preserve Tract	49.0005	13.07
Recovery	12 Days	Wetland Preserve Tract	49.2502	13.07
Recovery	12 Days	Wetland Preserve Tract	49.5000	13.06
Recovery	12 Days	Wetland Preserve Tract	49.7501	13.06
Recovery	12 Days	Wetland Preserve Tract	50.0013	13.06
Recovery	12 Days	Wetland Preserve Tract	50.2510	13.06
Recovery	12 Days	Wetland Preserve Tract	50.5005	13.06
Recovery	12 Days	Wetland Preserve Tract	50.7511	13.06
Recovery	12 Days	Wetland Preserve Tract	51.0008	13.06
Recovery	12 Days	Wetland Preserve Tract	51.2502	13.06
Recovery	12 Days	Wetland Preserve Tract	51.5005	13.06
Recovery	12 Days	Wetland Preserve Tract	51.7512	13.06
Recovery	12 Days	Wetland Preserve Tract	52.0006	13.06
Recovery	12 Days	Wetland Preserve Tract	52.2502	13.06
Recovery	12 Days	Wetland Preserve Tract	52.5001	13.06
Recovery	12 Days	Wetland Preserve Tract	52.7504	13.06
Recovery	12 Days	Wetland Preserve Tract	53.0003	13.06
Recovery	12 Days	Wetland Preserve Tract	53.2505	13.06
Recovery	12 Days	Wetland Preserve Tract	53.5005	13.06
Recovery	12 Days	Wetland Preserve Tract	53.7503	13.06
Recovery	12 Days	Wetland Preserve Tract	54.0010	13.06
Recovery	12 Days	Wetland Preserve Tract	54.2500	13.06
Recovery	12 Days	Wetland Preserve Tract	54.5001	13.06
Recovery	12 Days	Wetland Preserve Tract	54.7502	13.06
Recovery	12 Days	Wetland Preserve Tract	55.0001	13.06
Recovery	12 Days	Wetland Preserve Tract	55.2505	13.06
Recovery	12 Days	Wetland Preserve Tract	55.5007	13.06
Recovery	12 Days	Wetland Preserve Tract	55.7506	13.06
Recovery	12 Days	Wetland Preserve Tract	56.0004	13.06
Recovery	12 Days	Wetland Preserve Tract	56.2513	13.06
Recovery	12 Days	Wetland Preserve Tract	56.5008	13.06
Recovery	12 Days	Wetland Preserve Tract	56.7505	13.06
Recovery	12 Days	Wetland Preserve Tract	57.0002	13.06
Recovery	12 Days	Wetland Preserve Tract	57.2508	13.06
Recovery	12 Days	Wetland Preserve Tract	57.5002	13.06
Recovery	12 Days	Wetland Preserve Tract	57.7502	13.06
Recovery	12 Days	Wetland Preserve Tract	58.0008	13.06
Recovery	12 Days	Wetland Preserve Tract	58.2506	13.06
Recovery	12 Days	Wetland Preserve Tract	58.5006	13.06
Recovery	12 Days	Wetland Preserve Tract	58.7503	13.06
Recovery	12 Days	Wetland Preserve Tract	59.0007	13.06

Scenario	Sim	Node Name	Relative Time [hrs]	Stage [ft]
Recovery	12 Days	Wetland Preserve Tract	59.2502	13.06
Recovery	12 Days	Wetland Preserve Tract	59.5005	13.06
Recovery	12 Days	Wetland Preserve Tract	59.7504	13.06
Recovery	12 Days	Wetland Preserve Tract	60.0008	13.06
Recovery	12 Days	Wetland Preserve Tract	60.2507	13.06
Recovery	12 Days	Wetland Preserve Tract	60.5002	13.06
Recovery	12 Days	Wetland Preserve Tract	60.7501	13.06
Recovery	12 Days	Wetland Preserve Tract	61.0006	13.06
Recovery	12 Days	Wetland Preserve Tract	61.2500	13.06
Recovery	12 Days	Wetland Preserve Tract	61.5008	13.06
Recovery	12 Days	Wetland Preserve Tract	61.7502	13.06
Recovery	12 Days	Wetland Preserve Tract	62.0006	13.06
Recovery	12 Days	Wetland Preserve Tract	62.2504	13.06
Recovery	12 Days	Wetland Preserve Tract	62.5007	13.06
Recovery	12 Days	Wetland Preserve Tract	62.7500	13.06
Recovery	12 Days	Wetland Preserve Tract	63.0005	13.06
Recovery	12 Days	Wetland Preserve Tract	63.2500	13.06
Recovery	12 Days	Wetland Preserve Tract	63.5004	13.06
Recovery	12 Days	Wetland Preserve Tract	63.7500	13.06
Recovery	12 Days	Wetland Preserve Tract	64.0001	13.06
Recovery	12 Days	Wetland Preserve Tract	64.2502	13.06
Recovery	12 Days	Wetland Preserve Tract	64.5003	13.06
Recovery	12 Days	Wetland Preserve Tract	64.7501	13.06
Recovery	12 Days	Wetland Preserve Tract	65.0008	13.06
Recovery	12 Days	Wetland Preserve Tract	65.2510	13.06
Recovery	12 Days	Wetland Preserve Tract	65.5004	13.06
Recovery	12 Days	Wetland Preserve Tract	65.7501	13.06
Recovery	12 Days	Wetland Preserve Tract	66.0006	13.06
Recovery	12 Days	Wetland Preserve Tract	66.2503	13.06
Recovery	12 Days	Wetland Preserve Tract	66.5001	13.06
Recovery	12 Days	Wetland Preserve Tract	66.7505	13.06
Recovery	12 Days	Wetland Preserve Tract	67.0002	13.06
Recovery	12 Days	Wetland Preserve Tract	67.2507	13.06
Recovery	12 Days	Wetland Preserve Tract	67.5001	13.06
Recovery	12 Days	Wetland Preserve Tract	67.7506	13.05
Recovery	12 Days	Wetland Preserve Tract	68.0005	13.05
Recovery	12 Days	Wetland Preserve Tract	68.2503	13.05
Recovery	12 Days	Wetland Preserve Tract	68.5005	13.05
Recovery	12 Days	Wetland Preserve Tract	68.7502	13.05
Recovery	12 Days	Wetland Preserve Tract	69.0003	13.05
Recovery	12 Days	Wetland Preserve Tract	69.2503	13.05
Recovery	12 Days	Wetland Preserve Tract	69.5006	13.05
Recovery	12 Days	Wetland Preserve Tract	69.7501	13.05
Recovery	12 Days	Wetland Preserve Tract	70.0002	13.05
Recovery	12 Days	Wetland Preserve Tract	70.2501	13.05
Recovery	12 Days	Wetland Preserve Tract	70.5005	13.05
Recovery	12 Days	Wetland Preserve Tract	70.7503	13.05
Recovery	12 Days	Wetland Preserve Tract	71.0001	13.05