
# Exhibit A

### LEGAL DESCRIPTION

A PARCEL OF LAND IN LOTS 35, 36, AND 37 ACCORDING TO THE PLAT OF THE GOMEZ GRANT AS RECORDED IN PLAT BOOK "B" PAGE 51 OF THE PUBLIC RECORDS OF DADE COUNTY, FLORIDA AND RE-RECORDED IN PLATBOOK 1 PAGE 61 OF THE PUBLIC RECORDS OF PALM BEACH COUNTY, NOW MARTIN COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHWESTERLY CORNER OF LOT 36 OF SAID GOMEZ GRANT; THENCE N 21°36'27" W ALONG THE WEST LINE OF LOT 36 OF SAID GOMEZ GRANT. A DISTANCE OF 660.01 FEET TO THE NORTHWEST CORNER OF LOT 36 OF SAID GOMEZ GRANT; THENCE N 21°54'53" W, A DISTANCE OF 33.07 FEET TO THE SOUTHWEST CORNER OF LOT 37 OF SAID GOMEZ GRANT; THENCE N 21°34'50" W ALONG THE WEST LINE OF LOT 37 OF SAID GOMEZ GRANT, A DISTANCE OF 424.13 FEET; THENCE DEPARTING THE WEST LINE OF LOT 37 OF SAID GOMEZ GRANT N 68°25'55" E, A DISTANCE OF 261.41 FEET; THENCE S 16°22'40" W, A DISTANCE OF 21.23 FEET; THENCE S 23°48'04" E, A DISTANCE OF 45.93 FEET; THENCE N 71°38'54" E, A DISTANCE OF 40.75 FEET; THENCE S 88°40'56" E, A DISTANCE OF 28.93 FEET; THENCE S 26°40'33" E, A DISTANCE OF 49.52 FEET; THENCE S 06°50'30" W, A DISTANCE OF 30.08 FEET; THENCE N 86°08'33" E, A DISTANCE OF 25.44 FEET; THENCE S 59°16'35" E, A DISTANCE OF 26.29 FEET; THENCE S 61°35'51" E, A DISTANCE OF 68.21 FEET; THENCE S 83°51'01" E, A DISTANCE OF 40.07 FEET; THENCE S 33°57'58" E, A DISTANCE OF 33.68 FEET; THENCE S 48°09'32" E, A DISTANCE OF 38.80 FEET; THENCE S 15°39'30" W, A DISTANCE OF 36.80 FEET; THENCE S 73°00'43" E, A DISTANCE OF 34.28 FEET; THENCE S 21°41'10" E, A DISTANCE OF 40.40 FEET; THENCE S 88°00'30" E, A DISTANCE OF 162.38 FEET; THENCE S 02°01'42" W, A DISTANCE OF 49.89 FEET; THENCE S 04°30'37" E, A DISTANCE OF 74.76 FEET; THENCE S 18°10'42" E, A DISTANCE OF 109.57 FEET; THENCE S 20°57'40" E, A DISTANCE OF 66.99 FEET; THENCE S 60°54'31" W, A DISTANCE OF 43.99 FEET; THENCE S 44°00'08" W, A DISTANCE OF 19.86 FEET; THENCE S 14°28'44" E, A DISTANCE OF 61.11 FEET; THENCE N 66°35'29" E, A DISTANCE OF 45.32 FEET; THENCE N 51°03'01" E, A DISTANCE OF 41.07 FEET; THENCE N 50°52'06" E, A DISTANCE OF 53.68 FEET; THENCE N 68°13'57" E, A DISTANCE OF 24.69 FEET; THENCE S 33°32'47" E, A DISTANCE OF 90.82 FEET; TO THE BEGINNING OF A NON-TANGENT CURVE CONCAVE TO THE LEFT HAVING A RADIUS OF 110.36 FEET; THE CHORD OF WHICH BEARS N 46°11'30" E, WITH A CHORD DISTANCE OF 3.09; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 01°36'12", FOR A DISTANCE OF 3.09 FEET; THENCE N 41°03'33" E, A DISTANCE OF 44.98 FEET; TO THE BEGINNING OF A NON-TANGENT CURVE CONCAVE TO THE RIGHT HAVING A RADIUS OF 150.19 FEET; THE CHORD OF WHICH BEARS N 69°58'06" E, WITH A CHORD DISTANCE OF 147.93; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 59°00'29", FOR A DISTANCE OF 154.68 FEET; THENCE S 80°31'40" E. A DISTANCE OF 101.44 FEET; THENCE S 79°00'44" E. A DISTANCE OF 56.40 FEET; THENCE N 85°58'52" E, A DISTANCE OF 48.16 FEET; THENCE S 88°02'50" E, A DISTANCE OF 51.97 FEET; THENCE N 84°39'13" E, A DISTANCE OF 61.94 FEET; TO THE BEGINNING OF A CURVE CONCAVE TO THE LEFT WITH A RADIUS OF 160.27 FEET; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 27°14'37", A DISTANCE OF 76.21 FEET; THENCE N 57°24'36" E, A DISTANCE OF 53.81 FEET; THENCE N 58°02'25" E, A DISTANCE OF 42.52 FEET; THENCE N 68°23'18" E, A DISTANCE OF 35.35 FEET; THENCE N 80°59'09" E, A DISTANCE OF 73.79 FEET; TO THE BEGINNING OF A CURVE CONCAVE TO THE LEFT WITH A RADIUS OF 5.47 FEET; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 47°15'07", A DISTANCE OF 4.51 FEET; THENCE N 33°44'02" E, A DISTANCE OF 66.63 FEET; THENCE N 40°56'01" E, A DISTANCE OF 97.75 FEET; THENCE N 42°38'31" E, A DISTANCE OF 75.44 FEET; THENCE N 37°54'27" E, A DISTANCE OF 130.89 FEET; THENCE N 46°00'14" E, A DISTANCE OF 50.24 FEET; TO THE BEGINNING OF A CURVE CONCAVE TO THE RIGHT WITH A RADIUS OF 79.66 FEET; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 46°16'00", A DISTANCE OF 64.32 FEET; THENCE S 87°43'45" E, A DISTANCE OF 28.84 FEET; THENCE N 84°45'30" E, A DISTANCE OF 63.81 FEET; THENCE N 86°16'56" E, A DISTANCE OF 57.97 FEET TO THE MEAN HIGH WATER LINE OF THE INTRACOASTAL WATERWAY; THENCE S 19°36'12" E ALONG THE MEAN HIGH WATER LINE OF THE INTRACOASTAL WATERWAY, A DISTANCE OF 46.20 FEET: THENCE S 04°21'13" W, A DISTANCE OF 5.62 FEET; THENCE DEPARTING THE MEAN HIGH WATER LINE OF

(legal description continued on sheet 2)



SKETCH AND LEGAL DESCRIPTION OF

PARCEL A

MARTIN COUNTY, FLORIDA

SHEET NO.

1

F 10


PROJECT NO.

20-046.1

### (legal description continued from sheet 1)

THE INTRACOASTAL WATERWAYS 86°16'56" W, A DISTANCE OF 69.16 FEET; THENCE S 84°45'30" W, A DISTANCE OF 66.43 FEET; THENCE N 87°43'45" W, A DISTANCE OF 32.12 FEET; TO THE BEGINNING OF A CURVE CONCAVE TO THE LEFT WITH A RADIUS OF 29.66 FEET: THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 46°16'00", A DISTANCE OF 23.95 FEET; THENCE S 46°00'14" W, A DISTANCE OF 46.71 FEET; THENCE S 37°54'27" W, A DISTANCE OF 129.42 FEET; THENCE S 42°38'31" W, A DISTANCE OF 76.76 FEET; THENCE S 40°56'01" W, A DISTANCE OF 93.86 FEET; THENCE S 33°44'02" W, A DISTANCE OF 63.49 FEET; TO THE BEGINNING OF A CURVE CONCAVE TO THE RIGHT WITH A RADIUS OF 55.47 FEET; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 47°15'07". A DISTANCE OF 45.74 FEET: THENCE S 80°59'09" W, A DISTANCE OF 68.27 FEET; THENCE S 68°23'18" W, A DISTANCE OF 25.30 FEET; THENCE S 58°02'25" W, A DISTANCE OF 37.72 FEET; THENCE S 57°24'36" W, A DISTANCE OF 53.53 FEET; TO THE BEGINNING OF A CURVE CONCAVE TO THE RIGHT WITH A RADIUS OF 210.27 FEET; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 27°14'37", A DISTANCE OF 99.98 FEET; THENCE S 84°39'13" W, A DISTANCE OF 65.12 FEET; THENCE N 88°02'50" W, A DISTANCE OF 52.55 FEET; THENCE S 85°58'52" W, A DISTANCE OF 52.14 FEET; THENCE N 79°00'44" W, A DISTANCE OF 62.33 FEET; THENCE N 80°31'40" W, A DISTANCE OF 100.77 FEET; TO THE BEGINNING OF A CURVE CONCAVE TO THE LEFT WITH A RADIUS OF 100.19 FEET; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 59°08'29", A DISTANCE OF 103.42 FEET; THENCE S 41°03'33" W, A DISTANCE OF 46.98 FEET; TO THE BEGINNING OF A NON-TANGENT CURVE CONCAVE TO THE RIGHT HAVING A RADIUS OF 160.36 FEET; THE CHORD OF WHICH BEARS S 46°42'20" W, WITH A CHORD DISTANCE OF 11.49; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 04°06'27", FOR A DISTANCE OF 11.50 FEET; THENCE S 31°49'10" E, A DISTANCE OF 28.63 FEET; THENCE S 32°01'12" W, A DISTANCE OF 29.23 FEET; THENCE S 45°32'55" E, A DISTANCE OF 65.95 FEET; THENCE S 34°49'25" W, A DISTANCE OF 50.57 FEET; THENCE S 13°27'02" E, A DISTANCE OF 25.31 FEET; THENCE S 83°20'29" W, A DISTANCE OF 61.52 FEET; THENCE N 72°58'15" W, A DISTANCE OF 60.00 FEET; THENCE S 49°39'21" W, A DISTANCE OF 37.84 FEET; THENCE S 13°27'43" E, A DISTANCE OF 51.63 FEET; THENCE S 71°18'14" E, A DISTANCE OF 13.75 FEET; THENCE N 59°58'20" E, A DISTANCE OF 37.03 FEET; THENCE S 81°52'43" E, A DISTANCE OF 18.48 FEET; THENCE S 13°49'12" E, A DISTANCE OF 61.62 FEET; THENCE S 23°44'33" E, A DISTANCE OF 50.25 FEET; THENCE S 02°50'36" E, A DISTANCE OF 53.55 FEET; THENCE S 31°41'33" E, A DISTANCE OF 53.45 FEET; THENCE S 64°18'53" W, A DISTANCE OF 114.85 FEET; THENCE S 68°53'35" W, A DISTANCE OF 100.57 FEET; THENCE S 06°47'33" E, A DISTANCE OF 30.05 FEET; THENCE S 68°24'31" W, A DISTANCE OF 318.31 FEET TO THE WEST LINE OF LOT 35 OF SAID GOMEZ GRANT; THENCE N 21°36'50" W ALONG THE WEST LINE OF LOT 35 OF SAID GOMEZ GRANT, A DISTANCE OF 265.66 FEET TO THE SOUTHWEST CORNER OF LOT 36 OF SAID GOMEZ GRANT AND THE POINT OF BEGINNING.

CONTAINING 777.940.35 SQUARE FEET OR 17.859053 ACRES MORE OR LESS.



SKETCH AND LEGAL DESCRIPTION OF

PARCEL A

MARTIN COUNTY, FLORIDA

SHEET NO.

DF 10

PROJECT NO. 20-046.1

## **SURVEYOR'S NOTES**

- 1. BEARING BASIS IS THE WEST LINE OF LOT 35, GOMEZ GRANT PLAT BOOK "B" PAGE 51, DADE COUNTY, FLORIDA RE-RECORDED IN PLAT BOOK 1 PAGE 61, PALM BEACH, NOW MARTIN COUNTY, FLORIDA HAVING A BEARING OF NORTH 21°36'50" WEST
- 2. THIS IS NOT A SURVEY.
- 3. THIS LEGAL DESCRIPTION SHALL NOT BE VALID UNLESS PROVIDED IN ITS ENTIRETY CONSISTING OF 15 SHEETS, WITH SHEETS 6 THROUGH 15 BEING THE SKETCH OF DESCRIPTION.
- 4. THIS DOCUMENT MAY BE REPRODUCED UPON REQUEST IN AN ALTERNATIVE FORMAT BY CONTACTING THE COUNTY ADA COORDINATOR (772)320-3131, THE COUNTY ADMINISTRATION OFFICE (772-288-5400), FLORIDA RELAY 711, OR BY COMPLETING OUR ACCESSIBILITY FEEDBACK FORM AT WWW.MARTIN.FL.US/ACCESSIBILITY-FEEDBACK.

# **LEGEND**

CB = CHORD BEARING
CD = CHORD DISTANCE

COR. = CORNER

COR. = CORNER D = DELTA

DB = DEED BOOK

FDOT = FLORIDA DEPARMENT OF TRANSPORTATION

L = ARC LENGTH

ORB = OFFICIAL RECORDS BOOK
PC = POINT OF CURVATURE
PCN = PARCEL CONTROL NUMBER
PI = POINT OF INTERSECTION

PG = PAGE

POB = POINT OF BEGINNING

POC = POINT OF COMMENCEMENT

PT = POINT OF TANGENCY

R = RADIUS

R/W = RIGHT-OF-WAY

#### SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS SKETCH AND LEGAL DESCRIPTION COMPLIES WITH THE STANDARDS OF PRACTICE SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 5J-17.050 - 17.052.

FRANK VELDHUIS, P.S.M.				
FLORIDA REGISTRATION NO. 6582				

DATE	

NORTHSTAR GEOMATICS 617 NW BAKER ROAD

617 NW BAKER ROAD PO BOX 2371, STUART, FLORIDA 34995 (772)781-6400 (772)781-6462 FAX LICENSED BUSINESS NO. 7217 SKETCH AND LEGAL DESCRIPTION OF

PARCEL A


MARTIN COUNTY, FLORIDA


SHEET NO.

OF 10


PROJECT NO.


20-046.1





4 10 PROJECT NO. 20-046.1





SKETCH AND LEGAL DESCRIPTION OF

PARCEL A


MARTIN COUNTY, FLORIDA


SHEET NO.

5

10

PROJECT NO.
20-46.1







PARCEL A


MARTIN COUNTY, FLORIDA


6 10 PROJECT NO. 20-46.1





T 10 PROJECT NO. 20-46.1






SHEET NO.

8

F 10

PROJECT NO.
20-46.1






SHEET NO.

9

F 10

PROJECT NO.
20-46.1



SHEET NO.

10

10

PROJECT NO.
20-46.1