


PROJECT TEAM

OWNER/CLIENT:
BRADFORD TRADING PARTNERS
4045 SW LINDSEY DR.
PALM CITY 33460
304.11570@btp.com
CONTACT: BOB PATRICK

ENGINEER:
MILLS, SHORT, & ASSOCIATES
1085 JUPITER PARK DRIVE
JUPITER, FLORIDA 33458
772.226.7382
CONTACT: BRADY LUMER

LANDSCAPE ARCHITECT/PLANNER:
COTELEUR & HEARING, INC.
675 WEST MIDTOWN ROAD
JUPITER, FL 33458
561.747.6336
CONTACT: LEAH HEINZELMANN

SURVEYOR:
LIDBORG LAND SURVEYING, INC.
475 WEST MIDTOWN ROAD
JUPITER, FLORIDA 33458
561.747.6336
CONTACT: DAVID C. LIDBORG

LEGEND

LB LANDSCAPE BUFFER
R RADIUS
SB SETBACK
SW SIDEWALK
TYP TYPICAL
LME LAKE MAINTENANCE EASEMENT
OH OVERHANG
ESMT EASEMENT
UE UTILITY EASEMENT
UTZ UPLAND TRANSITION ZONE

ADA SIGN
STOP SIGN
BOLLARD/PATH LIGHT
PARKING LOT LIGHT

MAINTENANCE NOTES


1. ENCROACHMENT INTO REQUIRED BUFFERYARDS AND LANDSCAPED AREAS BY VEHICLES, BOATS, MOBILE HOMES OR TRAILERS SHALL NOT BE PERMITTED, AND REQUIRED LANDSCAPED AREAS SHALL NOT BE USED FOR THE STORAGE OR SALE OF MATERIALS OR PRODUCTS OR THE PARKING OF VEHICLES AND EQUIPMENT.

2. REQUIRED LANDSCAPING SHALL BE MAINTAINED SO AS TO AT ALL TIMES PRESENT A HEALTHY, NEAT AND ORDERLY APPEARANCE, FREE OF REFUSE AND DEBRIS. IF VEGETATION WHICH IS REQUIRED TO BE PLANTED DIES IT SHALL BE REPLACED WITH EQUIVALENT VEGETATION. ALL TREES FOR WHICH CREDIT WAS AWARDED AND WHICH SUBSEQUENTLY DIE, SHALL BE REPLACED BY THE REQUESTOR NUMBER OF LIVING TREES ACCORDING TO THE STANDARDS ESTABLISHED IN THE MARTIN COUNTY LANDSCAPE CODE.

3. ALL LANDSCAPING SHALL BE MAINTAINED FREE FROM DISEASE, PESTS, WEEDS AND LITTER. MAINTENANCE SHALL INCLUDE WEEDING, WATERING, FERTILIZING, PRUNING, MOWING, EDGING, MULCHING OR OTHER MAINTENANCE, AS NEEDED AND IN ACCORDANCE WITH ACCEPTABLE HORTICULTURAL PRACTICES. PERPETUAL MAINTENANCE SHALL BE PROVIDED TO PROHIBIT THE REESTABLISHMENT OF HARMFUL EXOTIC SPECIES WITHIN LANDSCAPING AND PRESERVATION AREAS.

4. REGULAR LANDSCAPE MAINTENANCE SHALL BE PROVIDED FOR REPAIR OR REPLACEMENT, WHERE NECESSARY, OF ANY SCREENING OR BUFFERING REQUIRED AS SHOWN ON THIS PLAN. REGULAR LANDSCAPE MAINTENANCE SHALL BE PROVIDED FOR THE REPAIR OR REPLACEMENT OF REQUIRED WALLS, FENCES OR STRUCTURES TO A STRUCTURALLY SOUND CONDITION AS SHOWN ON THIS PLAN.

REVISED FINAL LANDSCAPE PLAN




LANDSCAPE DATA

PALM PIKE HOTEL LANDSCAPE DATA			
	SQ.FT.	AC.	% SITE
Total Site Area	286,527.00	6.578	100
Zoning	Limited Industrial		
Future Land Use	Industrial		
PCN	24-38-40-000-010-00000-5, 24-38-40-000-011-00000-3		
Proposed Use	Hotel		
OPEN SPACE			
	SQ.FT.	AC.	% SITE
Total Open Space Required (Min. 20% of Total Site Area)	57,305.40	1.32	20.00%
Total Open Space Provided	184,740.00	4.24	64.48%
Lake Maintenance Easement & UTZ Plantings	13,580.00	0.31	4.74%
Dry Detention Areas	52,830.00	1.21	18.44%
Other Landscape Area	118,330.00	2.72	41.30%
OVERALL TREE REQUIREMENT			
	REQUIRED	PROVIDED	% NATIVE
1 Tree per 2,500 SF of Total Site Area	115	174	100%
138 Large Trees (QV2, QV, B5, CE, CES, CU, CB, PI)			100%
21 Palms (RE, SS, SP2) Two (22) Palms / 3 Sabal Palms = 1 Tree			100%
15 Midstory Trees (CCV, MGL, CAN) Two midstory Trees = one Tree			100%
*ADDITIONAL TREES USED TOWARDS TREE MITIGATION			
OVERALL NATIVE PERCENTAGES			
	REQUIRED	PROVIDED	% NATIVE
Trees	275%	100%	
Shrubs	275%	100%	
Groundcovers	350%	100%	
PERIMETER LANDSCAPE REQUIREMENTS			
	REQUIRED	PROVIDED	% NATIVE
North: 1 Tree per 30 LF	25	25	100%
Including 3 Ex. Oaks, 3 Ex. Pines			
East: 1 Tree per 30 LF	11	13	100%
Including 8 Ex. Oaks, 3 Ex. Pines			
South: 1 Tree per 30 LF	27	33	100%
West: 1 Tree per 30 LF	11	16	100%
*ADDITIONAL TREES USED TOWARDS TREE MITIGATION			
INTERIOR VUA REQUIREMENTS			
	REQUIRED	PROVIDED	% NATIVE
500 SF landscape per 5,000 SF VUA	6,239	12,712	n/a
6" Cal. (two 3" or three 2" per 500 SF landscape area	75" Cal.	81" Cal.	100%
19 (3" QV), 6 (2" CU), 3 (2" CES), 3 (2" CB)			
*ADDITIONAL TREES USED TOWARDS TREE MITIGATION			
LAKE PLANTINGS *not counted towards overall tree requirements			
	REQUIRED	PROVIDED	% NATIVE
Littoral Shelf: (105F per LF of Lake Shoreline)	7,790 SF	7,809 SF	100%
Littoral Trees: (1 Tree per 500 SF of Littoral Zone, 8' H)	16 trees	16 trees	100%
Including 8 Ex. Taxodium trees			
Upland Transition Plantings: (105F per LF of Lake Shoreline)	7,790 SF	8,132 SF	100%
Upland Transition Trees: (1 Tree per 500 SF of UTZ, 8' H)	16 trees	16 trees	100%
Including 5 Ex. Pond Apple trees			

GENERAL NOTES

1. TREES TO BE FLORIDA NO. 1 OR BETTER. ALL REQUIRED SHADE TREES SHALL BE 12 FEET IN HEIGHT AT INSTALLATION AND HAVE A DBH OF NOT LESS THAN 2 1/2 INCHES.
2. NOT LESS THAN 75% OF ALL TREES USED TO MEET LANDSCAPING REQUIREMENTS SHALL BE SHADE OR CANOPY TREES.
3. 100% OF REQUIRED VUA TREES MUST BE SHADE TREES. ADDITIONAL PALM TREES MAY BE INCORPORATED ALONG WITH REQUIRED SHADE TREES.
4. PALM TREES MAY BE SUBSTITUTED FOR UP TO 30% OF REQUIRED TREES PROVIDED THAT TWO PALM TREES OR 3 SABAL PALMS SHALL BE COUNTED AS ONE TREE.
5. ALL PROHIBITED SPECIES SHALL BE REMOVED FROM THE ENTIRE SITE PRIOR TO THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY.
6. MULCH MATERIAL TO A MINIMUM COMPACTED DEPTH OF THREE INCHES SHALL BE PROVIDED FOR ALL PLANTING AREAS WHEN USED TO SUPPLEMENT GROUND COVER. CYPRESS MULCH SHALL NOT BE USED AS A MULCHING MATERIAL.
7. THE USE OF CYPRESS MULCH IS PROHIBITED IN ALL LANDSCAPED AREAS.
8. STORMWATER MANAGEMENT AREAS ARE TO BE MAINTAINED WITH PLANTED NATIVE VEGETATION, IN PERPETUITY.

VUA LANDSCAPE AREA EXHIBIT





Cotleur & Hearing
Landscape Architects
Land Planners
Environmental Consultants


1934 Commerce Lane
Suite 1
Jupiter, Florida 33458
561.747.6336 - Fax 747.1377
www.cotleurhearing.com
Lic# LC-26000535

Palm Pike Crossing

Bradford Trading Partners
Martin County, Florida

DESIGNED	ACELAN
DRAWN	ACE
APPROVED	LAM
JOB NUMBER	24-0111
DATE	05-01-20
REVISIONS	08-21-20
	10-28-20
	12-22-20
	01-14-21


SHEET 2 OF 4
COTLEUR & HEARING, INC.
This document is the property of Cotleur & Hearing, Inc. and is not to be used for any other project without the express written consent of Cotleur & Hearing, Inc. All rights are reserved.



LEGEND

LB	LANDSCAPE BUFFER	+	ADA SIGN
R	RADIUS	+	STOP SIGN
SB	SETBACK	+	BOLLARD/PATH LIGHT
SW	SIDEWALK	+	PARKING LOT LIGHT
TYP	TYPICAL		
LME	LAKE MAINTENANCE EASEMENT		
OH	OVERHANG		
ESMT	EASEMENT		
UE	UTILITY EASEMENT		
UTZ	UPLAND TRANSITION ZONE		

REVISED FINAL LANDSCAPE PLAN



Scale: 1" = 20'




North



Coteleur & Hearing


Landscape Architects
Land Planners
Environmental Consultants
1934 Commerce Lane
Suite 1
Jupiter, Florida 33458
561.747.6336 - Fax 747.1377
www.coteleurhearing.com
Lic# LC-26000535

Palm Pike Crossing
Bradford Trading Partners
Martin County, Florida



- LEGEND**
- LB LANDSCAPE BUFFER
 - R RADIUS
 - SB SETBACK
 - SW SIDEWALK
 - TYP TYPICAL
 - LME LAKE MAINTENANCE EASEMENT
 - OH OVERHANG
 - ESMT EASEMENT
 - UE UTILITY EASEMENT
 - UTZ UPLAND TRANSITION ZONE
 - ADA SIGN
 - STOP SIGN
 - BOLLARD/PATH LIGHT
 - PARKING LOT LIGHT

**REVISED FINAL
LANDSCAPE PLAN**



Scale: 1" = 20'



North

DESIGNED	ACELAH
DRAWN	ACE
APPROVED	LAA
JOB NUMBER	24-0111
DATE	05-01-25
REVISIONS	08-21-25
	10-28-25
	12-22-25
	01-14-26

SHEET 3 OF 4
COTELEUR & HEARING, INC.
All drawings and designs are the property of the architect and are not to be used for reproduction or for other projects without the expressed written consent of the architect. Incomplete drawings may be subject to change.

LANDSCAPE NOTES

ALL PLANT MATERIAL SHALL BE FLORIDA NUMBER 1 OR BETTER AS DEFINED BY THE DIVISION OF PLANT INDUSTRY FLORIDA GRASSES AND STANDARDS LATEST EDITION.

ALL LANDSCAPE SHALL CONFORM TO THE REQUIREMENTS OF THE MARTIN COUNTY LAND DEVELOPMENT REGULATIONS, THE MARTIN COUNTY LAND DEVELOPMENT CODE (LDR) AND THE MARTIN COUNTY LAND DEVELOPMENT CODE (LDR).

VEGETATION REMOVAL PERMITS ARE REQUIRED PRIOR TO REMOVING, CLEARING OR STRIPPING ANY VEGETATION FROM THE PROPERTY.

AT THE TIME OF BUILDING PERMIT, THE APPLICANT SHALL EXECUTE HOLD HARMLESS AGREEMENTS WITH ALL APPLICABLE UTILITIES FOR LANDSCAPING. THE LANDSCAPE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES PRIOR TO ANY CONSTRUCTION.

THE LANDSCAPE CONTRACTOR SHALL NOT MAKE ANY SUBSTITUTIONS AND/OR CHANGES WITHOUT THE AUTHORIZATION OF MARTIN COUNTY GROWTH MANAGEMENT, THE OWNER, OR BETTER AS DETERMINED BY THE FLORIDA DIVISION OF PLANT INDUSTRY.

ALL CONTAINER GROWN MATERIAL SHALL BE HEALTHY, VIGOROUS, WELL-ROOTED PLANTS AND ESTABLISHED IN THE CONTAINER IN WHICH THEY ARE SOLD. THE PLANTS SHALL HAVE TOPS OF GOOD QUALITY AND BE IN A HEALTHY GROWING CONDITION.

THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL PERMITS. THE CONTRACTOR SHALL COORDINATE THE PLANTING AND TRIMMING OF STREET TREES TO ENSURE FULL VISIBILITY TO TRAFFIC CONTROL AND SAFETY SIGNAGE.

TREES SHALL BE POSITIONED TO AVOID CONFLICTS WITH SIGNAGE AND SITE UTILITIES. LARGER TREES WILL BE PROVIDED AT INTERSECTIONS WHERE DEEMED NECESSARY.

ALL VEGETATION SHALL BE SELECTED AND POSITIONED SO THAT IT DOES NOT PRESENT OBSTRUCTIONS TO THE LINE OF SIGHT AT INTERSECTIONS PURSUANT TO THE MARTIN COUNTY GROWTH MANAGEMENT.

ALL ABOUT-GROUND UTILITIES (E.G. TRANSFORMERS, SWITCH BOXES, AC CONDUITS, AND ALUM) SHALL BE FULLY COVERED BY A NEW OR THREE INCHES OF SAND EQUIPMENT AT THE TIME OF PLANTING.

ALL TREES SHALL BE LOCATED WITHIN A MULCH PLANTING BED WITH A MINIMUM OF TWO (2) FEET OF CLEARANCE TO THE EDGE OF THE BED.

FERTILIZER IN BACKFILL MIXTURE FOR ALL PLANTS SHALL CONSIST OF MICROBIAL ACTIVATED SLUDGE MIXED WITH THE BACKFILL AT A RATE OF NOT LESS THAN 10 LBS. PER CUBIC YARD.

FERTILIZER FOR TREES AND SHRUBS MAY BE TABLET FORM OR GRANULAR. GRANULAR FERTILIZER SHALL BE UNIFORM IN COMPOSITION, DRY AND FREE-FLUING. THIS FERTILIZER SHALL BE DELIVERED TO THE SITE IN THE STATEMENT OF ANALYSIS, AND SHALL MEET THE FOLLOWING REQUIREMENTS: NITROGEN, 16%; PHOSPHORUS, 16%; POTASSIUM, 16%; AND OTHER NUTRIENTS AS SPECIFIED.

LOOSEN SUBGRADE TO DEPTH OF 4" AND GRADE WITH SHOULDER STRIPPER PROVIDED ON SITE OR IMPORTED STANDARD PLANTING TO FINISH DESIGN ELEVATIONS. NO PREPARED LAWN SURFACE. WATER THOROUGHLY, BUT DO NOT CREATE RUNOFF SOIL CONDITION.

FERTILIZER (AGRICULTURAL) SHALL BE APPLIED AT THE FOLLOWING RATES:

PLANT SIZE 16"-12" AGROFERT TABLETS (21 GRAM)

1 GAL. 1/4 LB. 1/2 LB. 3/4 LB. 1 LB. 1 1/2 LB. 2 LB. 2 1/2 LB. 3 LB. 3 1/2 LB. 4 LB. 4 1/2 LB. 5 LB. 5 1/2 LB. 6 LB. 6 1/2 LB. 7 LB. 7 1/2 LB. 8 LB. 8 1/2 LB. 9 LB. 9 1/2 LB. 10 LB. 10 1/2 LB. 11 LB. 11 1/2 LB. 12 LB. 12 1/2 LB. 13 LB. 13 1/2 LB. 14 LB. 14 1/2 LB. 15 LB. 15 1/2 LB. 16 LB. 16 1/2 LB. 17 LB. 17 1/2 LB. 18 LB. 18 1/2 LB. 19 LB. 19 1/2 LB. 20 LB. 20 1/2 LB. 21 LB. 21 1/2 LB. 22 LB. 22 1/2 LB. 23 LB. 23 1/2 LB. 24 LB. 24 1/2 LB. 25 LB. 25 1/2 LB. 26 LB. 26 1/2 LB. 27 LB. 27 1/2 LB. 28 LB. 28 1/2 LB. 29 LB. 29 1/2 LB. 30 LB. 30 1/2 LB. 31 LB. 31 1/2 LB. 32 LB. 32 1/2 LB. 33 LB. 33 1/2 LB. 34 LB. 34 1/2 LB. 35 LB. 35 1/2 LB. 36 LB. 36 1/2 LB. 37 LB. 37 1/2 LB. 38 LB. 38 1/2 LB. 39 LB. 39 1/2 LB. 40 LB. 40 1/2 LB. 41 LB. 41 1/2 LB. 42 LB. 42 1/2 LB. 43 LB. 43 1/2 LB. 44 LB. 44 1/2 LB. 45 LB. 45 1/2 LB. 46 LB. 46 1/2 LB. 47 LB. 47 1/2 LB. 48 LB. 48 1/2 LB. 49 LB. 49 1/2 LB. 50 LB. 50 1/2 LB. 51 LB. 51 1/2 LB. 52 LB. 52 1/2 LB. 53 LB. 53 1/2 LB. 54 LB. 54 1/2 LB. 55 LB. 55 1/2 LB. 56 LB. 56 1/2 LB. 57 LB. 57 1/2 LB. 58 LB. 58 1/2 LB. 59 LB. 59 1/2 LB. 60 LB. 60 1/2 LB. 61 LB. 61 1/2 LB. 62 LB. 62 1/2 LB. 63 LB. 63 1/2 LB. 64 LB. 64 1/2 LB. 65 LB. 65 1/2 LB. 66 LB. 66 1/2 LB. 67 LB. 67 1/2 LB. 68 LB. 68 1/2 LB. 69 LB. 69 1/2 LB. 70 LB. 70 1/2 LB. 71 LB. 71 1/2 LB. 72 LB. 72 1/2 LB. 73 LB. 73 1/2 LB. 74 LB. 74 1/2 LB. 75 LB. 75 1/2 LB. 76 LB. 76 1/2 LB. 77 LB. 77 1/2 LB. 78 LB. 78 1/2 LB. 79 LB. 79 1/2 LB. 80 LB. 80 1/2 LB. 81 LB. 81 1/2 LB. 82 LB. 82 1/2 LB. 83 LB. 83 1/2 LB. 84 LB. 84 1/2 LB. 85 LB. 85 1/2 LB. 86 LB. 86 1/2 LB. 87 LB. 87 1/2 LB. 88 LB. 88 1/2 LB. 89 LB. 89 1/2 LB. 90 LB. 90 1/2 LB. 91 LB. 91 1/2 LB. 92 LB. 92 1/2 LB. 93 LB. 93 1/2 LB. 94 LB. 94 1/2 LB. 95 LB. 95 1/2 LB. 96 LB. 96 1/2 LB. 97 LB. 97 1/2 LB. 98 LB. 98 1/2 LB. 99 LB. 99 1/2 LB. 100 LB. 100 1/2 LB. 101 LB. 101 1/2 LB. 102 LB. 102 1/2 LB. 103 LB. 103 1/2 LB. 104 LB. 104 1/2 LB. 105 LB. 105 1/2 LB. 106 LB. 106 1/2 LB. 107 LB. 107 1/2 LB. 108 LB. 108 1/2 LB. 109 LB. 109 1/2 LB. 110 LB. 110 1/2 LB. 111 LB. 111 1/2 LB. 112 LB. 112 1/2 LB. 113 LB. 113 1/2 LB. 114 LB. 114 1/2 LB. 115 LB. 115 1/2 LB. 116 LB. 116 1/2 LB. 117 LB. 117 1/2 LB. 118 LB. 118 1/2 LB. 119 LB. 119 1/2 LB. 120 LB. 120 1/2 LB. 121 LB. 121 1/2 LB. 122 LB. 122 1/2 LB. 123 LB. 123 1/2 LB. 124 LB. 124 1/2 LB. 125 LB. 125 1/2 LB. 126 LB. 126 1/2 LB. 127 LB. 127 1/2 LB. 128 LB. 128 1/2 LB. 129 LB. 129 1/2 LB. 130 LB. 130 1/2 LB. 131 LB. 131 1/2 LB. 132 LB. 132 1/2 LB. 133 LB. 133 1/2 LB. 134 LB. 134 1/2 LB. 135 LB. 135 1/2 LB. 136 LB. 136 1/2 LB. 137 LB. 137 1/2 LB. 138 LB. 138 1/2 LB. 139 LB. 139 1/2 LB. 140 LB. 140 1/2 LB. 141 LB. 141 1/2 LB. 142 LB. 142 1/2 LB. 143 LB. 143 1/2 LB. 144 LB. 144 1/2 LB. 145 LB. 145 1/2 LB. 146 LB. 146 1/2 LB. 147 LB. 147 1/2 LB. 148 LB. 148 1/2 LB. 149 LB. 149 1/2 LB. 150 LB. 150 1/2 LB. 151 LB. 151 1/2 LB. 152 LB. 152 1/2 LB. 153 LB. 153 1/2 LB. 154 LB. 154 1/2 LB. 155 LB. 155 1/2 LB. 156 LB. 156 1/2 LB. 157 LB. 157 1/2 LB. 158 LB. 158 1/2 LB. 159 LB. 159 1/2 LB. 160 LB. 160 1/2 LB. 161 LB. 161 1/2 LB. 162 LB. 162 1/2 LB. 163 LB. 163 1/2 LB. 164 LB. 164 1/2 LB. 165 LB. 165 1/2 LB. 166 LB. 166 1/2 LB. 167 LB. 167 1/2 LB. 168 LB. 168 1/2 LB. 169 LB. 169 1/2 LB. 170 LB. 170 1/2 LB. 171 LB. 171 1/2 LB. 172 LB. 172 1/2 LB. 173 LB. 173 1/2 LB. 174 LB. 174 1/2 LB. 175 LB. 175 1/2 LB. 176 LB. 176 1/2 LB. 177 LB. 177 1/2 LB. 178 LB. 178 1/2 LB. 179 LB. 179 1/2 LB. 180 LB. 180 1/2 LB. 181 LB. 181 1/2 LB. 182 LB. 182 1/2 LB. 183 LB. 183 1/2 LB. 184 LB. 184 1/2 LB. 185 LB. 185 1/2 LB. 186 LB. 186 1/2 LB. 187 LB. 187 1/2 LB. 188 LB. 188 1/2 LB. 189 LB. 189 1/2 LB. 190 LB. 190 1/2 LB. 191 LB. 191 1/2 LB. 192 LB. 192 1/2 LB. 193 LB. 193 1/2 LB. 194 LB. 194 1/2 LB. 195 LB. 195 1/2 LB. 196 LB. 196 1/2 LB. 197 LB. 197 1/2 LB. 198 LB. 198 1/2 LB. 199 LB. 199 1/2 LB. 200 LB. 200 1/2 LB. 201 LB. 201 1/2 LB. 202 LB. 202 1/2 LB. 203 LB. 203 1/2 LB. 204 LB. 204 1/2 LB. 205 LB. 205 1/2 LB. 206 LB. 206 1/2 LB. 207 LB. 207 1/2 LB. 208 LB. 208 1/2 LB. 209 LB. 209 1/2 LB. 210 LB. 210 1/2 LB. 211 LB. 211 1/2 LB. 212 LB. 212 1/2 LB. 213 LB. 213 1/2 LB. 214 LB. 214 1/2 LB. 215 LB. 215 1/2 LB. 216 LB. 216 1/2 LB. 217 LB. 217 1/2 LB. 218 LB. 218 1/2 LB. 219 LB. 219 1/2 LB. 220 LB. 220 1/2 LB. 221 LB. 221 1/2 LB. 222 LB. 222 1/2 LB. 223 LB. 223 1/2 LB. 224 LB. 224 1/2 LB. 225 LB. 225 1/2 LB. 226 LB. 226 1/2 LB. 227 LB. 227 1/2 LB. 228 LB. 228 1/2 LB. 229 LB. 229 1/2 LB. 230 LB. 230 1/2 LB. 231 LB. 231 1/2 LB. 232 LB. 232 1/2 LB. 233 LB. 233 1/2 LB. 234 LB. 234 1/2 LB. 235 LB. 235 1/2 LB. 236 LB. 236 1/2 LB. 237 LB. 237 1/2 LB. 238 LB. 238 1/2 LB. 239 LB. 239 1/2 LB. 240 LB. 240 1/2 LB. 241 LB. 241 1/2 LB. 242 LB. 242 1/2 LB. 243 LB. 243 1/2 LB. 244 LB. 244 1/2 LB. 245 LB. 245 1/2 LB. 246 LB. 246 1/2 LB. 247 LB. 247 1/2 LB. 248 LB. 248 1/2 LB. 249 LB. 249 1/2 LB. 250 LB. 250 1/2 LB. 251 LB. 251 1/2 LB. 252 LB. 252 1/2 LB. 253 LB. 253 1/2 LB. 254 LB. 254 1/2 LB. 255 LB. 255 1/2 LB. 256 LB. 256 1/2 LB. 257 LB. 257 1/2 LB. 258 LB. 258 1/2 LB. 259 LB. 259 1/2 LB. 260 LB. 260 1/2 LB. 261 LB. 261 1/2 LB. 262 LB. 262 1/2 LB. 263 LB. 263 1/2 LB. 264 LB. 264 1/2 LB. 265 LB. 265 1/2 LB. 266 LB. 266 1/2 LB. 267 LB. 267 1/2 LB. 268 LB. 268 1/2 LB. 269 LB. 269 1/2 LB. 270 LB. 270 1/2 LB. 271 LB. 271 1/2 LB. 272 LB. 272 1/2 LB. 273 LB. 273 1/2 LB. 274 LB. 274 1/2 LB. 275 LB. 275 1/2 LB. 276 LB. 276 1/2 LB. 277 LB. 277 1/2 LB. 278 LB. 278 1/2 LB. 279 LB. 279 1/2 LB. 280 LB. 280 1/2 LB. 281 LB. 281 1/2 LB. 282 LB. 282 1/2 LB. 283 LB. 283 1/2 LB. 284 LB. 284 1/2 LB. 285 LB. 285 1/2 LB. 286 LB. 286 1/2 LB. 287 LB. 287 1/2 LB. 288 LB. 288 1/2 LB. 289 LB. 289 1/2 LB. 290 LB. 290 1/2 LB. 291 LB. 291 1/2 LB. 292 LB. 292 1/2 LB. 293 LB. 293 1/2 LB. 294 LB. 294 1/2 LB. 295 LB. 295 1/2 LB. 296 LB. 296 1/2 LB. 297 LB. 297 1/2 LB. 298 LB. 298 1/2 LB. 299 LB. 299 1/2 LB. 300 LB. 300 1/2 LB. 301 LB. 301 1/2 LB. 302 LB. 302 1/2 LB. 303 LB. 303 1/2 LB. 304 LB. 304 1/2 LB. 305 LB. 305 1/2 LB. 306 LB. 306 1/2 LB. 307 LB. 307 1/2 LB. 308 LB. 308 1/2 LB. 309 LB. 309 1/2 LB. 310 LB. 310 1/2 LB. 311 LB. 311 1/2 LB. 312 LB. 312 1/2 LB. 313 LB. 313 1/2 LB. 314 LB. 314 1/2 LB. 315 LB. 315 1/2 LB. 316 LB. 316 1/2 LB. 317 LB. 317 1/2 LB. 318 LB. 318 1/2 LB. 319 LB. 319 1/2 LB. 320 LB. 320 1/2 LB. 321 LB. 321 1/2 LB. 322 LB. 322 1/2 LB. 323 LB. 323 1/2 LB. 324 LB. 324 1/2 LB. 325 LB. 325 1/2 LB. 326 LB. 326 1/2 LB. 327 LB. 327 1/2 LB. 328 LB. 328 1/2 LB. 329 LB. 329 1/2 LB. 330 LB. 330 1/2 LB. 331 LB. 331 1/2 LB. 332 LB. 332 1/2 LB. 333 LB. 333 1/2 LB. 334 LB. 334 1/2 LB. 335 LB. 335 1/2 LB. 336 LB. 336 1/2 LB. 337 LB. 337 1/2 LB. 338 LB. 338 1/2 LB. 339 LB. 339 1/2 LB. 340 LB. 340 1/2 LB. 341 LB. 341 1/2 LB. 342 LB. 342 1/2 LB. 343 LB. 343 1/2 LB. 344 LB. 344 1/2 LB. 345 LB. 345 1/2 LB. 346 LB. 346 1/2 LB. 347 LB. 347 1/2 LB. 348 LB. 348 1/2 LB. 349 LB. 349 1/2 LB. 350 LB. 350 1/2 LB. 351 LB. 351 1/2 LB. 352 LB. 352 1/2 LB. 353 LB. 353 1/2 LB. 354 LB. 354 1/2 LB. 355 LB. 355 1/2 LB. 356 LB. 356 1/2 LB. 357 LB. 357 1/2 LB. 358 LB. 358 1/2 LB. 359 LB. 359 1/2 LB. 360 LB. 360 1/2 LB. 361 LB. 361 1/2 LB. 362 LB. 362 1/2 LB. 363 LB. 363 1/2 LB. 364 LB. 364 1/2 LB. 365 LB. 365 1/2 LB. 366 LB. 366 1/2 LB. 367 LB. 367 1/2 LB. 368 LB. 368 1/2 LB. 369 LB. 369 1/2 LB. 370 LB. 370 1/2 LB. 371 LB. 371 1/2 LB. 372 LB. 372 1/2 LB. 373 LB. 373 1/2 LB. 374 LB. 374 1/2 LB. 375 LB. 375 1/2 LB. 376 LB. 376 1/2 LB. 377 LB. 377 1/2 LB. 378 LB. 378 1/2 LB. 379 LB. 379 1/2 LB. 380 LB. 380 1/2 LB. 381 LB. 381 1/2 LB. 382 LB. 382 1/2 LB. 383 LB. 383 1/2 LB. 384 LB. 384 1/2 LB. 385 LB. 385 1/2 LB. 386 LB. 386 1/2 LB. 387 LB. 387 1/2 LB. 388 LB. 388 1/2 LB. 389 LB. 389 1/2 LB. 390 LB. 390 1/2 LB. 391 LB. 391 1/2 LB. 392 LB. 392 1/2 LB. 393 LB. 393 1/2 LB. 394 LB. 394 1/2 LB. 395 LB. 395 1/2 LB. 396 LB. 396 1/2 LB. 397 LB. 397 1/2 LB. 398 LB. 398 1/2 LB. 399 LB. 399 1/2 LB. 400 LB. 400 1/2 LB. 401 LB. 401 1/2 LB. 402 LB. 402 1/2 LB. 403 LB. 403 1/2 LB. 404 LB. 404 1/2 LB. 405 LB. 405 1/2 LB. 406 LB. 406 1/2 LB. 407 LB. 407 1/2 LB. 408 LB. 408 1/2 LB. 409 LB. 409 1/2 LB. 410 LB. 410 1/2 LB. 411 LB. 411 1/2 LB. 412 LB. 412 1/2 LB. 413 LB. 413 1/2 LB. 414 LB. 414 1/2 LB. 415 LB. 415 1/2 LB. 416 LB. 416 1/2 LB. 417 LB. 417 1/2 LB. 418 LB. 418 1/2 LB. 419 LB. 419 1/2 LB. 420 LB. 420 1/2 LB. 421 LB. 421 1/2 LB. 422 LB. 422 1/2 LB. 423 LB. 423 1/2 LB. 424 LB. 424 1/2 LB. 425 LB. 425 1/2 LB. 426 LB. 426 1/2 LB. 427 LB. 427 1/2 LB. 428 LB. 428 1/2 LB. 429 LB. 429 1/2 LB. 430 LB. 430 1/2 LB. 431 LB. 431 1/2 LB. 432 LB. 432 1/2 LB. 433 LB. 433 1/2 LB. 434 LB. 434 1/2 LB. 435 LB. 435 1/2 LB. 436 LB. 436 1/2 LB. 437 LB. 437 1/2 LB. 438 LB. 438 1/2 LB. 439 LB. 439 1/2 LB. 440 LB. 440 1/2 LB. 441 LB. 441 1/2 LB. 442 LB. 442 1/2 LB. 443 LB. 443 1/2 LB. 444 LB. 444 1/2 LB. 445 LB. 445 1/2 LB. 446 LB. 446 1/2 LB. 447 LB. 447 1/2 LB. 448 LB. 448 1/2 LB. 449 LB. 449 1/2 LB. 450 LB. 450 1/2 LB. 451 LB. 451 1/2 LB. 452 LB. 452 1/2 LB. 453 LB. 453 1/2 LB. 454 LB. 454 1/2 LB. 455 LB. 455 1/2 LB. 456 LB. 456 1/2 LB. 457 LB. 457 1/2 LB. 458 LB. 458 1/2 LB. 459 LB. 459 1/2 LB. 460 LB. 460 1/2 LB. 461 LB. 461 1/2 LB. 462 LB. 462 1/2 LB. 463 LB. 463 1/2 LB. 464 LB. 464 1/2 LB. 465 LB. 465 1/2 LB. 466 LB. 466 1/2 LB. 467 LB. 467 1/2 LB. 468 LB. 468 1/2 LB. 469 LB. 469 1/2 LB. 470 LB. 470 1/2 LB. 471 LB. 471 1/2 LB. 472 LB. 472 1/2 LB. 473 LB. 473 1/2 LB. 474 LB. 474 1/2 LB. 475 LB. 475 1/2 LB. 476 LB. 476 1/2 LB. 477 LB. 477 1/2 LB. 478 LB. 478 1/2 LB. 479 LB. 479 1/2 LB. 480 LB. 480 1/2 LB. 481 LB. 481 1/2 LB. 482 LB. 482 1/2 LB. 483 LB. 483 1/2 LB. 484 LB. 484 1/2 LB. 485 LB. 485 1/2 LB. 486 LB. 486 1/2 LB. 487 LB. 487 1/2 LB. 488 LB. 488 1/2 LB. 489 LB. 489 1/2 LB. 490 LB. 490 1/2 LB. 491 LB. 491 1/2 LB. 492 LB. 492 1/2 LB. 493 LB. 493 1/2 LB. 494 LB. 494 1/2 LB. 495 LB. 495 1/2 LB. 496 LB. 496 1/2 LB. 497 LB. 497 1/2 LB. 498 LB. 498 1/2 LB. 499 LB. 499 1/2 LB. 500 LB. 500 1/2 LB. 501 LB. 501 1/2 LB. 502 LB. 502 1/2 LB. 503 LB. 503 1/2 LB. 504 LB. 504 1/2 LB. 505 LB. 505 1/2 LB. 506 LB. 506 1/2 LB. 507 LB. 507 1/2 LB. 508 LB. 508 1/2 LB. 509 LB. 509 1/2 LB. 510 LB. 510 1/2 LB. 511 LB. 511 1/2 LB. 512 LB. 512 1/2 LB. 513 LB. 513 1/2 LB. 514 LB. 514 1/2 LB. 515 LB. 515 1/2 LB. 516 LB. 516 1/2 LB. 517 LB. 517 1/2 LB. 518 LB. 518 1/2 LB. 519 LB. 519 1/2 LB. 520 LB. 520 1/2 LB. 521 LB. 521 1/2 LB. 522 LB. 522 1/2 LB. 523 LB. 523 1/2 LB. 524 LB. 524 1/2 LB. 525 LB. 525 1/2 LB. 526 LB. 526 1/2 LB. 527 LB. 527 1/2 LB. 528 LB. 528 1/2 LB. 529 LB. 529 1/2 LB. 530 LB. 530 1/2 LB. 531 LB. 531 1/2 LB. 532 LB. 532 1/2 LB. 533 LB. 533 1/2 LB. 534 LB. 534 1/2 LB. 535 LB. 535 1/2 LB. 536 LB. 536 1/2 LB. 537 LB. 537 1/2 LB. 538 LB. 538 1/2 LB. 539 LB. 539 1/2 LB. 540 LB. 540 1/2 LB. 541 LB. 541 1/2 LB. 542 LB. 542 1/2 LB. 543 LB. 543 1/2 LB. 544 LB. 544 1/2 LB. 545 LB. 545 1/2 LB. 546 LB. 546 1/2 LB. 547 LB. 547 1/2 LB. 548 LB. 548 1/2 LB. 549 LB. 549 1/2 LB. 550 LB. 550 1/2 LB. 551 LB. 551 1/2 LB. 552 LB. 552 1/2 LB. 553 LB. 553 1/2 LB. 554 LB. 554 1/2 LB. 555 LB. 555 1/2 LB. 556 LB. 556 1/2 LB. 557 LB. 557 1/2 LB. 558 LB. 558 1/2 LB. 559 LB. 559 1/2 LB. 560 LB. 560 1/2 LB. 561 LB. 561 1/2 LB. 562 LB. 562 1/2 LB. 563 LB. 563 1/2 LB. 564 LB. 564 1/2 LB. 565 LB. 565 1/2 LB. 566 LB. 566 1/2 LB. 567 LB. 567 1/2 LB. 568 LB. 568 1/2 LB. 569 LB. 569 1/2 LB. 570 LB. 570 1/2 LB. 571 LB. 571 1/2 LB. 572 LB. 572 1/2 LB. 573 LB. 573 1/2 LB. 574 LB. 574 1/2 LB. 575 LB. 575 1/2 LB. 576 LB. 576 1/2 LB. 577 LB. 577 1/2 LB. 578 LB. 578 1/2 LB. 579 LB. 579 1/2 LB. 580 LB. 580 1/2 LB. 581 LB. 581 1/2 LB. 582 LB. 582 1/2 LB. 583 LB. 583 1/2 LB. 584 LB. 584 1/2 LB. 585 LB. 585 1/2 LB. 586 LB. 586 1/2 LB. 587 LB. 587 1/2 LB. 588 LB. 588 1/2 LB. 589 LB. 589 1/2 LB. 590 LB. 590 1/2 LB. 591 LB. 591 1/2 LB. 592 LB. 592 1/2 LB. 593 LB. 593 1/2 LB. 594 LB. 594 1/2 LB. 595 LB. 595 1/2 LB. 596 LB. 596 1/2 LB. 597 LB. 597 1/2 LB. 598 LB. 598 1/2 LB. 599 LB. 599 1/2 LB. 600 LB. 600 1/2 LB. 601 LB. 601 1/2 LB. 602 LB. 602 1/2 LB. 603 LB. 603 1/2 LB. 604 LB. 604 1/2 LB. 605 LB. 605 1/2 LB. 606 LB. 606 1/2 LB. 607 LB. 607 1/2 LB. 608 LB. 608 1/2 LB. 609 LB. 609 1/2 LB. 610 LB. 610 1/2 LB. 611 LB. 611 1/2 LB. 612 LB. 612 1/2 LB. 613 LB. 613 1/2 LB. 614 LB. 614 1/2 LB. 615 LB. 615 1/2 LB. 616 LB. 616 1/2 LB. 617 LB. 617 1/2 LB. 618 LB. 618 1/2 LB. 619 LB. 619 1/2 LB. 620 LB. 620 1/2 LB. 621 LB. 621 1/2 LB. 622 LB. 622 1/2 LB. 623 LB. 623 1/2 LB. 624 LB. 624 1/2 LB. 625 LB. 625 1/2 LB. 626 LB. 626 1/2 LB. 627 LB. 627 1/2 LB. 628 LB. 628 1/2 LB. 629 LB. 629 1/2 LB. 630 LB. 630 1/2 LB. 631 LB. 631 1/2 LB. 632 LB. 632 1/2 LB. 633 LB. 633 1/2 LB. 634 LB. 634 1/2 LB. 635 LB. 635 1/2 LB. 636 LB. 636 1/2 LB. 637 LB. 637 1/2 LB. 638 LB. 638 1/2 LB. 639 LB. 639 1/2 LB. 640 LB. 640 1/2 LB. 641 LB. 641 1/2 LB. 642 LB. 642 1/2 LB. 643 LB. 643 1/2 LB. 644 LB. 644 1/2 LB. 645 LB. 645 1/2 LB. 646 LB. 646 1/2 LB. 647 LB. 647 1/2 LB. 648 LB. 648 1/2 LB. 649 LB. 649 1/2 LB. 650 LB. 650 1/2 LB. 651 LB. 651 1/2 LB. 652 LB. 652 1/2 LB. 653 LB. 653 1/2 LB. 654 LB. 654 1/2 LB. 655 LB. 655 1/2 LB. 656 LB. 656 1/2 LB. 657 LB. 657 1/2 LB. 658 LB. 658 1/2 LB. 659 LB. 659 1/2 LB. 660 LB. 660 1/2 LB. 661 LB. 661 1/2 LB. 662 LB. 662 1/2 LB. 663 LB. 663 1/2 LB. 664 LB. 664 1/2 LB. 665 LB. 665 1/2 LB. 666 LB. 666 1/2 LB. 667 LB. 667 1/2 LB. 668 LB. 668 1/2 LB. 669 LB. 669 1/2 LB. 670 LB. 670 1/2 LB. 671 LB. 671 1/2 LB. 672 LB. 672 1/2 LB. 673 LB. 673 1/2 LB. 674 LB. 674 1/2 LB. 675 LB. 675 1/2 LB. 676 LB. 676 1/2 LB. 677 LB. 677 1/2 LB. 678 LB. 678 1/2 LB. 679 LB. 679 1/2 LB. 680 LB. 680 1/2 LB. 681 LB. 681 1/2 LB. 682 LB. 682 1/2 LB. 683 LB. 683 1/2 LB. 684 LB. 684 1/2 LB. 685 LB. 685 1/2 LB. 686 LB. 686 1/2 LB. 687 LB. 687 1/2 LB. 688 LB. 688 1/2 LB. 689 LB. 689 1/2 LB. 690 LB. 690 1/2 LB. 691 LB. 691 1/2 LB. 692 LB. 692 1/2 LB. 693 LB. 693 1/2 LB. 694 LB. 694 1/2 LB. 695 LB. 695 1/2 LB. 696 LB. 696 1/2 LB. 697 LB. 697 1/2 LB. 698 LB. 698 1/2 LB. 699 LB. 699 1/2 LB. 700 LB. 700 1/2 LB. 701 LB. 701 1/2 LB. 702 LB. 702 1/2